Connecticut Ground Water Survey

A Project of the Works Progress Administration

Ground-water levels in north-central Connecticut, October 1, 1934 to December 31, 1937

Bulletin GW-6

Issued by the
Works Progress Administration for Connecticut
Official Project 665-15-3-116

In cooperation with the
Connecticut State Water Commission, Sponsor

Prepared under direction of the
Geological Survey
United States Department of the Interior

Hartford, Connecticut
November 1938

CONTENTS

Ground-water levels in north-central Connecticut
October 1, 1934 to December 31, 1937

Introduction

The present report gives water-level measurements made in 1934, 1935, 1936 and 1937 at 218 selected wells distributed through 27 towns in north-central Connecticut. Similar measurements have been carried out in 41 additional towns in the coastal belt of the State, and the publication of these records is in progress.

Water-level measurements are given for 205 dug wells, 10 driven wells and three drilled wells. About half of the dug wells end in glacial till, and half in stratified glacial drift. The 10 driven wells end in stratified drift and the drilled wells penetrate Triassic sandstone. One hundred and thirty of the wells are in the Connecticut valley lowland, 72 on the west side of the Connecticut river and 58 on the east side. Eighty-eight of the wells are in the western highland of Connecticut. Most of these wells are in drainage basins tributary to the Connecticut river. In December 1937, water-levels were being measured in 167 of the wells covered in this report.

The water-level measurements were made with steel tapes. The measurements are given in depths below the measuring point at or near the top of each well. These measuring points have been referred to one or more nearby bench marks by instrumental leveling.

The Connecticut valley lowland is underlain by Triassic sandstone, shale and trap. The western highland is underlain by crystalline rocks, chiefly schist and gneiss. The bedrock is overlain by stratified and unstratified glacial drift.

The average annual precipitation in north-central Connecticut is about 45 inches, and is fairly evenly distributed throughout the year.

The work forming the basis of this report was begun at the suggestion of General Sanford H. Wadhams, Director of the Connecticut State Water Commission, as a part of the State's program of water resource studies under the Federal work program. The field work was started on October 1, 1934, by the Connecticut State Emergency Relief Commission as a Federal Emergency Relief Administration project and since November 22, 1935, has been operated by the Division of Women's and Professional Projects of the Works Progress Administration for Connecticut as Official Projects 65-15-861, 465-15-3-26 and 665-15-3-116. The Connecticut State Planning Board, in cooperation with the State Water Commission, sponsored the project until July 1, 1937 when sponsorship was assumed by the State Water Commission.

The work was done under the supervision of W. H. Brothwell, Supervisor for the Works Progress Administration, its preceding emergency administrations, and for the sponsors. At different times the

work has been under the direction of B L. Bigwood, S. F. Turner, or R. M. Leggette, of the Federal Geological Survey. Field work was carried out under the supervision of W. H. Brothwell and R. M. Logie. This report was prepared under the direct supervision of R. M. Logie and George Ebersold. Stencilling, reproduction and assembly of the report were in charge of W. E. Danielson. The water-bearing formation of each well was determined by R. M. Logie from published geologic data and field observations. The water-level measurements in the towns covered in this report were made by the following persons:

Baldauf, R.	Hewitt, T. A.
Beveridge, R. E.	Hubbard, L. M.
Bowler, D.A.	Italia, S.
Dell, E.	Jarvis, S. D.
Duilio, D.	Mansur, L. M.
Eff, K.	Nicholson, C. S.
Frankovits, J.	Olmsted, R. S.
Freeman, G. F.	Taylor, L. M.
French, W. G.	Teraila, A.
Fuller, A. M.	Widen, S.

The assistance of the administrative and engineering staff of the Connecticut State Water Commission is gratefully acknowledged. Without the cooperation of well and spring owners and other individuals, this report would not have been possible. The project appreciates the splendid cooperation of Mr. V. J. Sullivan, Administrator of the Works Progress Administration, and of the staff of the Women's and Professional Division under whose direct supervision this work was accomplished.

A 96. H. H. Skerrett, abandoned dug well, Connecticut Route 10, Avon. Diameter 36 inches, depth 32.8 feet. Measuring point is the upper sharp edge of wooden spout inside the windlass housing 3.0 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 12	33.21	Sept. 16	32.76	July 6	32.61
19	33.09	23	32.74	13	32.74
26	32.83	Oct. 1	32.77	21	32.76
Dec. 3	32.82	7	32.75	27	32.84
11	31.18	14	32.77	Aug. 3	32.50
17	32.71	21	32.00	10	32.80
26	32.31	28	32.77	17	33.10
31	31.98	Nov. 4	32.72	24	32.97
1935		11	32.74	31	32.72
Jan. 7	32.99	19	32.75	Sept. 8	32.74
14	33.87	26	32.74	14	32.80
21	32.96	Dec. 2	32.73	21	32.64
28	31.67	10	32.85	28	32.74
Feb. 5	33.15	16	32.40	Oct. 5	32.72
13	33.14	23	32.96	13	32.65
21	32.96	30	32.34	20	32.16
28	31.13	1936		26	33.00
Mar. 6	32.74	Jan. 5	32.09	Nov. 2	33.04
13	32.70	13	32.23	9	32.72
19	33.00	21	32.87	16	32.86
26	32.80	28	32.86	23	32.87
Apr. 2	32.79	Feb. 4	32.80	30	32.98
9	32.83	12	32.71	Dec. 7	32.62
16	32.75	17	32.90	14	31.20
23	32.80	25	32.83	21	29.73
May 2	32.79	Mar. 3	32.17	28	33.80
8	31.99	9	32.21	1937	
15	32.84	16	32.72	Jan. 4	34.34
June 3	32.81	25	32.71	11	32.82
10	31.93	30	32.75	18	32.63
17	31.83	Apr. 7	32.68	26	32.54
24	31.98	13	32.57	Feb. 1	32.60
July 1	32.76	20	32.64	8	32.65
8	32.71	27	32.67	16	32.55
15	32.76	May 4	32.67	23	32.68
22	32.75	11	32.64	Mar. 1	32.64
29	32.75	18	32.70	8	32.81
Aug. 5	32.78	25	32.94	15	33.00
12	32.75	June 1	33.09	22	32.97
19	32.74	8	33.60	29	32.96
26	32.75	15	33.89	Apr. 6	33.00
Sept. 3	32.76	22	33.11	12	32.97
9	32.75	29	32.08	19	32.98

Water level in feet below measuring point in well A 96-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937			
Apr. 26	32.86	July 12	32.73	Sept. 28	32.50
May 4	33.80	19	32.79	Oct. 4	32.72
11	32.50	26	33.09	13	32.81
17	32.61	Aug. 2	33.26	18	32.72
24	32.63	11	32.68	Nov. 1	32.78
June 2	32.80	17	32.68	15	32.78
7	32.67	24	32.17	29	32.52
14	32.42	31	32.66	Dec. 13	32.71
22	32.16	Sept. 7	32.79	27	32.66
29	32.50	14	32.80		
July 6	32.64	20	32.77		

A 98. A. A. House, abandoned dug well, Connecticut Route 10, Avon. Diameter 20 inches, depth 34.5 feet. Measuring point is orange paint mark on stone curbing 0.2 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 12	27.22	May 14	28.48	Dec. 23	33.94
19	27.71	June 3	28.06	30	33.70
26	27.69	10	31.50	1936	
Dec. 3	27.92	17	30.09	Jan. 5	33.56
11	27.21	24	29.54	13	31.20
17	27.42	July 1	32.65	21	31.62
26	27.11	8	32.82	28	27.20
31	26.79	15	32.95	Feb. 4	29.17
1935		22	33.20	12	29.80
Jan. 7	27.80	29	33.26	17	29.80
14	28.64	Aug. 5	33.42	25	29.45
21	27.18	12	33.57	Mar. 3	28.19
28	27.89	19	33.71	9	25.66
Feb. 5	28.64	26	34.00	16	24.79
15	29.65	Sept. 3	32.20	25	24.48
21	28.55	9	34.10	30	24.07
28	27.97	16	34.00	Apr. 7	24.00
Mar. 6	26.95	23	34.12	13	24.13
13	25.33	Oct. 1	34.20	20	24.89
19	25.81	7	34.38	27	25.84
26	26.11	14	34.60	May 4	26.51
Apr. 2	26.25	21	34.45	11	27.05
9	26.76	28	34.57	18	27.70
16	25.94	Nov. 4	34.52	25	28.50
23	26.42	Dec. 2	34.40	June 1	28.91
May 2	27.31	10	34.01	8	29.40
8	27.95	16	33.55	15	31.02

Water level in feet below measuring point in well A 98-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
June 22	30.94	Dec. 21	27.15	June 14	28.40
29	32.10	28	25.53	22	27.85
July 6	32.65	1937		29	26.32
13	32.78	Jan. 4	24.91	July 6	26.80
21	32.40	11	25.32	12	26.97
27	32.78	18	25.38	19	27.77
Aug. 3	33.41	26	25.38	26	28.30
10	33.70	Feb. 1	24.42	Aug. 2	28.85
17	33.96	8	25.57	11	29.85
24	34.04	16	26.66	17	30.62
31	33.97	23	26.28	24	28.72
Sept. 8	34.00	Mar. 1	26.96	31	30.03
14	34.47	8	27.43	Sept. 7	29.78
21	33.97	15	26.60	14	27.85
28	31.91	22	25.92	20	26.28
Oct. 5	33.00	29	26.05	28	26.80
13	33.16	Apr. 6	26.57	Oct. 4	27.57
20	32.10	12	27.00	13	27.86
26	31.98	19	27.62	18	29.75
Nov. 2	31.01	26	27.51	Nov. 1	27.45
9	29.97	May 4	26.16	15	27.30
16	30.07	11	26.90	29	25.80
23	30.52	17	27.06	Dec. 13	27.48
30	31.09	24	26.83	27	27.51
Dec. 7	31.07	June 2	27.53		
14	29.06	7	27.99		

A 99. B. I. Miller, abandoned dug well, Connecticut Route 10, Avon. Diameter 36 inches, depth 21.0 feet. Measuring point is orange paint mark on front side top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 12	14.58	Jan. 28	14.72	Apr. 23	10.24
19	14.08	Feb. 5	16.04	May 2	12.99
26	14.67	15	10.44	8	14.17
Dec. 3	14.68	21	14.31	14	15.09
11	12.91	28	13.66	20	12.87
17	13.24	Mar. 7	13.80	27	15.84
26	13.02	13	5.80	June 3	14.76
31	12.67	19	9.93	10	21.46
1935		26	9.90	17	19.87
Jan. 7	11.12	Apr. 2	9.90	24	19.03
14	11.56	9	11.54	July 1	19.90
21	13.44	16	7.93	8	20.50

Water level in feet below measuring point in well A 99-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
July 15	20.84	May 4	13.05	Feb. 16	11.91
22	Dry	11	14.34	23	11.40
29	Dry	18	15.36	Mar. 1	11.23
Aug. 5	Dry	25	16.20	8	11.86
12	Dry	June 1	17.05	15	5.20
19	Dry	8	17.89	22	11.78
26	Dry	15	18.76	29	11.64
Sept. 3	Dry	22	18.76	Apr. 6	13.03
9	Dry	29	20.49	12	10.58
16	Dry	July 6	20.75	19	11.38
23	Dry	13	Dry	26	10.76
Oct. 1	Dry	21	Dry	May 4	9.22
7	Dry	27	Dry	11	12.36
14	Dry	Aug. 3	Dry	17	12.04
21	Dry	10	Dry	24	11.53
28	Dry	17	Dry	June 2	12.70
Nov. 4	Dry	24	Dry	7	13.43
11	Dry	31	Dry	14	13.30
19	Dry	Sept. 8	Dry	22	7.49
26	Dry	14	Dry	29	9.32
Dec. 2	Dry	21	Dry	July 6	10.05
10	Dry	28	Dry	12	9.70
23	Dry	Oct. 5	Dry	19	11.06
30	Dry	13	Dry	26	12.91
1936		20	Dry	Aug. 2	13.60
Jan. 5	Dry	26	Dry	11	17.10
13	16.95	Nov. 2	Dry	17	17.89
21	17.34	9	Dry	24	15.66
28	19.79	16	Dry	31	17.08
Feb. 4	20.84	23	Dry	Sept. 7	15.77
17	19.50	30	Dry	14	14.61
25	17.88	Dec. 7	Dry	20	12.33
Mar. 3	15.49	14	10.18	28	13.19
9	15.33	21	9.73	Oct. 4	15.05
16	13.04	28	14.52	13	15.65
25	3.11	1937		18	17.51
30	7.74	Jan. 4	14.97	Nov. 1	13.04
Apr. 7	6.88	18	10.30	15	12.20
13	5.83	26	2.54	29	1.40
20	8.31	Feb. 1	8.26	Dec. 13	14.09
27	11.18	8	11.10	27	14.19

A 100. James H. MacDonald Park, abandoned dug well, top of Avon Mountain, Avon. Diameter 24 inches, depth 22.4 feet. Measuring point is orange paint mark on curb 3.0 feet above land surface. The water-bearing formation is till.

Water level in feet below measuring point in well A 100-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 12	12.18	Nov. 4	18.64	Nov. 2	16.66
19	12.87	11	18.75	9	15.07
26	13.38	19	18.86	16	14.93
Dec. 3	12.58	26	18.86	23	14.90
11	12.33	Dec. 2	17.58	30	14.72
17	12.66	10	17.11	Dec. 7	15.42
26	12.21	16	16.98	14	13.82
31	12.00	23	16.63	21	12.52
1935		30	15.23	28	12.30
Jan. 7	13.63	1936		1937	
14	13.98	Jan. 5	15.49	Jan. 4	12.07
21	13.08	13	15.90	11	11.58
28	13.88	28	15.74	18	11.34
Feb. 5	13.89	Feb. 4	16.02	26	10.45
15	14.40	12	16.15	Feb. 1	11.74
21	14.18	17	16.38	8	11.65
28	14.03	25	15.92	16	12.46
Mar. 6	14.80	Mar. 3	15.51	23	12.58
13	13.68	9	14.88	Mar. 1	12.73
19	13.01	16	14.80	8	13.20
26	12.14	25	11.93	15	12.94
Apr. 2	11.83	30	11.25	22	12.10
9	12.00	Apr. 7	11.35	29	12.64
16	11.05	13	11.36	Apr. 6	12.53
23	11.76	20	12.15	12	12.30
May 4	12.11	27	12.74	19	12.46
8	12.83	May 4	13.04	26	12.58
13	13.10	11	13.60	May 4	12.35
20	13.25	18	13.92	11	12.63
27	13.40	25	14.20	17	12.23
June 3	13.15	June 1	14.40	24	12.32
10	14.30	8	15.10	June 2	12.54
17	13.23	15	16.01	7	13.76
24	13.61	22	17.17	14	13.90
July 1	14.80	29	15.03	22	13.07
8	14.95	July 6	15.79	29	12.19
15	15.17	13	15.43	July 6	12.43
22	15.28	21	15.55	12	12.90
29	15.18	27	15.67	19	13.17
Aug. 5	15.42	Aug. 3	15.85	26	13.63
12	15.62	10	16.00	Aug. 2	13.58
19	15.81	17	16.13	11	13.73
26	16.06	24	16.37	17	14.39
Sept. 3	16.30	31	16.23	24	13.76
9	16.26	Sept. 8	16.32	31	13.72
16	16.21	14	16.43	Sept. 7	13.26
23	16.78	21	16.28	14	12.32
Oct. 1	16.91	28	16.29	20	12.05
7	17.07	Oct. 5	16.18	28	12.51
14	17.24	13	16.23	Oct. 4	13.35
21	17.42	20	16.16	13	14.07
28	17.57	26	16.73	18	14.32

Water level in feet below measuring point in well A 100-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Nov. 1	12.53	Nov. 29	10.42	Dec. 27	14.35
15	11.98	Dec. 13	12.63		

A 211. H. H. Skerrett Jr., abandoned dug well, Connecticut Route 10, Avon. Diameter 36 inches, depth 20.7 feet. Measuring point is blue keel mark top of casing 1.5 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Nov. 1	20.00	Nov. 29	19.86	Dec. 27	20.53
15	19.95	Dec. 13	19.93		

B1 64. Dr. E. L. Bester, abandoned dug well, Mountain Ave., Bloomfield. Diameter 20 inches, depth 33.2 feet. Measuring point, orange paint mark on shelf inside casing 1.3 feet above land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 19	27.98	Oct. 7	28.73	Aug. 24	26.00
26	24.12	14	29.04	31	26.49
Dec. 3	24.22	21	28.40	Sept. 8	26.93
11	23.91	28	29.73	14	27.30
17	23.85	Nov. 4	30.05	21	27.72
26	23.80	11	30.39	28	27.98
31	23.56	19	30.78	Oct. 5	27.97
1935		26	30.74	13	27.01
Jan. 7	23.29	Dec. 2	31.29	20	26.26
14	23.43	10	31.50	26	26.29
21	22.56	16	31.12	Nov. 2	26.31
28	22.75	23	33.22	9	28.11
Feb. 5	22.85	30	31.91	16	28.21
15	21.00	1936		23	28.33
21	21.33	Jan. 5	31.82	30	28.51
28	19.88	13	31.15	Dec. 7	28.68
Mar. 6	22.86	21	31.29	14	27.98
13	22.12	28	29.69	21	27.35
19	21.71	Feb. 4	29.94	28	26.79
26	21.26	13	29.80	1937	
Apr. 2	21.32	17	29.20	Jan. 4	25.17
9	21.31	25	29.01	11	24.30
16	21.26	Mar. 3	28.83	18	23.36
23	21.16	9	26.40	26	21.33
May 2	21.30	16	24.82	Feb. 1	18.24
8	21.48	25	22.19	8	19.18
14	21.66	30	18.90	16	18.59
20	21.52	Apr. 7	19.17	23	18.97
26	21.48	13	16.48	Mar. 1	18.80
June 3	21.18	20	16.23	8	19.28
10	21.53	27	16.90	15	19.41
17	21.46	May 4	17.70	22	19.15
24	21.17	11	18.51	29	18.69
July 1	24.40	18	19.14	Apr. 6	19.00
8	24.75	25	19.73	12	19.26
15	25.20	June 1	20.15	19	19.19
22	26.60	8	21.05	26	19.25
29	27.94	15	21.97	May 4	20.07
Aug. 5	26.20	22	22.30	11	19.28
12	26.55	29	22.77	17	19.22
19	26.83	July 6	23.14	24	19.18
26	27.22	13	24.37	June 2	19.38
Sept. 3	27.64	21	23.80	7	19.77
9	27.90	27	23.98	14	20.08
16	28.10	Aug. 3	24.45	22	20.48
23	28.29	10	24.92	29	19.83
30	28.48	17	25.32	July 6	20.21

Water level in feet below measuring point in well Bl 64-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 12	20.38	Aug. 31	23.05	Oct. 18	23.30
19	20.70	Sept. 7	23.03	Nov. 1	23.69
26	20.76	13	23.72	15	23.75
Aug. 2	21.23	20	22.72	29	22.22
11	21.86	27	22.37	Dec. 13	23.63
17	22.47	Oct. 4	22.58	27	23.29
24	21.93	13	22.91		

Bl 65. Dr. H. C. Green, abandoned dug well, Maple Ave., Bloomfield. Diameter 24 inches, depth 13.9 feet. Measuring point, orange paint mark on stone curb inside well house at land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Dec. 17	5.31	July 15	10.46	Feb. 12	5.45
26	3.21	22	10.48	17	5.61
31	4.36	29	7.95	25	5.50
1935		Aug. 5	8.59	Mar. 3	5.28
Jan. 7	5.22	12	10.56	9	3.07
14	2.53	19	11.72	16	2.34
21	4.15	26	12.56	25	2.27
28	7.08	Sept. 3	12.64	30	2.14
Feb. 5	4.82	9	12.67	Apr. 7	2.09
15	3.86	16	10.55	13	1.79
21	3.84	23	10.58	20	2.89
28	3.63	30	11.37	27	3.65
Mar. 6	2.46	Oct. 7	11.70	May 4	3.28
13	1.97	14	12.23	11	4.11
19	2.35	21	12.70	18	4.57
26	2.56	28	13.10	25	5.77
Apr. 2	2.41	Nov. 4	13.21	June 1	6.42
9	2.16	11	12.90	8	7.03
16	2.30	19	12.53	15	7.49
23	3.35	26	12.48	22	7.63
May 2	4.35	Dec. 2	9.36	29	9.30
8	3.09	10	7.98	July 6	9.76
14	4.18	16	7.77	13	11.94
20	4.11	23	7.96	21	12.65
27	4.03	30	8.24	27	12.87
June 3	4.00	1936		Aug. 3	12.92
10	5.14	Jan. 5	8.01	10	13.03
17	4.85	13	5.61	17	13.45
24	5.01	21	6.02	24	13.71
July 1	9.20	28	4.70	31	13.27
8	10.09	Feb. 4	4.31	Sept. 8	13.42

Water level in feet below measuring point in well Bl 65-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Sept.14	12.23	Feb. 1	2.14	June 29	4.09
21	11.74	8	3.58	July 6	4.02
28	11.07	15	2.51	12	3.77
Oct. 5	9.40	23	1.63	19	5.14
13	9.10	Mar. 1	2.65	26	7.30
20	8.69	8	3.22	Aug. 2	7.39
26	8.87	15	1.65	11	8.64
Nov. 2	8.76	22	1.60	17	8.16
9	6.52	29	2.80	24	7.73
16	6.20	Apr. 6	0.95	31	5.15
23	6.45	12	2.27	Sept. 7	4.78
30	6.69	19	2.92	20	4.70
Dec. 7	5.45	26	2.44	27	7.22
14	3.45	May 4	2.90	Oct. 4	7.15
21	2.44	11	4.42	13	7.65
28	2.84	17	2.41	18	8.10
1937		24	2.48	Nov. 1	3.10
Jan. 4	1.55	June 2	4.37	15	1.60
11	2.98	7	4.20	29	0.79
18	1.20	14	4.78	Dec. 13	3.71
26	1.22	22	2.70	27	3.65

Bl 67. Mrs. I. M. Burnham, abandoned dug well, Tunxis Ave., Bloomfield. Diameter 36 inches, depth 22.8 feet. Measuring point, orange paint mark on stone curb under well box at land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 12	6.05	Mar. 6	3.72	July 1	5.92
19	5.82	13	3.00	8	7.15
26	4.33	19	3.13	15	7.44
Dec. 3	3.29	26	3.38	22	6.56
11	4.51	Apr. 2	3.38	29	5.65
17	4.38	9	4.03	Aug. 5	6.89
26	4.05	16	3.46	12	7.81
31	4.73	23	4.21	19	8.67
1935		May 2	4.85	26	9.09
Jan. 7	4.97	8	4.18	Sept. 3	9.65
14	4.09	14	4.86	9	7.71
21	3.77	20	8.80	16	6.96
28	4.42	26	6.41	23	7.95
Feb. 5	4.86	June 3	4.94	30	8.40
15	4.90	10	6.38	Oct. 7	8.92
21	5.01	17	6.11	14	9.25
28	4.22	24	5.97	21	9.68

Water level in feet below measuring point in well B1 67-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Oct. 28	9.88	July 21	9.50	Mar. 22	2.60
Nov. 4	9.76	27	9.74	29	3.85
11	9.88	Aug. 3	9.60	Apr. 6	3.45
19	9.01	10	9.47	12	3.46
26	8.65	17	9.76	19	4.25
Dec. 2	6.80	24	10.01	26	3.72
10	7.60	31	8.53	May 4	4.27
16	6.97	Sept. 8	9.14	11	5.10
23	7.12	14	9.36	17	3.40
30	7.40	21	7.50	24	4.02
1936		28	7.60	June 2	4.77
Jan. 5	6.99	Oct. 5	6.58	7	5.00
13	5.30	13	6.61	14	5.64
21	5.91	20	6.56	22	3.09
28	4.90	26	6.51	29	4.52
Feb. 17	6.20	Nov. 2	6.40	July 6	3.97
25	5.93	9	5.14	12	5.03
Mar. 3	5.28	16	5.51	19	4.68
9	4.19	23	6.22	26	6.30
16	3.87	30	6.43	Aug. 11	6.60
25	3.53	Dec. 7	5.22	17	6.12
30	3.17	14	3.40	24	5.79
Apr. 7	3.29	21	2.50	31	4.51
13	2.91	28	3.64	Sept. 7	4.11
20	3.71	1937		13	5.21
27	4.31	Jan. 4	2.68	20	4.27
May 4	4.52	11	3.14	27	5.12
11	4.55	18	2.78	Oct. 4	5.86
18	4.76	26	2.40	13	5.99
25	5.14	Feb. 1	3.23	18	6.79
June 1	5.95	8	4.28	Nov. 1	3.77
8	6.54	16	3.35	15	4.79
15	7.97	23	2.68	29	2.00
29	7.60	Mar. 1	3.79	Dec. 13	3.26
July 6	7.84	8	4.32	27	4.60
13	9.14	15	3.66		

B1 68. Dr. H. C. Clifton, abandoned dug well, Simsbury Rd., Bloomfield. Diameter 36 inches, depth 19.0 feet. Measuring point is paint mark top of stone curb inside ornamental well at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 12	8.77	Nov. 26	9.11	Dec. 11	8.21
19	8.66	Dec. 3	9.20	17	8.76

Water level in feet below measuring point in well Bl 68-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Dec. 26	8.98	Apr. 9	7.90	July 29	13.38
31	8.95	16	7.26	Aug. 5	13.42
1935		23	7.76	12	13.55
Jan. 7	9.09	May 4	8.17	19	13.73
14	8.18	8	9.14	26	14.06
21	8.71	14	9.20	Sept. 3	14.25
28	8.88	20	9.09	9	14.69
Feb. 5	9.39	26	8.97	16	14.92
15	10.06	June 3	8.99	23	15.12
21	10.00	10	11.07	30	15.33
28	9.53	17	10.21	Oct. 7	15.64
Mar. 6	9.20	24	11.80	14	15.82
13	8.15	July 1	12.44	21	16.03
19	7.85	8	12.42	28	16.24
26	7.36	15	12.68		
Apr. 2	7.45	22	13.18		

Bl 69. E. J. Lucey, abandoned dug well, Mountain Rd., Town line, Bloomfield. Diameter 36 inches, depth 22.0 feet. Measuring point, orange paint mark and U.S.G.S. bench mark on well house 2.6 feet above land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 12	21.06	Apr. 9	20.85	Sept. 9	23.24
19	21.33	16	20.56	16	23.11
26	21.47	23	20.77	23	23.34
Dec. 3	20.79	May 4	21.11	30	23.50
11	20.87	8	21.13	Oct. 7	23.55
17	21.08	14	22.12	14	23.65
26	20.77	20	21.45	21	23.71
31	20.66	26	21.10	28	23.77
1935		June 3	21.04	Nov. 4	23.74
Jan. 7	21.07	10	21.58	11	23.77
14	20.08	17	21.54	19	23.75
21	20.57	24	21.38	26	23.69
28	21.15	July 1	22.45	Dec. 2	23.12
Feb. 5	21.25	8	23.70	10	23.27
15	21.53	15	22.86	16	23.36
21	21.00	22	22.80	23	23.51
28	19.88	29	22.30	30	23.54
Mar. 6	20.35	Aug. 5	22.75	1936	
13	19.48	12	22.00	Jan. 5	23.20
19	20.49	19	22.95	13	21.85
26	20.22	26	23.31	21	22.07
Apr. 2	20.66	Sept. 3	23.43	28	21.45

Water level in feet below measuring point in well Bl 69-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
Feb. 4	21.69	Sept. 14	23.38	Apr. 19	20.38
11	22.45	21	21.76	26	20.29
17	22.40	28	22.80	May 4	20.46
25	22.09	Oct. 5	22.85	11	20.60
Mar. 3	21.77	13	22.13	17	20.05
9	19.85	20	21.21	24	20.55
16	19.31	26	22.13	June 2	20.78
25	19.08	Nov. 2	22.13	7	21.25
30	18.83	9	22.87	14	20.62
Apr. 7	18.49	16	22.87	22	19.78
13	18.58	23	23.03	29	20.30
20	19.12	30	23.17	July 6	20.55
27	19.77	Dec. 7	22.55	12	20.53
May 4	20.20	14	21.78	19	21.00
11	20.52	21	19.60	26	21.13
18	20.75	28	20.61	Aug. 2	21.41
25	20.97	1937		11	21.72
June 1	21.33	Jan. 4	21.47	17	21.93
8	21.92	11	20.28	24	21.60
15	23.03	18	19.90	31	21.30
22	23.00	26	18.53	Sept. 7	21.33
29	22.20	Feb. 1	18.83	14	21.01
July 6	22.67	8	19.74	20	20.83
13	22.70	15	20.10	27	21.22
21	19.94	23	20.90	Oct. 4	21.50
27	20.25	Mar. 1	19.70	13	21.39
Aug. 3	21.85	8	20.32	18	21.96
10	23.20	15	20.32	Nov. 1	20.90
17	23.65	22	19.87	15	20.55
24	23.78	29	20.39	29	19.21
31	23.02	Apr. 6	20.50	Dec. 13	21.72
Sept. 8	23.26	12	20.00	27	20.35

Bl 71. C. W. Rowley, abandoned dug well, Simsbury Rd., Bloomfield. Diameter 20 inches, depth 17.7 feet. Measuring point, orange paint mark on stone slab 0.4 foot above land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Dec. 17	12.62	Jan. 21	10.98	Mar. 6	10.40
26	11.92	28	11.18	13	9.67
31	12.04	Feb. 5	11.31	19	9.79
1935		15	11.64	26	9.72
Jan. 7	12.47	21	11.02	Apr. 2	9.46
14	11.37	28	10.56	9	10.16

Water level in feet below measuring point in well Bl 71-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Apr. 16	9.46	Mar. 16	8.64	Jan. 18	8.03
23	10.50	25	7.12	26	6.85
May 2	11.44	30	6.56	Feb. 1	6.92
8	10.98	Apr. 7	6.37	8	8.66
14	11.11	13	6.45	15	8.74
20	13.45	20	6.65	23	9.28
26	12.80	27	8.44	Mar. 1	8.79
June 3	12.97	May 4	9.47	8	9.32
10	13.84	11	10.55	15	10.05
17	13.68	18	11.36	22	8.60
24	13.63	25	13.07	29	8.78
July 1	16.22	June 1	14.02	Apr. 6	9.04
8	16.80	8	14.98	12	8.59
15	17.09	15	16.14	19	9.32
22	16.60	22	16.21	26	8.74
29	13.78	29	16.87	May 4	9.50
Aug. 5	15.75	July 6	17.17	11	10.65
12	16.55	13	17.20	17	9.23
19	16.94	21	17.85	24	8.80
26	17.80	27	18.14	June 2	11.15
Sept. 3	17.87	Aug. 3	17.40	7	10.70
9	17.81	10	17.70	14	11.70
16	16.36	17	17.93	22	9.66
23	17.12	24	18.00	29	10.74
30	17.93	31	17.02	July 6	10.64
Oct. 7	17.77	Sept. 8	17.00	12	10.37
14	18.00	14	17.60	19	12.08
21	18.10	21	16.09	26	13.97
28	18.10	28	16.24	Aug. 2	14.04
Dec. 2	15.42	Oct. 5	14.82	11	14.21
10	17.76	13	14.39	17	14.07
16	17.92	20	14.16	24	13.57
23	17.27	26	14.12	31	12.04
30	17.20	Nov. 2	14.01	Sept. 7	11.42
1936		9	13.69	14	11.90
Jan. 5	17.12	16	14.33	20	11.42
13	14.70	23	15.16	28	13.25
21	14.98	30	15.68	Oct. 4	13.80
28	13.30	Dec. 7	15.05	13	14.03
Feb. 4	12.74	14	12.43	18	14.84
12	14.60	21	10.52	Nov. 1	10.81
17	14.75	28	10.99	15	9.95
25	14.00	1937		29	8.35
Mar. 3	13.52	Jan. 4	11.31	Dec. 13	9.69
9	10.22	11	8.26	27	9.55

Bl 72. P. B. Gale, abandoned dug well, Talcott Mt., Bloomfield. Diameter 24 inches, depth 18.2 feet. Measuring point, orange paint mark on curb 5.8 feet above land surface. The water-bearing formation is till.

Water level in feet below measuring point in well B1 72-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 12	17.00	Nov. 4	18.51	Nov. 16	18.06
19	17.25	11	18.59	23	18.25
26	17.53	19	18.42	30	18.30
Dec. 3	16.82	26	18.23	Dec. 7	17.56
11	16.35	Dec. 2	17.59	14	16.64
17	17.29	10	17.96	21	15.62
26	17.26	16	17.93	28	15.91
31	17.52	23	18.26	1937	
1935		30	18.20	Jan. 4	16.12
Jan. 7	17.25	1936		11	15.98
14	15.69	Jan. 5	18.11	18	15.83
21	16.87	13	17.30	26	15.10
28	17.35	21	17.65	Feb. 1	15.80
Feb. 5	17.89	Feb. 17	18.05	8	17.48
15	17.26	25	18.01	16	16.98
21	17.37	Mar. 3	17.69	23	17.16
28	17.01	9	16.33	Mar. 1	17.58
Mar. 6	16.00	16	15.20	8	17.85
13	15.23	25	15.43	15	17.10
19	15.76	30	15.77	22	15.66
26	16.20	Apr. 7	15.79	29	16.59
Apr. 2	16.27	13	15.55	Apr. 6	16.60
9	16.98	20	16.00	12	16.50
16	16.08	27	17.16	19	17.35
23	16.88	May 4	17.50	26	16.35
May 2	17.52	11	17.59	May 4	16.25
8	17.33	18	17.60	11	17.28
14	17.96	25	17.73	17	16.95
20	17.74	June 1	18.04	24	16.20
26	17.97	8	18.65	June 2	17.32
June 10	17.53	15	19.87	7	17.48
17	17.67	29	17.63	14	17.60
24	17.64	July 6	17.94	22	16.02
July 1	17.61	13	17.80	29	16.49
8	18.24	21	17.81	July 6	17.09
15	17.77	27	17.91	12	16.87
22	17.26	Aug. 3	17.98	19	17.13
29	17.31	10	18.05	26	17.45
Aug. 5	17.75	17	18.14	Aug. 2	17.93
12	17.98	24	17.74	11	17.16
19	18.10	31	16.72	17	17.75
26	18.16	Sept. 8	17.71	24	17.28
Sept. 3	18.34	14	17.98	31	17.27
9	17.71	21	17.18	Sept. 7	17.36
16	17.78	28	17.80	14	16.48
23	18.21	Oct. 5	17.26	20	17.50
30	18.32	13	17.15	28	18.05
Oct. 7	18.48	20	16.98	Oct. 4	18.15
14	18.51	26	17.96	13	18.21
21	18.40	Nov. 2	17.82	18	18.34
28	18.65	9	17.83	Nov. 1	16.85

Water level in feet below measuring point in well Bl 72-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937			
Nov. 15	16.00	Dec. 13	16.57		
29	14.96	27	16.80		

Bl 73. P. B. Gale, abandoned dug well, Talcott Mt., Bloomfield. Diameter 41 inches, depth 13.7 feet. Measuring point, orange paint mark on brick curb 1.0 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1936		1936	
Nov. 12	1.94	Feb. 17	1.73	Dec. 7	1.33
19	1.87	25	1.66	14	1.08
26	1.86	Mar. 3	1.49	21	1.37
Dec. 3	1.75	9	1.39	1937	
11	1.73	16	1.30	Jan. 11	1.39
17	2.11	25	0.70	18	1.26
26	1.98	30	1.58	26	1.36
31	1.71	Apr. 7	1.36	Feb. 1	1.30
1935		13	1.43	16	2.63
Jan. 7	1.87	20	1.80	23	1.70
14	1.52	27	2.02	Mar. 15	0.96
21	1.71	May 4	1.36	Apr. 6	1.30
28	1.89	11	2.25	12	1.63
Feb. 5	1.97	18	2.33	19	1.84
June 10	1.78	25	2.81	26	1.76
17	2.17	June 1	3.50	May 4	2.10
24	1.32	8	4.10	11	2.23
July 1	2.20	15	5.40	17	1.33
8	2.42	29	3.72	24	1.76
15	3.73	July 6	3.89	June 2	2.08
22	2.35	13	5.50	7	2.01
29	3.55	21	6.00	14	1.79
Aug. 5	3.48	27	6.39	22	1.75
12	3.83	Aug. 3	6.18	29	1.84
19	4.69	10	6.07	July 6	2.43
26	5.43	17	6.25	12	2.11
Sept. 3	5.81	24	6.52	19	2.67
9	3.88	31	3.92	26	3.46
16	3.47	Sept. 8	4.14	Aug. 2	3.57
23	4.20	14	5.35	11	3.62
30	4.53	21	2.22	17	3.83
Oct. 7	4.75	28	3.41	24	3.27
21	6.66	Nov. 9	1.64	31	2.96
28	4.30	16	1.53	Sept. 7	2.19
Nov. 4	3.69	23	2.64	14	1.42
11	3.80	30	2.66	20	2.44

Water level in feet below measuring point in well B1 73-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Sept. 28	3.01	Oct. 18	3.10	Dec. 13	3.13
Oct. 4	3.05	Nov. 1	1.75	27	3.15
13	3.16	15	1.77		

Bu 197. City of New Britain, abandoned dug well, U. Piedmonti Place, Burlington. Diameter 36 inches, depth 7.2 feet. Measuring point is a paint mark on over-hanging edge of large boulder at east side of well at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Oct. 15	2.39	Nov. 25	Dry	Dec. 28	0.67
Nov. 12	1.25	Dec. 2	1.68	1937	
19	1.95	9	3.00	Jan. 4	0.94
26	2.00	16	1.76	11	0.83
Dec. 3	1.10	23	2.06	18	Flow
10	2.90	30	2.06	25	Flow
17	3.41	1936		Feb. 1	Flow
22	3.00	Mar. 16	Flow	Mar. 2	1.65
29	3.12	23	Flow	8	1.73
1935		30	1.18	22	1.84
Jan. 7	2.88	Apr. 6	1.10	29	1.10
Mar. 18	0.70	13	1.16	Apr. 6	1.01
25	0.85	20	1.93	12	2.14
Apr. 8	1.68	27	2.60	19	1.96
9	1.66	May 4	3.47	26	1.33
16	1.10	11	2.87	May 3	2.10
23	2.20	18	3.00	10	1.43
May 1	2.10	25	3.58	17	0.93
6	2.80	June 1	4.23	24	0.63
13	2.01	8	5.19	June 1	1.03
20	3.41	15	5.09	7	1.13
27	4.01	22	5.75	14	1.24
June 3	5.10	29	4.72	21	1.03
10	5.16	July 6	5.00	28	2.41
17	4.32	13	5.98	July 6	2.37
24	3.83	21	5.89	12	2.39
July 1	4.56	27	6.40	19	2.45
8	4.56	Aug. 3	6.60	26	2.62
15	4.73	17	Dry	Aug. 2	2.57
22	5.00	24	Dry	9	3.62
29	5.02	31	Dry	19	3.41
Aug. 5	5.02	Sept. 8	Dry	23	2.67
12	6.01	14	Dry	30	1.53
19	6.75	21	Dry	Sept. 6	1.20
26	7.03	29	Dry	13	1.16
Sept. 2	7.10	Oct. 5	Dry	20	2.06
9	6.66	12	Dry	27	3.06
16	5.55	19	Dry	Oct. 5	3.78
23	5.55	26	Dry	11	3.68
30	5.50	Nov. 2	2.39	18	4.49
Oct. 7	6.57	9	1.38	25	1.06
14	6.84	16	2.15	Nov. 8	2.45
21	6.86	23	2.87	27	1.70
28	7.01	30	3.37	Dec. 6	1.90
Nov. 4	Dry	Dec. 7	3.18	20	1.64
9	Dry	14	0.90		
18	Dry	21	0.69		

Bu 198. City of New Britian, abandoned dug well, Sullivan Place., Burlington. Diameter 36 inches, depth 13.1 feet. Measuring point is a paint mark on sharp edge of medium sized wedge shaped boulder at west side of well at the land surface. The water-bearing formation is till

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Oct. 10	6.35	Sept. 23	11.17	Oct. 5	12.54
Nov. 12	5.91	30	10.00	12	10.83
19	6.43	Oct. 7	11.86	19	9.71
26	6.62	14	12.01	26	8.66
Dec. 3	5.70	21	12.10	Nov. 2	7.00
10	6.60	28	12.15	9	6.59
17	6.30	Nov. 4	12.48	16	6.74
22	6.60	9	12.50	23	6.77
29	6.85	18	12.63	30	7.22
1935		25	12.50	Dec. 7	6.15
Jan. 7	7.00	Dec. 2	11.85	14	5.72
14	5.88	9	9.95	21	5.62
21	6.52	16	8.59	28	5.41
28	6.73	23	7.74	1937	
Feb. 4	6.90	30	7.83	Jan. 4	5.57
11	7.25	1936		11	5.67
18	6.96	Jan. 5	6.89	18	5.62
25	6.83	13	6.36	25	5.49
Mar. 4	6.55	Mar. 16	5.61	Feb. 1	6.01
11	6.00	23	5.70	8	6.69
18	5.80	30	5.58	15	5.35
25	6.60	Apr. 6	5.75	22	5.43
Apr. 3	5.93	13	5.98	Mar. 2	6.21
9	6.10	20	6.03	8	6.73
16	5.49	27	6.45	22	6.31
23	6.04	May 4	6.51	29	6.44
May 1	6.18	11	7.65	Apr. 6	5.99
6	6.57	18	7.66	12	5.86
13	6.35	25	8.11	19	5.73
20	7.00	June 1	7.76	26	5.55
27	7.76	8	8.76	May 3	5.73
June 3	7.89	15	8.33	10	6.29
10	8.76	22	9.01	17	5.31
17	8.81	29	8.10	24	5.94
24	8.89	July 6	9.27	June 1	5.69
July 1	9.58	13	9.73	7	5.14
8	9.11	21	10.56	14	5.13
15	9.17	27	10.72	21	5.37
22	9.86	Aug. 3	11.10	28	6.20
29	9.96	10	11.51	July 6	6.50
Aug. 5	10.48	17	11.72	12	6.73
12	10.98	24	11.91	19	6.61
19	11.30	31	12.30	26	6.82
26	12.00	Sept. 8	12.29	Aug. 2	6.73
Sept. 2	12.10	14	12.63	9	7.62
9	12.42	21	12.54	19	6.73
16	11.86	29	12.71	23	5.87

Water level in feet below measuring point in well Bu 198-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Aug. 30	5.46	Oct. 5	6.85	Nov. 22	5.73
Sept. 6	5.97	11	7.08	Dec. 6	5.24
13	6.50	18	7.64	20	5.55
20	5.96	25	4.96		
27	6.21	Nov. 8	5.75		

Bu 201. Mrs. A. Goullin, abandoned dug well, R.F.D. 3, Bristol, Burlington. Diameter 48 inches, depth 12.5 feet. Measuring point is a paint mark at center sharp edge of large granite boulder at north west corner of wall 1.0 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Oct. 11	6.85	June 24	9.00	Jan. 27	5.85
Nov. 19	7.71	July 1	10.16	Mar. 16	5.41
26	7.76	8	11.02	23	5.36
Dec. 3	6.25	15	11.17	30	5.18
10	8.60	22	11.95	Apr. 6	5.20
17	9.85	29	11.82	13	5.44
22	7.92	Aug. 5	10.32	20	6.01
29	8.37	12	11.16	27	6.95
1935		19	12.24	May 4	7.35
Jan. 7	9.18	26	12.97	11	7.11
14	6.69	Sept. 2	13.00	18	7.10
21	7.87	9	11.42	25	7.93
28	8.41	16	10.27	June 1	8.54
Feb. 4	9.03	23	11.16	8	8.92
11	9.50	30	12.00	15	9.10
18	8.80	Oct. 7	10.50	22	9.00
25	8.64	14	11.37	29	8.76
Mar. 4	7.65	21	11.42	July 6	9.52
11	6.94	28	12.09	13	9.98
18	6.70	Nov. 4	12.36	21	10.86
25	6.70	9	12.00	27	10.25
Apr. 9	6.71	18	11.76	Aug. 3	10.43
16	5.68	25	10.70	10	10.80
23	6.66	Dec. 2	7.76	17	11.32
May 1	6.37	9	8.49	24	11.66
6	7.30	16	7.72	31	10.82
13	6.83	23	7.91	Sept. 8	10.04
20	8.46	30	8.10	14	10.10
27	8.78	1936		21	9.63
June 3	9.01	Jan. 5	6.66	29	10.22
10	9.11	13	6.99	Oct. 5	10.20
17	9.65	21	5.85	12	9.65

Water level in feet below measuring point in well Bu 201-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Oct. 19	5.52	Mar. 2	5.40	July 19	6.43
26	3.63	8	5.73	26	6.56
Nov. 2	6.66	22	5.89	Aug. 2	6.71
9	6.15	29	5.58	9	7.58
16	6.46	Apr. 6	5.07	19	7.43
23	6.35	12	5.16	23	5.47
30	6.41	19	5.03	30	4.80
Dec. 7	6.07	26	4.98	Sept. 6	5.27
14	4.82	May 3	5.55	13	6.15
21	4.33	10	6.26	20	5.62
28	4.10	17	5.03	27	6.71
1937		24	5.37	Oct. 5	7.13
Jan. 4	4.68	June 1	5.12	11	7.09
18	4.73	7	5.62	18	7.51
25	4.50	14	6.55	25	4.54
Feb. 1	5.41	21	6.63	Nov. 8	5.39
8	5.83	28	3.89	22	5.53
15	5.23	July 6	6.01	Dec. 6	5.43
22	4.71	12	6.31	20	5.76

Bu 210. E. E. Hinman, abandoned dug well, R.F.D. 1, Unionville, Burlington. Diameter 24 inches, depth 6.5 feet. Measuring point is a paint mark on edge of large boulder on west side of well at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Oct. 15	0.25	June 17	1.51	Oct. 28	3.61
Nov. 19	0.32	24	1.63	Nov. 4	3.61
26	0.40	July 1	1.92	9	3.26
Dec. 3	0.45	8	2.00	18	3.00
10	1.10	15	2.17	25	3.13
1935		22	2.16	Dec. 2	1.53
Mar. 18	Flow	29	2.17	9	2.37
25	0.40	Aug. 5	2.02	16	2.11
Apr. 3	0.70	12	3.01	23	2.10
10	Flow	19	3.31	30	2.13
16	0.43	26	3.41	1936	
23	0.68	Sept. 2	3.36	Mar. 16	Flow
May 1	Flow	9	3.33	23	Flow
6	0.44	16	2.01	30	Flow
13	0.97	23	2.01	Apr. 6	0.83
20	1.01	30	2.11	13	0.66
27	1.11	Oct. 7	2.65	20	0.87
June 3	1.19	14	3.01	27	0.95
10	1.20	21	3.53	May 4	0.51

Water level in feet below measuring point in well Bu 210-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
May 11	1.25	Nov. 16	0.78	May 17	0.43
18	1.30	23	1.07	24	0.43
25	1.46	30	1.67	June 1	1.13
June 1	1.75	Dec. 7	0.84	7	0.43
8	1.86	14	0.62	14	0.79
15	1.84	21	0.41	21	0.47
22	1.98	28	0.37	28	0.63
29	1.73	1937		July 12	0.81
July 6	2.42	Jan. 4	Flow	19	0.94
13	2.50	11	Flow	26	1.07
21	2.07	18	Flow	Aug. 2	1.03
27	1.67	25	Flow	9	0.78
Aug. 3	2.30	Feb. 1	Flow	19	1.06
10	2.39	8	0.42	23	0.87
17	2.55	15	0.12	30	0.62
24	2.72	22	Flow	Sept. 6	0.78
31	1.11	Mar. 2	Flow	13	1.01
Sept. 8	1.89	8	0.63	Oct. 5	3.95
14	1.91	16	Flow	11	2.23
21	0.71	22	0.47	18	5.06
29	1.97	29	0.56	25	0.75
Oct. 5	1.91	Apr. 6	0.42	Nov. 8	1.23
12	1.88	12	Flow	22	0.50
19	0.65	19	0.13	Dec. 6	0.63
26	0.41	26	0.27	20	0.45
Nov. 2	1.64	May 3	0.72		
9	1.03	10	0.87		

Bu 212. City of New Britian, abandoned dug well, Jacob Bunn Place, Burlington. Diameter 30 inches, depth 21.3 feet. Measuring point is a paint mark outer upper sharp edge of board on west side of well at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Oct. 10	15.46	Jan. 21	15.87	Apr. 16	15.71
Nov. 12	16.20	28	16.17	23	15.49
19	16.24	Feb. 4	16.24	May 1	15.41
26	16.47	11	16.65	6	15.45
Dec. 3	16.46	18	17.30	13	16.01
10	16.26	25	17.12	20	16.01
17	16.39	Mar. 4	16.93	27	16.07
22	16.39	11	16.52	June 3	16.89
29	16.59	18	16.27	10	17.14
1935		25	16.08	17	16.91
Jan. 7	16.81	Apr. 3	16.14	24	17.13
14	16.03	9	16.32	July 1	17.82

Water level in feet below measuring point in well Bu 212-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
July 8	17.96	Apr. 20	18.72	Feb. 8	16.81
15	18.30	27	18.72	15	16.89
22	18.34	May 4	14.67	22	16.62
29	18.00	11	14.31	Mar. 2	15.84
Aug. 5	18.71	18	14.10	8	16.37
12	19.01	25	14.92	16	15.98
19	19.30	June 1	16.20	22	16.10
26	19.76	8	16.92	29	15.90
Sept. 2	19.79	15	17.01	Apr. 6	16.07
9	19.80	22	16.76	12	15.65
16	19.95	29	16.01	19	15.90
23	19.15	July 6	17.63	26	15.98
30	19.00	13	17.64	May 3	15.65
Oct. 7	20.39	21	18.28	10	15.51
14	21.00	27	18.36	17	15.34
21	20.72	Aug. 3	18.38	24	16.22
28	20.72	10	19.20	June 1	16.89
Nov. 4	Dry	17	19.32	7	16.31
9	Dry	24	19.71	14	15.71
18	Dry	31	19.58	21	15.83
25	Dry	Sept. 8	Dry	28	15.38
Dec. 2	Dry	14	Dry	July 6	15.05
9	Dry	21	Dry	12	15.10
16	Dry	29	Dry	19	15.17
23	Dry	Oct. 5	Dry	26	15.29
30	Dry	12	Dry	Aug. 2	15.33
1936		19	Dry	9	16.10
Jan. 5	Dry	26	Dry	19	16.41
13	Dry	Nov. 2	20.31	23	15.34
21	Dry	9	20.12	30	14.93
27	Dry	16	20.30	Sept. 6	14.53
Feb. 3	Dry	23	20.28	13	13.40
10	Dry	Dec. 7	20.11	20	14.64
17	Dry	14	19.85	27	14.83
25	Dry	21	19.63	Oct. 5	15.39
Mar. 2	Dry	28	19.47	11	15.72
9	Dry	1937		18	16.29
16	19.92	Jan. 4	19.09	25	16.08
23	19.20	11	18.58	Nov. 8	15.55
30	18.91	18	17.33	22	15.05
Apr. 6	18.76	25	17.18	Dec. 6	14.11
13	19.01	Feb. 1	16.56	20	14.48

Bu 213. C. Puzak Estate, abandoned dug well, R.F.D. 1, Burlington. Diameter 30 inches, depth 10.8 feet. Measuring point is an orange paint mark on curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point in well Bu 213-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Oct. 30	5.29	Sept. 30	8.87	Aug. 10	8.70
Nov. 13	4.33	Oct. 7	8.93	17	9.27
20	5.06	14	9.09	24	9.70
27	5.33	21	9.19	31	9.14
Dec. 4	4.05	28	9.77	Sept. 8	8.84
11	5.14	Nov. 4	9.80	14	9.01
18	5.70	9	9.80	21	8.92
24	4.80	18	9.82	29	9.12
31	4.91	25	10.00	Oct. 5	9.14
1935		Dec. 2	8.00	12	9.25
Jan. 7	5.45	9	7.74	19	7.19
Feb. 19	4.70	16	8.10	26	6.43
26	3.95	23	7.20	Nov. 2	6.09
Mar. 5	3.50	30	8.00	9	6.01
12	3.22	1936		16	5.94
20	3.12	Jan. 5	6.50	23	6.13
26	4.00	13	6.25	1937	
Apr. 4	4.53	21	6.30	Jan. 18	5.07
10	4.77	Feb. 3	6.00	25	4.72
17	3.69	10	6.62	Feb. 1	4.33
24	4.35	25	7.60	8	4.10
May 1	4.32	Mar. 2	7.30	15	4.01
6	5.52	10	7.18	22	3.88
13	5.30	16	6.62	Mar. 2	4.34
20	6.23	23	5.63	8	4.47
27	7.00	Apr. 6	5.63	16	4.38
June 3	7.97	13	5.11	22	4.45
10	7.99	20	5.00	29	4.19
17	8.16	27	4.78	Apr. 6	3.78
24	6.82	May 4	5.12	12	4.93
July 1	6.95	11	5.47	19	4.96
8	7.18	18	6.10	26	4.64
15	8.09	25	6.01	May 3	4.81
22	8.15	June 1	6.64	10	5.49
29	8.11	8	7.32	17	4.14
Aug. 5	9.01	15	7.64	24	3.98
12	8.45	22	7.76	June 1	3.37
19	9.01	29	7.00	7	3.72
26	10.00	July 6	7.81	14	3.68
Sept. 2	10.15	13	8.27	21	3.36
9	10.11	21	8.56	28	3.71
16	9.98	27	8.40		
23	9.10	Aug. 3	8.31		

Bu 229. D. T. Larson, abandoned dug well, R.F.D. 1, Burlington. Diameter 48 inches, depth 29.6 feet. Measuring point is a paint mark top of casing 2.0 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point in well Bu 229-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Oct. 30	19.13	Sept. 16	27.82	Aug. 3	26.62
Nov. 19	18.60	23	27.62	10	26.77
26	19.50	30	27.00	17	27.05
Dec. 3	19.89	Oct. 7	28.32	24	27.39
10	17.90	14	29.01	31	27.60
17	18.48	21	28.57	Sept. 8	27.74
22	19.10	28	28.68	14	27.93
31	20.01	Nov. 4	29.82	21	28.00
1935		9	29.09	29	27.97
Jan. 7	20.86	18	29.09	Oct. 5	27.95
14	19.61	25	29.25	12	28.20
21	19.15	Dec. 2	29.68	19	27.94
28	19.84	9	29.41	26	27.29
Feb. 4	20.74	16	29.60	Nov. 2	26.48
11	21.20	23	28.29	9	25.90
18	22.46	30	28.86	16	24.79
25	22.33	1936		23	25.19
Mar. 4	22.25	Jan. 5	28.77	30	25.24
11	21.57	13	28.16	Dec. 7	25.24
18	18.90	21	28.10	14	24.70
25	18.35	Feb. 3	26.02	21	24.51
Apr. 3	18.50	10	26.36	28	21.72
9	18.89	25	26.10	1937	
16	16.50	Mar. 2	26.10	Jan. 4	18.50
23	15.70	10	26.11	11	17.81
May 1	17.53	16	23.96	18	13.21
6	18.65	23	15.27	25	12.95
13	19.89	30	11.39	Feb. 1	12.72
20	20.84	Apr. 6	11.63	8	14.21
27	21.11	13	14.32	15	16.72
June 3	22.00	20	15.98	22	15.14
10	22.17	27	16.76	Mar. 2	16.45
17	23.88	May 4	17.49	8	16.73
24	24.03	11	18.99	22	16.94
July 1	25.11	18	19.10	29	16.72
8	25.17	25	20.06	Apr. 6	16.63
15	25.99	June 1	21.94	12	18.84
22	26.01	8	22.88	19	18.71
29	25.72	15	23.16	26	18.63
Aug. 5	26.39	22	23.42	May 3	18.10
12	26.51	29	22.90	10	18.45
19	26.92	July 6	24.61	17	18.89
26	27.01	13	25.44	24	17.34
Sept. 2	28.00	21	25.65		
9	27.74	27	26.14		

Bu 231. E. Pillon, abandoned dug well, R.F.D. 1, Burlington. Diameter 36 inches, depth 16.7 feet. Measuring point is top of windlass housing at bottom support of hinged lid near south side 3.9 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Oct. 17	12.23	Sept. 30	17.02	Aug. 17	17.70
Nov. 19	12.02	Oct. 7	17.17	24	18.68
26	12.63	14	17.31	31	18.44
Dec. 3	10.73	21	17.64	Sept. 8	17.03
10	12.08	28	17.80	14	18.08
17	13.57	Nov. 4	17.93	21	17.24
22	12.80	9	16.49	29	18.12
29	13.67	18	16.50	Oct. 5	18.09
1935		25	16.73	12	15.42
Jan. 7	14.57	Dec. 2	15.38	19	15.01
14	11.74	9	13.90	26	13.48
21	12.64	16	14.82	Nov. 2	13.81
28	13.39	23	13.90	9	13.30
Feb. 4	14.08	30	14.60	16	13.61
11	14.74	1936		23	14.35
18	14.54	Jan. 5	13.96	30	13.69
25	14.20	13	13.52	Dec. 7	14.34
Mar. 4	14.09	21	14.03	14	12.37
11	13.03	27	14.10	21	11.63
18	12.30	Feb. 3	15.06	28	11.07
25	11.95	10	15.59	1937	
Apr. 3	11.60	17	16.00	Jan. 4	10.58
9	11.90	24	15.86	11	10.36
16	9.93	Mar. 2	15.39	18	7.17
23	11.15	9	15.26	25	7.01
May 1	13.04	16	12.20	Feb. 1	10.50
6	13.14	23	12.23	8	12.33
13	12.37	30	10.24	15	12.39
20	12.78	Apr. 6	11.16	22	11.72
27	13.12	13	12.01	Mar. 2	11.69
June 3	13.99	20	12.43	8	12.47
10	13.98	27	12.10	16	13.14
17	15.01	May 4	13.34	22	12.70
24	14.58	11	12.68	29	12.90
July 1	14.76	18	12.92	Apr. 6	12.85
8	16.08	25	13.10	12	11.10
15	16.66	June 1	15.02	19	11.86
22	16.80	8	16.16	26	11.00
29	15.32	15	16.17	May 3	11.91
Aug. 5	15.72	22	16.96	10	12.65
12	17.13	29	15.14	17	9.94
19	17.22	July 6	16.31	24	11.45
26	17.67	13	16.94	June 1	12.52
Sept. 2	17.69	21	17.56	7	8.31
9	17.73	27	17.36	14	12.13
16	16.45	Aug. 3	17.67	21	12.36
23	16.67	10	18.00	28	11.95

Water level in feet below measuring point in well Bu 231-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 6	12.39	Aug. 23	11.16	Oct. 11	14.16
12	12.72	30	10.08	18	14.60
19	12.87	Sept. 6	11.70	25	9.99
26	12.64	13	11.80	Nov. 8	11.99
Aug. 2	12.73	20	11.25	22	10.90
9	13.16	27	13.13	Dec. 6	10.91
19	13.01	Oct. 5	14.04	20	12.14

Bu 232. L. F. Turner, abandoned dug well, R.F.D., Burlington. Diameter 36 inches, depth 38.1 feet. Measuring point is a paint mark top of plank curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Oct. 17	16.31	May 27	19.23	Dec. 23	36.81
Nov. 12	16.81	June 3	18.98	30	36.83
19	16.94	10	18.98	1936	
26	17.54	17	20.12	Jan. 5	35.10
Dec. 3	17.42	24	20.67	13	36.01
10	17.05	July 1	21.25	21	34.67
17	17.79	8	21.77	27	34.63
22	18.00	15	22.48	Feb. 10	26.11
29	18.39	22	23.16	17	24.21
1935		29	24.05	24	24.41
Jan. 7	18.52	Aug. 5	24.82	Mar. 2	24.40
14	17.61	12	25.11	9	23.29
21	17.36	19	26.42	16	23.42
28	17.70	26	27.00	23	20.06
Feb. 4	18.20	Sept. 2	28.46	30	15.19
11	18.90	9	28.46	Apr. 6	16.01
18	19.16	16	29.29	13	16.10
25	18.97	23	29.90	20	16.64
Mar. 4	18.80	30	32.14	27	16.60
11	17.90	Oct. 7	33.23	May 4	16.65
18	17.42	14	34.00	11	15.99
25	16.86	21	34.42	18	16.03
Apr. 3	16.77	28	34.80	25	16.00
9	16.86	Nov. 4	35.15	June 1	18.72
16	15.34	9	35.70	8	18.69
23	14.89	18	35.80	15	18.73
May 1	14.49	25	36.05	22	18.70
6	17.12	Dec. 2	36.26	29	18.68
13	16.79	9	36.51	July 6	20.09
20	17.47	16	36.76	13	20.53

Water level in feet below measuring point in well Bu 232-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
July 21	21.27	Oct. 19	28.95	Jan. 11	18.68
27	21.74	26	28.49	18	16.91
Aug. 3	22.40	Nov. 2	27.41	25	16.66
10	22.85	9	26.68	Mar. 1	16.90
17	23.82	16	25.94	8	17.41
24	23.31	23	25.21	16	17.23
31	25.35	30	24.23	22	17.31
Sept. 8	26.41	Dec. 7	23.98	29	17.18
14	26.11	14	23.32	Apr. 6	17.20
21	27.48	21	22.10	12	16.38
29	26.21	28	20.31	19	17.00
Oct. 5	26.07	1937		26	16.83
12	28.75	Jan. 4	19.49		

Bu 234. City of New Britian, abandoned dug well, Charles Bunnell Place Burlington. Diameter 30 inches, depth 9.4 feet. Measuring point is a keel mark lower sharp edge of large boulder top of curb 0.3 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Oct. 11	1.33	May 1	1.68	Oct. 21	7.28
Nov. 12	1.52	6	1.77	28	7.46
19	1.74	13	1.85	Nov. 4	7.42
26	1.88	20	1.99	9	7.43
Dec. 3	1.53	27	2.16	18	7.33
10	1.78	June 3	2.73	25	7.33
17	1.97	10	2.86	Dec. 2	6.02
22	1.80	17	3.09	9	5.68
31	1.88	24	3.15	16	5.36
1935		July 1	3.51	23	5.14
Jan. 7	1.55	8	3.82	30	5.40
14	1.30	15	4.01	1936	
21	1.52	22	4.73	Jan. 5	4.01
28	1.63	29	4.06	13	4.00
Feb. 4	1.90	Aug. 5	4.78	21	3.96
11	2.10	12	4.99	Mar. 16	0.00
18	1.85	19	5.78	23	0.73
25	1.85	26	6.00	30	0.65
Mar. 4	1.80	Sept. 2	5.80	Apr. 6	0.77
18	1.05	9	5.79	13	1.12
25	1.30	16	5.81	20	1.13
Apr. 3	1.50	23	5.90	27	1.15
9	2.09	30	5.80	May 4	1.14
16	1.25	Oct. 7	6.62	11	1.13
23	1.47	14	6.73	18	1.13

Water level in feet below measuring point in well Bu 234-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
May 25	1.79	Nov. 23	4.19	June 7	1.13
June 1	2.62	30	4.60	14	1.64
8	1.83	Dec. 7	2.68	21	1.02
15	1.80	14	2.33	28	1.39
22	1.86	21	1.30	July 6	1.71
29	1.84	28	1.62	12	1.98
July 6	4.36	1937		19	2.07
13	4.75	Jan. 4	1.20	26	2.13
21	4.96	11	1.18	Aug. 2	2.10
27	5.12	18	0.87	9	2.05
Aug. 3	5.62	25	0.61	19	2.12
10	5.80	Feb. 1	0.48	23	1.84
17	6.40	Mar. 1	1.20	30	1.45
24	6.52	8	1.37	Sept. 6	1.60
31	5.93	16	1.23	13	1.55
Sept. 8	6.12	22	0.85	20	1.51
14	6.16	29	0.41	27	1.93
21	6.41	Apr. 6	0.00	Oct. 5	2.24
29	6.21	12	1.81	11	2.42
Oct. 5	5.98	19	1.44	18	2.96
12	6.21	26	1.27	25	1.59
19	4.68	May 3	1.31	Nov. 8	1.84
26	3.80	10	1.43	22	1.34
Nov. 2	4.44	17	1.01	Dec. 6	1.42
9	3.96	24	1.03	20	1.56
16	4.05	June 1	1.63		

Bu 235. City of New Britian, abandoned dug well, Fresh Air Camp, Burlington. Diameter 36 inches, depth 16.5 feet. Measuring point is a paint mark top sharp edge of concrete curb west side center 0.5 foot above the land surface. The water-bearing formation is stratified drift. This well was pumped between August 3, 1936 and September 21, 1936

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Oct. 5	9.12	Jan. 14	9.92	Apr. 3	10.30
Nov. 12	9.79	21	10.58	9	10.43
19	9.38	28	11.08	16	9.11
26	9.50	Feb. 4	11.49	23	10.08
Dec. 3	10.03	11	12.05	May 1	10.87
10	10.57	18	11.10	6	11.17
17	11.25	25	11.08	13	11.15
22	10.76	Mar. 4	10.90	20	11.19
31	11.07	11	10.00	27	12.61
1935		18	8.46	June 3	13.01
Jan. 7	11.45	25	9.89	10	13.00

Water level in feet below measuring point in well Bu 235-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1936	
June 17	13.27	Mar. 30	7.41	Dec. 21	9.44
24	13.65	Apr. 6	8.32	28	9.23
July 1	13.67	13	8.76	1937	
8	13.33	20	9.01	Jan. 4	9.84
15	13.61	27	9.09	11	8.68
22	13.89	May 4	9.16	18	7.42
29	13.70	11	9.08	25	7.29
Aug. 12	14.16	18	9.16	Feb. 1	8.27
19	14.22	25	9.27	8	9.50
26	14.16	June 1	11.22	15	9.07
Sept. 2	13.76	8	12.00	22	8.46
9	13.74	15	12.73	Mar. 2	9.24
16	13.69	22	12.69	8	9.76
23	13.75	29	11.98	16	9.31
30	13.75	July 6	13.03	22	8.65
Oct. 7	13.95	13	13.14	29	9.73
14	14.20	21	13.56	Apr. 6	9.38
21	14.16	27	13.80	12	8.47
28	14.21	Aug. 3	13.74	19	8.62
Nov. 4	13.88	10	Dry	26	8.36
9	14.00	17	Dry	May 3	9.49
18	14.12	24	Dry	10	10.17
25	14.06	31	Dry	17	8.85
Dec. 2	14.90	Sept. 8	Dry	24	9.60
9	13.43	14	Dry	June 7	9.31
16	13.59	21	13.78	14	10.80
23	13.55	29	13.70	21	10.94
30	13.60	Oct. 5	13.65	Sept. 13	11.05
1936		12	13.27	20	10.31
Jan. 5	13.10	19	13.11	27	11.03
13	13.15	26	13.03	Oct. 5	11.87
21	13.03	Nov. 2	12.91	11	12.24
Feb. 10	12.89	9	12.80	18	12.69
25	13.19	16	12.95	25	10.63
Mar. 2	13.20	23	13.03	Nov. 8	11.15
10	12.30	30	13.44	22	10.42
16	9.64	Dec. 7	13.04	Dec. 6	10.12
23	9.63	14	11.52	20	10.62

Bu 236. City of New Britian, abandoned dug well Fresh Air Camp, Burlington. Diameter 36 inches, depth 19.2 feet. Measuring point is a paint mark center sharp edge of large boulder northwest side 0.2 foot above the land surface. The water-bearing formation is stratified drif

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Oct. 10	13.53	Nov. 12	14.55	Nov. 19	15.03

Water level in feet below measuring point in well Bu 236-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 26	15.60	Nov. 4	Dry	Dec. 21	14.74
Dec. 3	15.52	9	Dry	28	14.09
10	14.73	18	Dry	1937	
17	15.49	25	Dry	Jan. 1	13.67
22	15.58	Dec. 2	Dry	Feb. 15	14.70
31	15.69	9	Dry	22	14.53
1935		16	Dry	Mar. 1	13.95
Jan. 7	15.80	23	Dry	8	14.16
14	13.16	30	Dry	16	14.23
21	14.59	1936		22	14.45
28	15.20	Jan. 5	14.84	29	14.17
Feb. 4	15.64	13	14.90	Apr. 6	13.87
11	16.01	21	14.76	12	15.15
18	15.98	Mar. 23	12.11	19	14.74
25	15.54	Apr. 6	10.63	26	14.79
Mar. 4	15.40	13	11.56	May 3	14.45
11	13.52	20	12.10	10	15.10
18	13.55	27	12.00	17	14.04
25	14.00	May 4	12.16	24	14.95
Apr. 3	14.68	11	12.01	June 2	14.81
9	14.70	18	12.16	7	14.87
16	13.10	25	13.00	14	14.76
23	14.08	June 1	16.07	21	14.63
May 1	14.00	8	16.46	28	14.89
6	15.46	15	16.40	July 6	15.41
13	15.83	22	16.51	12	15.63
20	15.93	29	16.48	19	15.87
27	16.72	July 6	17.57	26	16.04
June 3	17.02	13	18.07	Aug. 2	16.15
10	17.16	21	18.32	9	17.00
17	17.42	27	Dry	19	17.11
24	17.63	Aug. 3	Dry	23	14.31
July 1	17.95	10	Dry	30	12.50
8	18.00	17	Dry	Sept. 6	14.67
15	18.11	24	Dry	13	15.13
22	18.96	31	Dry	20	13.82
29	19.12	Sept. 8	Dry	27	15.31
Aug. 5	19.22	14	Dry	Oct. 5	16.08
12	Dry	21	Dry	11	16.57
19	Dry	29	Dry	18	17.16
26	Dry	Oct. 5	Dry	25	16.02
Sept. 2	Dry	12	Dry	Nov. 8	14.71
9	Dry	19	Dry	22	13.66
16	Dry	26	Dry	Dec. 6	13.07
23	Dry	Nov. 2	Dry	20	15.05
Oct. 7	Dry	30	16.10		
14	Dry	Dec. 7	15.87		
21	Dry	14	15.09		

Bu 237. City of New Britian, abandoned dug well, Fresh Air Camp, Burlington. Diameter 24 inches, depth 12.5 feet. Measuring point is a paint mark top of wood curb 2.0 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Oct. 11	5.87	July 29	8.84	June 15	8.48
Nov. 12	5.58	Aug. 12	12.11	22	8.69
19	6.25	19	12.83	29	8.49
26	6.45	26	10.60	July 6	9.08
Dec. 3	5.43	Sept. 2	10.65	13	10.16
10	6.48	9	10.61	21	10.07
17	6.70	16	10.01	27	10.35
22	6.02	23	10.16	Sept. 21	9.85
31	6.41	30	10.20	29	9.97
1935		Oct. 7	10.69	Oct. 5	9.81
Jan. 7	6.70	14	11.00	12	10.34
14	5.46	21	11.98	19	7.57
21	6.16	28	12.00	26	7.05
28	6.47	Nov. 4	12.20	Nov. 2	7.49
Feb. 4	6.81	9	12.20	9	7.30
11	7.10	18	11.20	16	7.46
18	6.36	25	10.87	23	7.53
25	6.19	Dec. 2	9.64	30	7.96
Mar. 4	6.00	9	9.08	Dec. 7	6.21
11	5.15	16	9.01	14	5.39
18	5.05	23	8.53	21	4.74
25	5.54	30	8.56	28	4.38
Apr. 3	5.96	1936		1937	
9	6.11	Jan. 5	7.89	Jan. 4	4.89
16	5.18	13	7.51	11	5.06
23	5.19	21	7.51	18	4.76
May 1	6.52	Mar. 16	5.50	25	4.42
6	6.58	23	6.78	Feb. 1	5.03
13	6.46	30	8.70	8	6.18
20	6.66	Apr. 6	8.92	15	5.20
27	7.32	13	9.00	22	4.73
June 3	7.89	20	9.09	Mar. 2	5.60
10	7.98	27	9.07	8	6.40
17	8.37	May 4	9.10	16	5.91
24	8.37	11	9.00	22	4.89
July 1	8.76	18	9.16	Apr. 6	4.78
8	9.32	25	9.10	12	5.16
15	9.66	June 1	8.79	19	5.69
22	10.02	8	8.49	26	5.42

Bu 239. City of New Britian, abandoned dug well, Schidel Place, Burlington. Diameter 48 inches, depth 3.8 feet. Measuring point is a paint mark upper sharp edge of board across center of well, 0.3 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point in well Bu 239-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1936		1937	
Oct. 10	1.99	Jan. 13	2.83	Jan. 25	Flow
Nov. 12	1.72	Mar. 16	Flow	Feb. 15	2.22
19	2.32	23	Flow	22	2.13
26	2.38	30	2.09	Mar. 1	2.41
Dec. 3	1.80	Apr. 6	2.10	8	2.52
1935		13	2.08	16	2.76
Mar. 25	1.75	20	3.14	22	2.94
Apr. 3	2.10	27	3.10	29	2.47
9	2.13	May 4	3.11	Apr. 6	2.16
16	1.75	11	3.00	12	2.12
23	2.15	18	3.16	19	2.68
May 1	2.35	25	3.72	26	2.57
6	2.47	June 1	3.55	May 3	2.73
13	2.59	8	3.81	10	3.28
20	2.64	15	4.00	17	2.31
27	3.30	22	4.01	24	2.19
June 3	3.37	29	3.81	June 1	3.32
10	3.40	July 6	Dry	7	2.34
17	3.70	13	Dry	14	2.75
24	3.70	21	Dry	21	2.33
July 1	3.53	27	Dry	28	3.19
8	3.63	Aug. 3	Dry	July 6	3.27
15	4.01	10	Dry	12	3.37
22	3.73	17	Dry	19	3.45
29	3.97	24	Dry	26	3.53
Aug. 12	Dry	31	Dry	Aug. 2	3.63
19	Dry	Sept. 8	Dry	9	3.20
26	Dry	14	Dry	19	3.61
Sept. 2	Dry	21	Dry	23	3.13
9	Dry	29	Dry	30	2.70
16	Dry	Oct. 5	Dry	Sept. 6	2.52
23	Dry	12	Dry	13	3.30
Oct. 7	Dry	19	Dry	20	2.91
14	Dry	26	Dry	27	3.33
21	Dry	Nov. 2	3.60	Oct. 5	3.44
Nov. 4	Dry	9	3.35	11	3.43
9	Dry	16	3.51	18	3.55
18	Dry	23	3.55	25	2.36
25	Dry	30	3.41	Nov. 8	2.77
Dec. 2	3.67	Dec. 7	3.19	22	2.34
9	3.86	14	2.91	Dec. 6	2.21
16	3.67	21	2.72	20	2.36
23	3.67	28	2.16		
30	3.67	1937			
1936		Jan. 4	2.20		
Jan. 5	2.83	18	Flow		

Bu 244. J. J. Twining, abandoned dug well, R.F.D. 1, Burlington. Diameter 36 inches, depth 50.0 feet. Measuring point is a paint mark top sharp edge of board opening, center of northeast side 0.7 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 8	46.44	Sept. 23	49.20	Aug. 3	48.85
13	46.75	30	49.19	10	48.00
19	46.87	Oct. 7	49.32	17	48.57
26	46.86	14	49.42	24	48.48
Dec. 3	46.93	21	Dry	31	48.70
10	46.71	28	49.45	Sept. 8	48.70
17	46.88	Nov. 4	49.50	14	48.91
22	46.30	9	49.51	21	48.98
29	46.49	18	49.71	29	48.90
1935		25	49.64	Oct. 5	48.79
Jan. 7	46.85	Dec. 2	49.90	12	49.04
14	46.86	9	49.72	19	49.15
21	46.59	16	Dry	26	49.10
28	46.85	23	Dry	Nov. 2	49.00
Feb. 4	46.97	30	Dry	9	48.73
11	47.21	1936		16	48.47
18	47.65	Jan. 5	Dry	23	48.35
25	47.60	13	Dry	30	48.30
Mar. 4	47.54	21	Dry	Dec. 7	48.09
11	47.38	27	Dry	14	47.87
18	47.36	Feb. 3	Dry	21	47.50
25	46.83	10	Dry	28	46.53
Apr. 9	47.31	17	Dry	1937	
16	47.08	25	Dry	Jan. 4	46.10
23	46.58	Mar. 2	Dry	11	46.06
May 1	46.41	9	Dry	18	46.18
6	46.62	16	47.68	25	46.16
13	47.06	23	47.00	Feb. 1	45.33
20	47.35	30	42.41	8	45.10
27	48.20	Apr. 6	43.00	15	44.50
June 3	49.13	13	44.13	22	44.39
10	50.01	20	44.63	Mar. 1	44.89
17	48.03	27	44.20	8	45.15
24	48.18	May 4	44.71	16	44.97
July 1	48.38	11	45.69	22	45.17
8	48.50	18	45.60	29	45.33
15	48.62	25	45.79	Apr. 6	44.72
22	48.85	June 1	47.99	12	45.15
29	48.88	8	47.03	19	44.91
Aug. 5	49.02	15	47.05	26	44.77
12	49.12	22	47.10	May 3	44.77
19	49.29	29	47.00	10	44.13
26	49.31	July 6	47.92	17	43.67
Sept. 2	Dry	13	48.97	24	43.17
9	Dry	21	48.01	June 2	43.98
16	49.21	27	48.09	7	44.13

Water level in feet below measuring point in well Bu 244-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 14	46.66	Aug. 9	46.58	Oct. 5	46.38
21	46.81	19	47.37	11	46.66
28	46.94	23	47.35	18	47.12
July 6	46.50	30	47.30	25	47.26
12	46.63	Sept. 6	46.60	Nov. 8	46.38
19	46.71	13	46.40	22	46.54
26	46.94	20	46.37	Dec. 6	45.43
Aug. 2	46.83	27	46.21	20	45.69

Bu 253. Mrs. Grabinski, abandoned dug well, Burlington. Diameter 24 inches, depth 30.0 feet. Measuring point is a paint mark top of curb 3.0 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 8	32.44	May 27	32.10	Dec. 23	Dry
13	31.73	June 3	32.19	30	Dry
20	31.89	10	33.00	1936	
27	32.00	17	30.15	Jan. 5	Dry
Dec. 4	31.97	24	30.23	13	Dry
11	31.83	July 1	30.36	21	Dry
18	31.70	8	30.55	27	Dry
24	31.67	15	30.76	Feb. 3	Dry
31	31.65	22	30.84	10	Dry
1935		29	31.22	17	Dry
Jan. 8	31.61	Aug. 5	31.70	25	Dry
15	31.25	12	32.10	Mar. 2	Dry
22	31.30	19	32.92	9	Dry
29	31.55	26	Dry	16	Dry
Feb. 5	31.76	Sept. 2	Dry	23	Dry
12	31.98	9	Dry	30	30.37
19	32.26	16	Dry	Apr. 6	30.36
26	32.29	23	Dry	13	30.30
Mar. 5	32.06	30	Dry	20	30.56
12	31.99	Oct. 7	Dry	27	30.63
19	31.90	14	Dry	May 4	30.72
25	31.25	21	Dry	11	30.35
Apr. 3	31.10	28	Dry	18	30.38
9	32.06	Nov. 4	Dry	25	30.76
16	31.04	9	Dry	June 1	30 49
23	30.95	18	Dry	8	29.63
May 1	31.03	25	Dry	15	29.70
6	31.22	Dec. 2	Dry	22	29.71
13	31.45	9	Dry	29	29.60
20	31.76	16	Dry	July 6	29.93

Water level in feet below measuring point in well Bu 253-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1936	
July 13	30.35	Aug. 3	31.02	Aug. 24	31.02
21	29.78	10	32.00		
27	29.80	17	31.50		

Bu 254. W. Winalsky, abandoned dug well, R.F.D. 2, Burlington. Diameter 24 inches, depth 15.3 feet. Measuring point is a paint mark top of curb 3.0 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 8	11.92	July 8	13.00	Mar. 16	5.26
13	11.71	15	13.40	23	6.00
20	11.81	22	13.70	30	6.19
27	12.33	29	13.46	Apr. 6	6.36
Dec. 4	12.20	Aug. 5	13.30	13	6.51
11	11.68	12	13.93	20	9.68
18	12.25	19	14.21	27	9.17
24	12.32	26	14.47	May 4	10.82
31	12.46	Sept. 2	14.93	11	11.67
1935		16	12.76	18	11.76
Jan. 8	12.40	23	13.00	25	12.10
15	11.52	30	13.91	June 1	11.65
22	11.61	Oct. 7	13.76	8	11.81
29	11.82	14	14.03	15	11.86
Feb. 5	12.45	21	14.40	22	11.86
12	12.77	28	14.57	29	11.70
19	12.74	Nov. 4	14.74	July 6	12.30
26	12.67	9	15.00	13	12.59
Mar. 5	12.50	18	15.10	21	12.93
12	12.35	25	15.10	27	13.14
19	12.19	Dec. 2	14.84	Aug. 3	13.42
25	9.60	9	14.61	10	13.70
Apr. 3	11.04	16	14.66	17	13.75
9	11.40	23	14.60	24	13.70
16	9.14	30	14.81	31	13.08
23	10.85	1936		Sept. 8	13.22
May 1	11.92	Jan. 5	13.99	14	11.67
6	12.29	13	13.91	21	11.01
13	12.60	21	13.10	29	11.65
20	12.90	27	13.01	Oct. 5	10.33
27	12.90	Feb. 3	13.03	12	10.20
June 3	12.11	10	11.88	19	11.33
10	12.16	17	12.73	26	10.07
17	12.73	25	12.51	Nov. 2	11.02
24	12.55	Mar. 2	12.00	9	11.60
July 1	12.88	9	11.49	16	11.81

C 301. A. J. Cronin, abandoned dug well, Colebrook. Diameter 36 inches, depth 26.3 feet. Measuring point is a paint mark on board at south side of well near east end, 0.3 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	17.05	May 25	14.23	Sept. 7	16.25
29	16.31	June 2	14.15	14	15.85
1937		8	14.31	21	15.73
Jan. 5	15.64	15	16.52	28	15.55
12	15.37	22	16.40	Oct. 6	15.70
19	14.72	29	16.27	11	16.00
26	14.15	July 7	16.35	18	16.19
Feb. 2	14.31	13	16.37	25	14.60
9	14.73	20	16.41	Nov. 8	13.38
16	14.57	27	16.23	22	12.76
Apr. 27	15.27	Aug. 3	16.51	Dec. 6	12.63
May 4	15.16	16	17.46	20	13.40
11	15.99	24	17.52		
18	14.11	31	16.33		

C 302. C. Wolford, abandoned dug well, Colebrook. Diameter 30 inches, depth 19.7 feet. Measuring point is a paint mark on 2 x 4 sill of well windlass structure on south end of east side above spout 3.5 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	21.84	May 18	12.22	Sept. 7	17.65
29	20.43	June 2	12.36	14	18.04
1937		8	12.42	21	18.25
Jan. 5	19.17	15	13.65	28	18.32
12	18.63	22	13.36	Oct. 6	18.61
19	17.57	29	13.08	11	18.98
26	16.41	July 7	13.18	18	19.14
Feb. 2	16.27	13	13.21	25	18.46
9	16.65	20	13.31	Nov. 8	16.77
16	16.53	27	13.62	22	15.07
Apr. 5	14.13	Aug. 3	14.10	Dec. 6	13.13
27	12.75	16	16.19	20	12.[illegible]
May 4	12.51	24	16.80		
11	13.51	31	17.27		

C 303. S. W. McClave, abandoned dug well, North Colebrook, Colebrook. Diameter 36 inches, depth 7.1 feet. Measuring point is a paint mark edge of curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937			
May 11	5.31	June 8	5.84		
18	6.31	15	6.09		

C 305. Mrs. Robin, abandoned dug well, North Colebrook, Colebrook. Diameter 36 inches, depth 26.6 feet. Measuring point top of pipe projecting above plank and concrete curb on south side, 2.6 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	21.90	June 22	10.41	Oct. 11	22.83
29	21.47	29	10.57	18	23.03
1937		July 7	10.53	25	22.74
May 11	9.94	13	10.65	Nov. 8	18.87
18	11.91	20	10.75	22	18.22
June 2	9.76	27	10.85	Dec. 6	17.69
8	9.91	Aug. 3	10.76	20	18.34
15	10.13	Oct. 6	22.73		

C 306. Lyons, North Colebrook Baptist Society, abandoned dug well, North Colebrook, Colebrook. Diameter 32 inches, depth 27.2 feet. Measuring point is a paint mark sharp edge of large boulder top of curb north side at land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	24.07	Feb. 16	21.36	Apr. 27	19.07
29	23.77	23	20.22	May 4	19.00
1937		Mar. 3	21.10	11	19.73
Jan. 5	23.37	9	20.87	18	19.37
12	23.09	23	21.11	25	19.31
19	21.87	30	21.36	June 2	19.33
26	20.45	Apr. 5	20.58	8	19.47
Feb. 2	20.93	13	19.97	15	19.51
9	21.21	20	19.63	22	20.19

Water level in feet below measuring point in well C 306-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 29	20.38	Aug. 23	22.40	Oct. 11	22.91
July 7	20.57	31	22.60	18	23.05
13	20.63	Sept. 7	22.90	25	22.76
20	20.81	14	22.81	Nov. 8	21.81
27	20.93	21	22.81	22	20.46
Aug. 3	20.97	28	22.81	Dec. 6	19.49
16	22.07	Oct. 6	22.84	20	19.73

C 307. Mrs. Robin, abandoned dug well, North Colebrook, Colebrook. Diameter 36 inches, depth 12.3 feet. Measuring point is a paint mark southwest side of pitcher pump support small opening 3.2 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
May 11	7.17	July 7	8.42	Oct. 18	12.20
18	6.87	13	8.53	25	5.25
June 2	7.81	20	8.61	Nov. 8	5.88
8	7.64	27	8.74	22	5.22
15	7.87	Aug. 3	8.73	Dec. 6	5.02
22	8.12	Oct. 6	11.82	20	4.97
29	8.31	11	11.99		

C 309. Mrs. Shaw Estate, abandoned dug well, North Colebrook Rd., Colebrook. Diameter 30 inches, depth 11.6 feet. Measuring point is an orange paint mark top of curb 3.2 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	9.39	Feb. 23	9.35	May 11	7.07
29	9.40	Mar. 3	9.81	18	8.32
1937		9	9.47	25	8.82
Jan. 5	9.41	23	9.92	June 2	8.86
12	9.44	30	10.19	8	9.00
19	8.75	Apr. 5	10.22	15	9.09
26	8.26	13	9.11	22	9.17
Feb. 2	8.01	20	9.03	Aug. 16	13.82
9	8.57	27	8.96	31	14.08
16	8.67	May 4	8.84	Sept. 7	13.70

Water level in feet below measuring point in well C 309-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Sept.14	13.13	Oct. 18	13.84	Dec. 6	8.87
28	12.78	25	9.22	20	8.86
Oct. 6	13.38	Nov. 8	9.65		
11	13.69	22	9.08		

C 314. Mrs. Terry, abandoned dug well, North Colebrook Rd., Colebrook. Diameter 32 inches, depth 21.0 feet. Measuring point is a paint mark south sharp edge tin pump structure half way between axle east end, 3.4 feet above land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	23.39	Mar. 16	20.67	Sept. 7	21.19
29	23.19	23	20.87	14	20.83
1937		30	21.24	21	21.21
Jan. 5	23.03	Apr. 6	19.14	28	21.83
12	22.93	May 11	12.33	Oct. 6	21.24
19	21.99	18	12.31	11	21.37
26	20.77	June 2	12.39	18	21.28
Feb. 2	20.43	8	12.46	25	21.20
9	20.62	15	12.63	Nov. 8	20.59
16	20.91	22	12.87	22	20.06
23	20.66	29	12.94	Dec. 6	19.76
Mar. 3	20.97	Aug. 16	20.85	20	20.00
9	21.33	31	23.31		

C 315. W. Thompson, abandoned dug well, North Colebrook Rd., Colebrook. Diameter 30 inches, depth 18.4 feet. Measuring point is a paint mark center top sharp edge of curb below windlass support east side 2.9 feet above land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	16.10	Jan. 26	13.62	Mar. 9	12.17
29	15.73	Feb. 2	12.33	16	12.29
1937		9	11.88	23	12.35
Jan. 5	15.69	16	12.03	30	12.43
12	15.31	23	12.24	Apr. 6	12.10
19	14.37	Mar. 3	12.30	13	12.16

Water level in feet below measuring point in well C 315-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Apr. 20	12.33	July 7	12.63	Sept. 28	15.67
27	11.91	13	12.67	Oct. 6	15.36
May 4	11.94	20	12.83	11	15.60
11	10.11	27	12.91	18	15.74
18	10.14	Aug. 3	12.97	25	14.39
25	12.22	16	14.51	Nov. 8	12.59
June 2	12.17	24	15.70	22	10.99
8	12.07	31	15.25	Dec. 6	9.78
15	12.25	Sept. 7	15.46	20	10.42
22	12.46	14	15.18		
29	12.61	21	15.11		

C 319. Dr. F. L. Grosvenor, abandoned dug well, Norfolk-Colebrook Rd., Colebrook. Diameter 24 inches, depth 16.7 feet. Measuring point is a paint mark inside edge of water spout, set in wooden well curb 2.5 feet above land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	9.74	Mar. 9	5.07	June 8	8.34
29	8.66	23	5.48	15	8.57
1937		30	6.54	22	8.82
Jan. 5	7.39	Apr. 5	6.13	29	8.67
12	6.04	13	4.62	July 7	8.74
19	4.58	20	4.77	13	8.83
26	4.48	27	4.51	20	8.91
Feb. 2	4.71	May 4	4.32	27	8.62
9	4.93	11	5.11	Aug. 3	9.03
16	5.13	18	7.31	16	10.51
23	4.87	25	7.13		
Mar. 3	4.98	June 2	8.16		

C 320. Dr. F. L. Grosvenor, abandoned dug well, Norfolk-Colebrook Rd., Colebrook. Diameter 36 inches, depth 18.4 feet. Measuring point is paint mark halfway between axle of chain pump and north edge of chain pump structure, sharp edge 3.3 feet above land surface. Water-bearing formation is till.

Water level in feet below measuring point in well C 320-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	10.90	Mar. 30	9.41	Aug. 24	13.03
29	9.47	Apr. 5	9.18	31	13.00
1937		13	7.88	Sept. 7	13.04
Jan. 5	8.19	20	7.64	14	10.48
12	7.64	27	7.53	21	10.84
19	6.60	May 4	7.26	28	11.49
26	6.51	11	7.69	Oct. 6	12.04
Feb. 2	6.84	18	7.16	11	12.06
9	7.10	25	7.45	18	12.70
16	7.23	June 2	7.41	25	7.09
23	7.01	8	7.16	Nov. 8	7.80
Mar. 3	7.11	15	7.34	23	7.35
9	7.24	22	7.56	Dec. 6	7.08
16	7.62	29	7.39	20	7.24
23	8.35	Aug. 16	12.51		

C 321. Miss Hilja Winter, abandoned dug well, Stonebrook Rd., Colebrook. Diameter 24 inches, depth 8.9 feet. Measuring point is a paint mark sharp edge top concrete curb east side, 3.2 feet above land surface. Water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	4.54	Apr. 13	4.11	Aug. 31	8.00
29	4.27	20	4.23	Sept. 7	7.42
1937		27	4.12	14	5.09
Jan. 12	4.50	May 4	4.07	21	6.09
19	3.47	11	4.92	28	7.16
26	4.31	18	4.31	Oct. 6	7.64
Feb. 2	4.67	25	5.16	11	7.59
9	5.03	June 2	5.03	18	7.64
16	5.17	8	4.88	25	4.53
23	5.01	15	4.97	Nov. 8	5.72
Mar. 3	5.16	22	4.76	23	5.26
9	5.12	29	4.81	Dec. 6	5.35
23	4.97	Aug. 16	9.35	20	4.81
30	4.70	24	9.99		

C 322. Porter, abandoned dug well, corner Stonebrook Rd., and Norfolk-Colebrook Rd., Colebrook. Diameter 36 inches, depth 13.6 feet. Measuring point is a paint mark sharp edge top concrete curb southwest side, 2.5 feet above land surface. Water-bearing formation is till.

Water level in feet below measuring point in well C 322-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	5.49	Apr. 13	3.43	Aug. 3	5.73
29	5.10	20	3.62	16	7.71
1937		27	3.04	24	8.09
Jan. 5	4.47	May 4	3.07	31	6.00
12	3.99	11	3.20	Sept. 7	5.27
19	2.79	18	4.12	14	3.54
26	3.84	25	4.37	21	4.86
Feb. 2	4.10	June 2	5.16	28	5.63
9	4.31	8	5.37	Oct. 6	5.81
16	4.52	15	5.51	11	5.81
23	3.50	22	5.26	18	6.08
Mar. 3	3.76	29	5.34	25	4.00
9	3.92	July 7	5.32	Nov. 8	4.80
23	3.63	13	5.34	23	4.36
30	3.51	20	5.46	Dec. 6	4.53
Apr. 5	3.90	27	5.61	20	3.97

C 323. Culver, abandoned dug well, corner Old North Rd., and Winsted-Colebrook Rd., Colebrook. Diameter 36 inches, depth 16.6 feet. Measuring point is a paint mark south side of plank cover about center at the land surface. Water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	14.06	Apr. 5	13.86	July 27	11.19
29	14.10	13	10.14	Aug. 3	11.26
1937		20	10.10	16	13.96
Jan. 5	13.82	27	9.93	24	14.02
12	13.36	May 4	9.67	31	13.83
19	11.91	11	9.16	Sept. 7	13.71
26	10.84	18	9.32	14	13.16
Feb. 2	10.77	25	10.13	21	13.63
9	11.11	June 2	10.23	Oct. 6	14.03
16	11.33	8	9.94	11	14.31
23	12.97	15	10.18	18	13.97
Mar. 3	13.16	22	10.68	25	11.69
9	13.23	29	10.91	Nov. 8	11.90
16	13.67	July 7	11.03	23	10.98
23	13.73	13	11.13	Dec. 6	11.13
30	13.94	20	11.10	20	12.60

C 324. Thomas, abandoned dug well, Colebrook-Riverton Rd., Colebrook. Diameter 48 inches, depth 18.5 feet. Measuring point is a paint mark on jutting stone, sharp edge on southwest side, at land surface. Water-bearing formation is till.

Water level in feet below measuring point in well C 324-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	15.03	Apr. 13	12.23	Aug. 13	14.61
29	14.97	20	12.37	24	16.75
1937		27	12.12	31	16.20
Jan. 5	14.68	May 4	11.96	Sept. 7	17.02
12	14.43	11	10.31	14	16.26
19	14.10	18	10.10	21	14.37
26	13.87	25	10.44	28	16.58
Feb. 2	13.96	June 2	12.72	Oct. 6	16.22
9	14.07	8	12.94	11	16.15
16	14.21	15	13.13	18	16.14
23	12.84	22	13.27	25	15.98
Mar. 3	12.93	29	13.51	Nov. 8	12.44
9	12.62	July 7	13.43	22	12.22
17	12.43	13	13.49	Dec. 6	12.25
23	12.74	20	13.62	20	12.66
30	12.87	27	13.73		
Apr. 5	11.10	Aug. 3	13.71		

C 326. C. Colebaugh, abandoned dug well, Colebrook. Diameter 48 inches, depth 16.2 feet. Measuring point is a keel mark on jutting boulder west side of curb 2.8 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Feb. 23	6.56	May 18	8.12	Aug. 16	10.08
Mar. 3	6.72	25	8.36	24	10.49
9	6.66	June 2	8.62	31	9.81
16	6.45	8	8.91	Sept. 7	9.96
23	7.33	15	9.10	14	9.73
30	8.19	22	8.84	Oct. 6	8.97
Apr. 5	7.96	29	9.16	11	9.06
13	8.16	July 7	9.10	25	6.54
20	8.27	13	9.12	Nov. 8	8.10
27	8.13	20	9.17	23	7.64
May 4	8.03	27	9.25	Dec. 6	7.09
11	9.47	Aug. 3	9.34	20	7.77

C 328. Thompson, abandoned dug well, Colebrook. Diameter 28 inches, depth 13.0 feet. Measuring point is a paint mark upper sharp edge of plank cover support on south side 2.8 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point in well C 328-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	11.09	Apr. 13	10.10	Aug. 18	14.52
29	10.97	20	9.92	24	14.95
1937		27	10.05	31	14.60
Jan. 5	10.86	May 4	9.83	Sept. 7	14.63
12	10.74	11	9.27	14	14.44
19	9.91	18	9.91	21	13.34
26	9.07	25	10.31	28	13.67
Feb. 2	9.45	June 2	10.31	Oct. 6	14.02
9	9.83	8	10.28	11	14.29
16	10.12	15	12.88	18	14.66
23	10.86	22	13.10	25	11.29
Mar. 3	10.97	29	13.19	Nov. 8	11.46
9	11.14	July 7	13.23	23	10.57
16	11.23	13	13.27	Dec. 6	10.46
23	11.32	20	13.30	20	11.38
30	11.16	27	13.36		
Apr. 6	10.94	Aug. 3	13.43		

EH 65. L. E. Engle, abandoned dug well, 1970 Main St., East Hartford. Diameter 24 inches, depth 16.5 feet. Measuring point is a paint mark north side of housing 2.5 feet above land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Oct. 20	15.20	Apr. 29	14.82	Oct. 14	16.22
Nov. 27	15.26	May 6	14.92	21	16.26
Dec. 4	15.16	13	14.99	28	16.41
11	15.10	20	15.11	Nov. 4	16.43
18	15.00	27	15.25	11	16.48
26	13.00	June 3	15.43	18	16.52
1935		10	15.42	25	16.49
Jan. 2	13.12	17	15.51	Dec. 2	16.35
8	13.10	24	15.55	9	16.34
15	12.94	July 2	15.62	16	16.36
22	15.05	8	15.78	23	16.49
29	15.20	15	15.84	30	16.60
Feb. 6	15.25	24	15.90	1936	
13	15.00	29	15.69	Jan. 6	16.49
19	14.20	Aug. 7	15.01	13	16.15
26	14.11	12	15.93	20	16.01
Mar. 4	14.71	16	16.21	26	15.95
12	14.63	26	16.33	Feb. 4	15.78
18	14.63	Sept. 3	16.16	10	15.96
25	14.63	9	16.01	19	16.00
Apr. 1	14.67	16	15.96	24	15.80
8	14.78	23	15.99	Mar. 2	15.45
15	14.70	30	16.10	9	15.50
22	14.81	Oct. 7	16.19	16	14.41

EH 91. Case Paper Co., abandoned drilled well, East Hartford. Diameter 12 inches, depth 50.7 feet. Measuring point is a paint mark, top of casing at the land surface. The water-bearing formation is sandstone. Well filled in July 20, 1936

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 22	10.08	Jan. 8	8.56	Mar. 4	8.02
27	10.03	15	7.76	12	6.98
Dec. 4	10.00	22	8.83	18	6.92
11	9.34	29	9.93	25	6.84
18	9.50	Feb. 6	10.06	Apr. 1	7.22
26	9.36	13	9.32	8	7.65
1935		19	9.46	15	7.65
Jan. 2	9.46	26	9.46	22	7.92

Water level in feet below measuring point in well EH 91-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1935		1936	
Apr. 29	8.27	Sept.30	11.57	Feb. 24	9.65
May 6	8.67	Oct. 7	11.71	Mar. 2	9.31
13	8.91	14	11.81	9	8.51
20	9.11	21	11.88	16	5.15
27	9.43	28	11.95	24	2.75
June 3	9.50	Nov. 4	11.75	30	3.22
10	9.89	11	11.81	Apr. 6	4.02
17	10.22	18	11.84	13	4.05
24	10.42	25	11.62	21	6.01
July 1	10.74	Dec. 2	11.36	28	6.11
8	11.05	10	11.29	May 6	6.60
15	11.36	16	11.05	11	7.51
22	11.51	23	11.01	18	7.30
29	11.20	30	10.98	25	7.85
Aug. 7	11.32	1936		June 1	8.40
12	11.52	Jan. 6	10.80	8	9.16
19	11.71	13	10.55	15	9.61
26	11.76	20	10.08	22	9.75
Sept. 3	11.73	26	10.01	29	10.14
9	11.64	Feb. 4	9.78	July 6	10.41
16	11.37	10	9.72	13	10.44
23	11.49	19	9.72		

EH 93. A. McClellan, abandoned dug well, 790 Tolland St., East Hartford. Diameter 30 inches, depth 19.9 feet. Measuring point is a paint mark edge of flagstone cover 0.5 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 22	17.12	Mar. 18	15.71	July 1	17.26
27	17.02	25	15.70	8	17.52
Dec. 4	17.00	Apr. 1	15.72	15	17.70
11	17.10	8	15.91	22	17.78
17	17.08	15	15.76	29	17.24
24	17.11	22	15.90	Aug. 7	17.23
1935		29	16.04	12	17.64
Jan. 2	17.12	May 6	16.15	19	17.95
8	17.00	13	16.28	26	18.05
15	15.76	20	15.69	Sept. 3	18.23
22	16.22	27	16.55	9	18.01
Feb. 13	17.32	June 3	16.93	16	17.46
19	17.00	10	16.80	23	17.68
Mar. 4	16.02	17	17.00	30	17.87
12	15.74	24	17.00	Oct. 7	18.02

Water level in feet below measuring point in well EH 93-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Oct. 14	18.16	July 13	16.61	Mar. 29	15.33
21	18.29	20	17.02	Apr. 5	15.50
28	18.44	27	17.10	12	15.27
Nov. 4	18.45	Aug. 3	17.17	19	15.44
11	18.45	10	18.10	27	15.30
18	18.45	17	18.18	May 3	15.42
25	18.25	24	18.38	10	15.68
Dec. 2	17.92	31	18.30	17	15.44
10	17.81	Sept. 8	17.93	24	15.42
16	17.85	14	18.33	June 1	15.60
23	17.85	21	18.16	7	15.56
30	18.18	29	17.71	14	15.57
1936		Oct. 5	17.86	21	15.59
Jan. 6	17.90	12	17.32	28	15.51
13	17.04	19	17.67	July 7	15.47
20	17.38	26	17.26	13	15.55
26	17.29	Nov. 2	17.46	19	15.60
Mar. 2	17.32	9	17.74	27	15.74
9	16.90	17	17.81	Aug. 2	15.83
16	16.15	23	17.73	10	15.91
24	14.31	Dec. 7	17.07	16	15.98
30	15.00	14	17.15	23	15.93
Apr. 6	14.84	21	16.78	30	15.87
13	14.71	28	16.51	Sept. 7	16.14
21	15.01	1937		13	16.05
28	15.10	Jan. 5	16.29	20	16.14
May 6	15.16	18	16.05	27	16.18
11	15.31	25	15.81	Oct. 4	16.49
18	15.43	Feb. 1	15.41	11	16.67
25	15.67	8	15.45	18	16.91
June 1	15.85	15	15.40	26	16.47
8	16.18	22	15.43	Nov. 8	16.35
15	16.33	Mar. 1	15.50	22	15.91
22	16.34	8	15.66	Dec. 6	15.22
29	16.54	15	14.97	21	15.19
July 6	16.42	22	15.32		

EH 95. D. Trubucco, abandoned dug well, 9 Garden St., East Hartford. Diameter 24 inches, depth 9.9 feet. Measuring point, orange paint mark north side of brick curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 20	4.56	Dec. 4	4.38	Dec. 18	4.38
27	4.66	11	4.30	26	4.41

Water level in feet below measuring point in well EH 95-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Jan. 2	4.41	Feb. 10	4.70	Jan. 18	3.60
8	4.36	24	4.75	25	2.78
15	4.32	Mar. 2	3.95	Feb. 1	3.30
22	4.60	9	3.78	8	3.80
29	4.92	16	2.36	15	3.76
Feb. 6	4.91	30	2.64	22	3.82
13	4.31	Apr. 6	3.41	Mar. 1	3.68
19	3.99	13	2.92	8	4.02
26	3.73	21	3.06	15	4.21
Mar. 4	2.87	28	4.11	22	3.05
12	2.84	May 4	4.34	29	3.70
18	3.16	11	5.10	Apr. 5	3.93
25	4.08	18	4.42	12	3.60
Apr. 1	3.65	25	5.67	19	3.35
8	3.95	June 1	5.47	26	3.88
15	3.80	8	6.21	May 3	5.54
22	4.04	15	5.73	10	4.56
29	4.59	22	5.81	17	4.25
May 6	4.52	29	6.11	24	4.08
13	4.88	July 6	6.10	June 1	5.15
20	5.03	13	5.96	7	4.27
27	5.10	20	6.01	14	4.39
June 3	6.99	27	6.40	21	4.40
10	5.53	Aug. 3	6.43	28	4.23
17	6.47	10	6.70	July 7	4.09
24	5.53	17	6.07	12	5.03
July 2	5.94	24	6.15	19	4.61
8	5.78	31	6.13	26	4.74
15	6.03	Sept. 8	6.22	Aug. 2	5.05
24	6.13	14	6.27	9	5.21
29	5.40	21	6.16	16	5.29
Aug. 7	5.62	29	5.96	23	5.20
12	5.54	Oct. 5	5.73	30	5.03
Oct. 14	5.77	12	5.70	Sept. 7	4.76
21	5.91	19	5.60	13	4.77
28	5.94	26	5.41	20	4.61
Nov. 4	5.94	Nov. 2	5.37	27	4.80
11	6.11	9	5.34	Oct. 4	5.05
18	6.17	17	5.31	11	5.18
25	5.86	23	5.34	18	5.32
Dec. 2	5.75	30	5.57	26	5.03
9	5.42	Dec. 7	5.32	Nov. 8	4.56
16	5.25	14	4.43	22	4.10
23	5.17	21	3.77	Dec. 6	3.55
30	5.24	28	4.00	21	3.85
1936		1937			
Jan. 6	4.87	Jan. 5	3.66		
13	4.32	11	3.70		

EH 97. F. Brown, abandoned dug well, 665 Main St., East Hartford. Diameter 20 inches, depth 11.7 feet. The measuring point is an orange paint mark on top of concrete curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 12	6.68	Sept.30	7.36	Sept.21	7.21
19	6.75	Oct. 7	7.45	29	7.01
26	6.87	14	7.51	Oct. 5	7.10
Dec. 3	6.78	21	7.52	12	7.83
10	6.64	28	7.54	19	7.95
17	6.83	Nov. 4	7.53	26	7.01
24	6.76	11	7.56	Nov. 2	6.98
31	6.86	18	7.58	10	7.02
1935		25	7.58	17	7.16
Jan. 7	7.11	Dec. 2	7.11	23	7.01
14	6.09	9	7.01	30	7.05
21	6.65	16	7.04	Dec. 7	7.00
28	7.00	23	7.07	14	6.56
Feb. 5	7.09	30	7.14	21	6.40
12	6.82	1936		28	6.49
18	6.79	Jan. 6	6.98	1937	
25	6.95	13	6.85	Jan. 5	6.35
Mar. 8	6.47	20	6.60	11	6.32
14	6.19	26	6.76	18	6.32
18	6.23	Feb. 4	6.95	25	6.02
28	6.49	10	7.10	Feb. 1	6.18
Apr. 10	6.65	19	6.85	8	6.51
17	6.56	24	6.95	15	6.50
24	6.62	Mar. 2	6.70	22	6.58
29	6.74	9	6.61	Mar. 1	6.53
May 6	6.83	16	6.69	9	6.65
13	6.87	May 6	6.60	16	5.58
20	6.78	11	6.59	22	6.00
27	7.02	18	6.56	30	6.40
June 3	7.07	25	6.71	Apr. 6	6.60
10	7.11	June 1	6.80	13	6.22
17	7.17	8	6.92	21	6.68
24	7.19	15	6.95	27	6.64
July 1	7.21	22	7.00	May 4	6.66
8	7.28	29	7.10	11	7.76
15	7.30	July 6	7.00	18	6.69
22	7.25	13	7.11	25	6.60
29	7.05	20	7.31	June 2	6.67
Aug. 6	7.18	27	7.36	8	6.67
12	7.28	Aug. 3	7.40	15	6.75
19	7.41	10	7.41	22	6.65
26	7.46	17	7.55	29	6.68
Sept. 3	7.52	24	8.47	July 6	6.65
9	7.30	31	7.45	13	6.78
16	7.33	Sept. 8	7.49	20	6.88
23	7.32	14	7.49	27	6.94

Water level in feet below measuring point in well EH 97-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Aug. 2	6.96	Sept. 14	7.21	Nov. 1	6.67
9	7.13	21	6.83	15	6.64
17	7.19	28	7.02	29	6.14
23	7.09	Oct. 5	7.13	Dec. 13	6.50
30	7.06	13	7.19	28	6.74
Sept. 8	7.02	19	7.24		

EH 98. Z. A. Howe, abandoned dug well, 441 Main St., East Hartford. Diameter 24 inches, depth 11.5 feet. The measuring point is an orange paint mark on curb at the land surface. The water-bearing formation is river silt and stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 19	7.80	June 24	8.08	Jan. 26	7.60
26	7.96	July 1	8.22	Feb. 4	7.80
Dec. 3	7.76	8	8.45	10	6.90
10	7.01	15	8.54	19	7.52
17	7.70	22	8.46	24	7.70
24	7.72	29	8.32	Mar. 2	7.53
31	7.85	Aug. 6	8.30	9	6.70
1935		12	8.59	16	5.57
Jan. 7	7.89	19	8.79	30	4.15
14	7.86	26	9.16	Apr. 6	4.13
21	7.51	Sept. 3	8.92	13	4.54
28	7.50	9	8.60	21	4.60
Feb. 5	7.82	16	8.52	28	4.63
12	7.73	23	8.62	May 6	5.72
18	7.69	30	8.76	11	6.12
25	7.06	Oct. 7	8.87	18	6.35
Mar. 8	6.32	14	9.15	25	6.71
14	6.25	21	8.98	June 1	6.75
18	6.26	28	9.03	8	7.29
28	6.30	Nov. 4	9.11	15	7.44
Apr. 2	6.96	11	9.18	22	7.52
10	6.68	18	9.31	29	7.64
17	6.60	25	9.01	July 6	7.61
24	6.91	Dec. 2	8.52	13	7.76
29	7.02	9	8.41	20	7.80
May 6	7.23	16	8.36	27	7.64
13	7.32	23	8.32	Aug. 3	8.03
20	7.52	30	8.40	10	8.60
27	7.72	1936		17	8.00
June 3	7.81	Jan. 6	8.24	24	8.65
10	7.00	13	8.13	31	8.47
17	8.13	20	8.01	Sept. 8	8.58

Water level in feet below measuring point in well EH 98-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Sept. 14	8.75	Feb. 8	6.53	July 13	7.18
21	8.22	15	6.39	20	7.24
29	8.01	22	6.40	27	7.32
Oct. 5	8.11	Mar. 1	6.39	Aug. 3	7.28
12	8.73	9	6.60	9	7.88
19	8.10	16	6.60	17	7.96
26	8.13	22	6.13	24	7.66
Nov. 2	8.17	30	6.29	31	7.58
10	8.19	Apr. 6	6.50	Sept. 8	7.51
17	8.34	13	6.20	14	7.53
23	8.15	21	6.16	21	7.59
30	8.46	27	6.18	28	7.86
Dec. 7	8.27	May 4	6.90	Oct. 5	7.90
14	7.62	11	6.83	13	8.02
21	7.08	18	6.77	19	8.19
28	7.05	25	6.71	Nov. 1	7.44
1937		June 2	6.76	15	7.22
Jan. 5	6.88	8	6.85	29	6.43
11	6.78	15	7.00	Dec. 13	6.50
18	6.68	22	6.82	28	6.30
25	6.12	29	6.74		
Feb. 1	6.05	July 6	7.04		

EH 99. Z. A. Howe, abandoned dug well, 441 Main St., East Hartford. Diameter 18 inches, depth 12.7 feet. The measuring point is an orange paint mark on flagstone well cover 0.5 foot above land surface. The water-bearing formation is river silt and stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 12	9.89	Feb. 25	8.56	June 10	9.98
19	9.82	Mar. 8	9.24	17	10.11
26	9.88	14	9.10	24	10.15
Dec. 3	9.85	18	9.17	July 1	10.25
10	7.55	28	9.21	8	10.39
17	8.00	Apr. 2	9.30	15	10.52
24	8.73	10	9.04	22	10.54
31	8.82	17	9.00	29	10.56
1935		24	9.03	Aug. 6	10.58
Jan. 7	9.89	29	9.09	12	10.71
14	8.72	May 6	9.90	19	10.78
21	8.70	13	9.39	26	10.84
28	8.01	20	9.53	Sept. 3	10.92
Feb. 5	8.03	27	9.69	9	10.71
12	8.00	June 3	9.86	16	10.74

Water level in feet below measuring point in well EH 99-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Sept. 23	10.76	July 13	9.83	Mar. 22	8.53
30	10.80	20	9.84	30	8.64
Oct. 7	10.86	27	9.01	Apr. 6	8.65
14	10.92	Aug. 3	10.00	13	8.55
21	10.91	10	10.55	21	8.62
28	10.94	17	11.11	27	8.65
Nov. 4	10.93	24	10.75	May 4	7.90
11	10.95	31	10.47	11	9.01
18	10.96	Sept. 8	10.65	18	9.11
25	10.96	14	10.75	25	9.12
Dec. 2	10.73	21	10.54	June 2	9.14
9	10.58	29	9.96	8	9.30
16	10.54	Oct. 5	9.76	15	9.36
23	10.45	12	9.72	22	9.26
30	10.56	19	9.05	29	9.00
1936		26	9.27	July 6	9.31
Jan. 6	10.21	Nov. 2	9.88	13	9.39
13	10.24	10	9.92	20	9.47
20	10.15	17	9.91	27	9.53
Mar. 9	9.35	23	9.15	Aug. 3	9.49
16	8.61	30	10.32	9	10.05
30	6.35	Dec. 7	10.29	17	10.00
Apr. 6	6.93	14	9.82	24	10.19
13	7.22	21	9.48	31	10.10
21	8.16	28	9.13	Sept. 8	10.02
28	8.10	1937		14	10.10
May 6	8.24	Jan. 5	9.24	21	10.05
11	8.32	11	9.02	28	10.12
18	8.60	18	8.87	Oct. 5	10.25
25	8.78	25	8.51	13	10.33
June 1	9.00	Feb. 1	8.21	19	10.33
8	9.33	8	8.50	Nov. 1	9.98
15	9.46	15	8.67	15	9.71
22	9.65	22	8.73	29	9.17
29	9.72	Mar. 9	8.84	Dec. 13	8.92
July 6	9.69	16	8.82	28	9.16

EH 100. F. T. Roberts, abandoned dug well, 430 Silver Lane, East Hartford. Diameter 25 inches, depth 14.2 feet. The measuring point is keel mark on south side of housing 3.0 feet above land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 19	14.00	Dec. 10	14.00	Dec. 31	14.13
26	14.03	16	14.10	1935	
Dec. 3	13.99	24	14.12	Jan. 7	13.45

Water level in feet below measuring point in well EH 100-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1935		1935	
Jan. 14	12.96	Apr. 29	12.89	Aug. 12	14.46
21	13.81	May 6	12.99	19	14.55
28	13.93	13	13.06	26	14.66
Feb. 5	14.09	20	13.38	Sept. 3	14.79
12	13.89	27	13.32	9	14.71
18	13.66	June 3	13.39	16	14.76
25	13.33	10	13.58	23	14.84
Mar. 8	13.31	17	13.81	30	14.92
14	13.13	24	13.80	Oct. 7	14.99
18	13.57	July 1	13.95	14	15.06
28	12.89	8	14.07	21	15.14
Apr. 2	13.00	15	14.21	28	15.27
10	12.83	22	14.28	Nov. 4	15.27
17	12.81	29	14.22		
24	12.82	Aug. 6	14.43		

EH 102. C. J. Hartz, abandoned dug well, 523 Forbes St., East Hartford. Diameter 30 inches, depth 9.4 feet. Measuring point is an orange paint mark on curb 0.4 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 13	6.35	Apr. 17	3.28	Mar. 9	6.05
19	6.56	24	3.95	16	4.97
26	7.05	29	4.31	30	2.65
Dec. 3	6.04	May 6	4.74	Apr. 6	1.54
10	6.00	13	4.81	13	2.31
16	6.43	20	5.30	21	2.06
24	6.40	27	5.94	28	3.73
31	6.16	June 3	6.01	May 6	4.84
1935		10	6.98	11	5.39
Jan. 7	6.07	17	7.13	18	5.62
14	5.90	24	7.43	25	6.18
21	5.62	July 1	7.76	June 1	6.92
28	5.86	8	8.40	8	7.65
Feb. 5	5.91	15	8.73	15	8.21
12	6.51	22	8.85	22	7.70
18	6.45	29	8.48	29	8.55
25	5.93	Aug. 6	8.45	July 6	8.50
Mar. 8	3.80	12	9.11	13	8.54
14	3.32	19	9.37	20	9.03
18	3.47	26	9.71	27	8.56
28	3.51	1936		Aug. 3	Dry
Apr. 2	3.66	Feb. 24	8.10	10	Dry
10	3.70	Mar. 2	6.95	17	Dry

Water level in feet below measuring point in well EH 102-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Aug. 24	Dry	Jan. 25	4.52	July 6	6.20
31	Dry	Feb. 1	3.10	13	6.23
Sept. 5	Dry	8	5.10	20	6.18
14	Dry	15	4.12	27	6.22
21	Dry	22	2.87	Aug. 3	6.28
29	Dry	Mar. 1	4.85	9	6.36
Oct. 5	Dry	9	5.45	17	6.41
12	Dry	16	3.36	24	6.38
19	Dry	22	3.57	31	6.32
26	Dry	30	3.71	Sept. 8	6.30
Nov. 2	Dry	Apr. 6	3.07	14	8.54
10	Dry	13	3.43	21	8.50
17	Dry	21	3.09	28	8.47
25	Dry	28	5.00	Oct. 5	Dry
30	Dry	May 4	5.02	13	Dry
Dec. 7	Dry	11	6.25	19	Dry
14	8.87	18	6.20	Nov. 1	8.06
21	7.00	25	6.08	15	7.12
28	7.33	June 2	6.16	29	5.22
1937		8	6.20	Dec. 13	5.75
Jan. 5	6.45	15	6.20	28	6.06
11	6.42	22	6.18		
18	5.99	29	6.17		

EH 103. C. J. Hartz, abandoned dug well, 523 Forbes St., East Hartford. Diameter 24 inches, depth 11.9 feet. The measuring point is an orange paint mark on curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 13	5.60	Mar. 18	5.01	July 15	7.70
19	5.89	28	6.11	22	7.82
26	6.18	Apr. 10	7.54	29	7.71
Dec. 3	5.32	17	4.53	Aug. 6	7.76
10	5.30	24	4.78	12	8.35
16	5.79	29	5.12	19	8.73
24	5.76	May 6	5.32	26	9.08
31	6.08	13	5.39	Sept. 3	9.29
1935		20	5.84	9	9.13
Jan. 7	6.02	27	6.20	16	9.17
14	5.64	June 3	6.43	23	9.16
21	5.66	10	6.60	30	9.40
Feb. 5	6.06	17	6.88	Oct. 7	9.63
25	6.00	24	6.90	14	9.88
Mar. 8	4.52	July 1	7.24	21	10.11
14	4.63	8	7.56	28	10.27

Water level in feet below measuring point in well EH 103-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Nov. 4	10.52	July 13	6.26	Mar. 22	4.55
11	10.71	20	6.63	30	4.60
18	10.91	27	6.60	Apr. 6	4.55
25	10.97	Aug. 3	5.95	13	4.41
Dec. 2	8.58	10	6.10	21	4.61
9	8.39	17	5.96	28	4.60
16	8.05	24	9.13	May 4	4.63
23	7.94	31	9.20	11	5.30
30	8.20	Sept. 8	9.27	18	5.19
1936		14	9.55	25	5.04
Jan. 6	7.93	21	8.00	June 2	5.12
13	7.35	29	7.76	8	5.08
20	5.91	Oct. 5	7.09	15	5.00
26	5.18	12	7.10	22	5.13
Feb. 4	5.91	19	7.01	29	4.94
10	4.30	26	5.86	July 6	5.05
19	6.59	Nov. 2	7.07	13	5.10
24	6.50	10	7.20	20	5.16
Mar. 2	6.10	17	7.18	27	5.24
9	5.51	25	7.63	Aug. 3	5.36
16	4.61	Dec. 7	7.80	9	5.48
30	4.59	14	5.83	17	5.54
Apr. 6	4.34	21	4.70	24	5.52
13	4.57	28	4.68	31	5.48
21	4.30	1937		Sept. 8	5.43
28	5.14	Jan. 5	4.55	14	5.11
May 6	4.63	11	4.47	21	5.09
11	4.61	18	4.67	28	5.04
18	4.76	25	2.43	Oct. 5	5.98
25	5.15	Feb. 1	4.52	13	7.25
June 1	5.67	8	4.70	19	7.50
8	5.85	15	4.52	Nov. 1	5.62
15	5.87	22	4.50	15	4.95
22	5.72	Mar. 1	4.53	29	4.59
29	6.29	9	4.59	Dec. 13	4.70
July 6	6.30	16	4.53	28	4.78

EH 149. Kearns Real Estate Co., abandoned dug well, 254 Main St., East Hartford. Diameter 24 inches, depth 11.1 feet. The measuring point is an orange paint mark on west side of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 12	9.57	Nov. 26	9.54	Dec. 10	9.00
19	9.50	Dec. 3	9.56	18	10.00

Water level in feet below measuring point in well EH 149-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Dec. 25	9.73	Apr. 24	8.46	Sept. 3	10.56
31	9.32	29	8.54	9	10.60
1935		May 6	8.61	16	10.58
Jan. 7	9.45	13	8.88	23	10.60
14	9.45	20	9.00	30	10.64
21	9.21	27	9.12	Oct. 7	10.66
28	9.37	June 3	9.88	1936	
Feb. 5	9.41	10	9.40	Mar. 9	9.50
12	9.32	17	9.73	16	8.28
18	9.00	24	9.64	30	1.95
25	9.00	July 1	9.76	Apr. 6	2.72
Mar. 8	7.93	8	9.86	13	4.23
14	8.01	15	10.05	21	5.11
18	8.36	22	10.10	28	6.11
28	8.20	29	10.24	May 6	6.57
Apr. 2	9.00	Aug. 12	10.36	11	6.75
10	8.34	19	10.46	18	7.10
17	8.33	26	10.55	25	7.30

EH 153. J. Kentz, abandoned dug well, 284 Main St., East Hartford. Diameter 29 inches, depth 15.4 feet. The measuring point is an orange paint mark on curb 2.5 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 12	13.51	Mar. 28	13.51	Aug. 12	13.91
19	13.43	Apr. 2	13.53	19	13.93
26	13.58	10	13.44	26	13.75
Dec. 3	13.47	17	13.46	Sept. 3	13.81
10	13.41	24	13.47	9	13.61
18	13.44	29	13.50	16	13.62
24	13.42	May 6	13.54	23	13.73
31	13.49	13	13.60	30	13.80
1935		20	13.64	Oct. 7	13.85
Jan. 7	13.63	27	13.69	14	13.87
14	12.92	June 3	13.75	21	13.91
21	13.30	10	13.74	28	13.92
28	13.74	17	13.78	Nov. 4	14.01
Feb. 5	13.81	24	13.22	11	13.93
12	13.58	July 1	13.82	18	13.92
18	13.49	8	13.86	25	13.91
25	13.61	15	13.86	Dec. 2	13.69
Mar. 8	13.30	22	13.78	9	13.62
14	13.20	29	13.73	16	13.66
18	13.27	Aug. 6	13.83	23	13.63

Water level in feet below measuring point in well EH 153-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Dec. 30	13.70	Aug. 24	13.86	Apr. 13	13.10
1936		31	13.80	21	13.25
Jan. 6	13.58	Sept. 8	13.73	27	13.29
13	13.50	14	13.81	May 4	13.52
20	13.36	21	13.57	11	13.56
26	13.48	29	13.00	18	13.45
Feb. 4	13.64	Oct. 5	13.10	25	13.60
10	13.80	12	12.65	June 2	13.64
19	13.65	19	12.24	8	13.57
24	13.50	26	13.55	15	13.55
Mar. 2	13.50	Nov. 2	13.60	22	13.40
9	13.25	10	13.62	29	13.21
16	13.02	17	13.66	July 6	13.13
30	9.08	23	13.71	13	13.27
Apr. 6	11.06	30	13.74	20	13.21
13	12.00	Dec. 7	13.70	27	13.26
21	11.55	14	13.37	Aug. 3	13.32
28	12.93	21	13.81	9	13.72
May 6	13.17	28	13.26	17	13.86
11	13.20	1937		24	13.74
18	13.36	Jan. 5	13.37	31	13.69
25	13.45	11	13.41	Sept. 8	13.65
June 1	13.57	18	13.32	14	13.64
8	13.59	25	13.11	21	13.61
15	13.65	Feb. 1	12.95	28	13.74
22	13.70	8	13.28	Oct. 5	13.80
29	13.75	15	13.30	13	13.85
July 6	13.73	22	13.40	19	12.86
13	13.55	Mar. 1	13.42	Nov. 1	13.49
20	13.84	9	13.50	15	13.40
27	13.90	16	15.34	29	13.26
Aug. 3	13.85	23	12.60	Dec. 13	13.27
10	13.86	30	13.20	28	13.47
17	13.91	Apr. 6	13.38		

EH 157. G. Sweetland, abandoned dug well, 3 Main St., East Hartford. Diameter 24 inches, depth 11.1 feet. The measuring point is an orange paint mark on top of pump housing 3.5 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 12	9.05	Nov. 26	9.68	Dec. 10	8.56
19	9.45	Dec. 3	8.58	18	8.58

Water level in feet below measuring point in well EH 157-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Dec. 24	8.59	Dec. 23	9.87	Dec. 21	7.30
31	9.85	30	10.43	28	7.80
1935		1936		1937	
Jan. 7	7.36	Jan. 6	10.21	Jan. 5	7.70
14	7.77	13	9.07	11	7.69
21	9.06	20	8.87	18	7.48
28	9.46	26	8.80	25	6.40
Feb. 5	9.72	Feb. 4	9.26	Feb. 1	7.33
12	9.45	10	8.53	8	8.22
18	8.90	19	9.25	15	7.95
25	8.76	24	9.10	22	8.00
Mar. 8	7.71	Mar. 2	8.40	Mar. 1	8.04
14	7.63	9	7.87	9	8.66
18	7.01	16	7.11	16	8.24
28	8.40	30	6.87	23	7.39
Apr. 10	8.60	Apr. 6	7.07	30	7.93
17	8.26	13	7.36	Apr. 6	8.38
24	9.06	21	7.50	13	7.94
29	10.55	28	8.16	21	7.84
May 6	10.29	May 6	8.92	28	8.60
13	10.32	11	9.00	May 4	9.02
20	10.15	18	8.93	11	9.57
27	10.46	25	9.63	18	9.06
June 3	10.68	June 1	10.10	25	9.11
10	10.59	8	10.40	June 2	9.15
17	10.63	15	10.36	8	9.07
24	10.42	22	9.91	15	9.13
July 1	10.90	29	10.53	22	8.75
8	11.00	July 6	10.50	29	8.53
15	11.07	13	10.97	July 6	8.34
22	11.00	20	11.16	13	8.47
29	10.70	27	11.20	20	8.38
Aug. 6	10.00	Aug. 3	11.31	27	8.48
12	11.27	10	11.46	Aug. 3	8.54
19	11.47	17	11.00	9	10.73
26	11.30	24	11.40	17	10.76
Sept. 3	11.46	31	11.10	24	10.24
9	10.74	Sept. 8	11.12	31	10.18
16	10.51	14	11.20	Sept. 8	10.12
23	10.76	21	10.54	14	9.48
30	10.93	29	10.16	21	9.79
Oct. 7	11.12	Oct. 5	10.21	28	9.40
14	11.08	12	10.03	Oct. 5	10.24
21	11.16	19	9.56	13	10.46
28	11.22	26	9.76	19	10.52
Nov. 4	11.22	Nov. 2	10.00	Nov. 1	8.62
11	11.22	10	9.72	15	7.95
18	11.21	17	9.83	29	6.82
25	10.73	23	10.08	Dec. 13	8.13
Dec. 2	9.79	30	10.11	28	8.25
9	10.08	Dec. 7	9.61		
16	9.71	14	7.97		

EW 1. W. Phelps, abandoned dug well, intersection of U.S. Rt. 5 and Conn. Rt. 140, East Windsor. Diameter 24 inches, depth 14.0 feet. Measuring point is an orange paint mark top of pump housing 3.5 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 27	12.21	Sept. 30	14.10	Aug. 3	13.00
Dec. 4	12.75	Oct. 7	14.20	10	13.72
11	12.69	14	14.32	17	13.61
18	12.70	21	14.48	24	13.52
26	12.83	28	14.56	31	13.54
1935		Nov. 4	14.67	Sept. 8	13.74
Jan. 2	12.96	11	14.70	14	13.78
8	12.41	18	14.73	21	13.01
15	12.01	25	14.96	29	13.52
22	12.79	Dec. 2	14.92	Oct. 5	13.61
29	12.81	9	14.99	12	13.49
Feb. 6	13.00	16	15.13	19	13.50
13	12.81	23	15.09	26	13.27
19	12.57	30	15.16	Nov. 2	12.65
26	12.63	1936		9	13.30
Mar. 4	12.29	Jan. 6	14.86	17	13.30
12	11.74	13	14.71	23	13.66
18	11.66	20	14.40	30	13.78
25	11.56	26	14.31	Dec. 7	13.75
Apr. 1	11.51	Feb. 4	14.38	14	12.01
8	11.65	10	14.42	21	12.70
15	11.53	19	14.40	28	12.54
22	11.70	24	14.27	1937	
29	11.85	Mar. 2	14.27	Jan. 5	12.42
May 6	11.98	9	13.99	11	11.91
13	12.00	16	12.55	18	12.04
20	12.16	24	11.64	25	11.42
27	12.30	30	11.51	Feb. 1	11.08
June 3	12.39	Apr. 6	11.19	8	11.33
10	12.57	13	10.73	15	11.27
17	12.69	21	10.99	22	11.38
24	12.66	28	10.01	Mar. 1	11.24
July 1	12.74	May 6	11.22	8	11.45
8	12.81	11	11.25	15	11.61
15	12.74	18	11.38	22	9.84
24	12.84	25	11.42	29	10.95
29	12.99	June 1	11.64	Apr. 5	10.66
Aug. 7	13.12	8	11.83	12	10.85
12	13.32	15	11.94	19	11.09
19	13.53	22	10.93	26	11.14
26	13.69	29	12.20	May 3	11.23
Sept. 3	13.73	July 6	12.10	10	11.46
9	13.84	13	12.10	17	11.01
16	13.83	20	12.92	24	11.14
23	13.97	27	12.98	June 1	11.41

Water level in feet below measuring point in well EW 1-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 7	11.54	Aug. 10	12.33	Oct. 11	12.80
14	11.71	15	12.38	18	12.97
21	11.54	23	12.60	26	12.70
28	11.45	30	12.48	Nov. 8	12.59
July 7	11.64	Sept. 7	12.10	22	12.20
12	11.87	13	12.50	Dec. 6	11.23
19	11.94	20	12.18	21	11.39
26	11.86	27	12.47		
Aug. 2	12.20	Oct. 4	12.65		

EW 2. W. Phelps, abandoned dug well, intersection of U.S. Rt. 5 and Conn. Rt. 140, East Windsor. Diameter 24 inches, depth 12.1 feet. Measuring point is an orange paint mark top of pump housing 3.0 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 27	12.96	June 3	11.61	Dec. 16	14.54
Dec. 4	11.96	10	11.66	23	14.37
11	11.94	17	11.87	30	14.42
18	12.02	24	11.82	1936	
26	12.04	July 1	11.43	Jan. 6	14.10
1935		8	11.50	13	13.96
Jan. 2	12.28	15	11.90	20	13.65
8	11.66	24	12.13	26	13.60
15	11.14	29	12.21	Feb. 4	13.60
22	11.81	Aug. 7	12.76	10	13.65
29	12.16	12	12.55	19	13.68
Feb. 6	12.87	19	12.74	24	13.61
13	12.13	26	12.92	Mar. 2	13.40
19	11.73	Sept. 3	13.10	9	13.20
26	11.99	9	13.01	16	11.81
Mar. 4	11.46	16	13.09	24	10.81
12	10.91	23	13.27	30	10.36
18	10.82	30	13.36	Apr. 6	10.47
25	10.75	Oct. 7	13.50	13	9.83
Apr. 1	10.70	14	13.59	21	10.06
8	10.84	21	13.77	28	9.13
15	10.71	28	13.86	May 6	10.42
22	10.89	Nov. 4	13.97	11	10.26
29	11.03	11	13.99	18	10.63
May 6	11.16	18	14.02	25	10.63
13	11.16	25	14.30	June 1	10.81
20	11.33	Dec. 2	14.24	8	11.00
27	11.52	9	14.27	15	11.14

Water level in feet below measuring point in well EW 2-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
June 22	11.12	Dec. 21	11.95	June 14	10.88
29	11.07	28	11.79	21	10.85
July 6	11.00	1937		28	10.73
13	11.04	Jan. 5	11.59	July 7	10.85
20	12.11	11	10.45	12	10.97
27	12.18	18	11.26	19	11.08
Aug. 3	12.20	25	10.61	26	11.16
10	12.96	Feb. 1	10.35	Aug. 2	11.47
17	12.89	8	11.40	10	11.58
24	12.77	15	11.32	16	11.64
31	12.76	22	10.57	23	11.85
Sept. 8	13.00	Mar. 1	10.48	30	11.51
14	12.98	8	10.45	Sept. 7	11.40
21	12.00	15	10.91	13	11.61
29	12.60	22	10.04	20	11.43
Oct. 5	12.63	29	10.24	27	11.74
12	12.59	Apr. 5	10.48	Oct. 4	11.84
19	12.57	12	10.11	11	12.10
26	12.50	19	10.36	18	12.28
Nov. 2	13.40	26	10.42	26	11.96
9	13.74	May 3	10.44	Nov. 8	11.87
17	13.61	10	10.66	22	11.47
23	12.94	17	10.29	Dec. 6	10.48
30	13.05	24	10.37	21	10.63
Dec. 7	12.64	June 1	10.66		
14	12.30	7	10.77		

EW 4. M. Tamkus, abandoned dug well, Conn. Rt. 140, Scantic, East Windsor. Diameter 24 inches, depth 7.6 feet. Measuring point is an orange paint mark top of brick curb 0.8 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 20	3.43	Jan. 29	3.59	Apr. 15	2.59
27	3.62	Feb. 6	3.61	22	3.42
Dec. 4	2.11	13	4.03	29	3.91
11	3.64	19	3.03	May 6	3.97
18	4.17	26	2.70	13	3.98
26	3.39	Mar. 4	2.55	20	4.61
1935		12	1.60	27	5.03
Jan. 2	3.55	18	2.40	June 3	5.42
8	3.74	25	2.85	10	5.13
15	3.03	Apr. 1	2.77	17	5.23
22	3.58	8	3.35	24	4.47

Water level in feet below measuring point in well EW 4-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
July 1	4.12	Apr. 28	2.73	Feb. 8	3.70
8	4.66	May 6	3.55	15	2.89
15	4.78	11	4.09	22	2.15
22	4.90	18	4.02	Mar. 1	3.36
29	4.87	25	4.32	8	3.32
Aug. 7	5.00	June 1	4.84	15	3.62
12	5.68	8	5.17	22	2.34
19	6.06	15	5.20	29	3.30
26	6.31	22	4.58	Apr. 5	3.60
Sept. 3	6.50	29	5.18	12	3.34
9	5.23	July 6	5.16	19	3.32
16	4.82	13	5.55	27	3.36
23	5.25	20	6.11	May 3	3.82
30	5.30	27	5.80	10	4.53
Oct. 7	5.55	Aug. 3	5.83	17	3.19
14	5.72	10	5.99	24	3.28
21	6.01	17	6.12	June 1	3.37
28	6.19	24	6.56	7	4.33
Nov. 4	6.26	31	5.95	14	4.83
11	6.27	Sept. 8	6.14	21	3.92
18	6.29	14	6.63	28	3.88
25	5.34	21	6.60	July 7	3.90
Dec. 2	4.32	29	5.19	12	4.13
9	3.63	Oct. 5	5.23	19	4.17
16	3.81	12	5.01	26	4.15
23	4.44	19	5.19	Aug. 2	4.38
30	5.03	26	4.10	10	4.48
1936		Nov. 2	4.41	16	4.52
Jan. 6	3.80	9	4.10	23	4.47
13	2.92	17	4.06	30	4.35
Feb. 4	4.04	23	4.20	Sept. 7	4.27
10	4.41	30	4.71	13	4.33
19	4.34	Dec. 7	3.58	20	4.21
24	4.00	14	2.80	27	4.45
Mar. 2	3.20	21	2.36	Oct. 4	4.72
9	2.85	28	2.74	11	4.88
16	2.32	1937		18	5.09
24	2.71	Jan. 5	2.78	26	3.36
30	2.82	11	2.65	Nov. 8	3.84
Apr. 6	1.07	18	1.78	22	3.09
13	2.46	25	1.40	Dec. 6	3.21
21	2.52	Feb. 1	2.64	21	3.14

EW 6. M. Tamkus, abandoned dug well, Conn. Rt. 140, Scantic, East Windsor. Diameter 24 inches, depth 11.2 feet. Measuring point is an orange paint mark top of brick curb 1.3 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point in well EW 6-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 20	4.52	Nov. 18	8.05	Nov. 17	5.73
27	4.70	25	6.64	23	5.71
Dec. 4	3.32	Dec. 2	5.06	30	5.70
11	4.56	9	5.84	Dec. 7	4.71
18	5.34	16	4.75	14	3.76
26	4.73	23	5.60	21	3.38
1935		30	6.80	28	3.76
Jan. 2	4.28	1936		1937	
8	5.21	Jan. 6	5.18	Jan. 5	3.66
15	4.02	13	4.43	11	3.60
22	4.79	26	4.17	18	2.80
29	4.89	Feb. 4	5.53	25	2.10
Feb. 6	4.99	10	5.84	Feb. 1	3.70
13	5.29	19	5.80	8	4.90
19	4.50	24	5.50	15	4.30
26	4.00	Mar. 2	4.60	22	4.10
Mar. 4	3.66	9	3.90	Mar. 1	4.34
12	2.91	16	3.11	8	4.34
18	3.29	24	3.61	15	4.30
25	3.78	30	3.65	22	3.48
Apr. 1	3.78	Apr. 6	2.30	29	4.28
15	3.68	13	3.23	Apr. 5	4.55
22	4.50	21	3.24	12	4.37
29	5.11	28	3.75	19	4.42
May 6	5.19	May 6	4.87	27	4.46
13	5.03	11	4.92	May 3	4.88
20	5.82	18	5.07	10	5.40
27	6.48	25	5.28	17	4.23
June 3	7.00	June 1	6.15	24	4.40
10	6.62	8	6.50	June 1	4.48
17	6.65	15	6.58	7	5.43
24	5.61	22	5.82	14	5.97
July 1	5.36	29	6.55	21	5.10
8	5.86	July 6	6.49	28	5.04
15	6.07	13	6.63	July 7	5.06
22	6.40	20	7.02	12	5.54
29	6.21	27	7.63	19	5.60
Aug. 7	6.36	Aug. 3	7.66	26	5.48
12	7.49	10	8.01	Aug. 2	6.34
19	8.20	17	8.10	10	6.52
26	8.45	24	9.45	16	6.58
Sept. 3	8.61	31	7.24	23	6.42
9	6.28	Sept. 8	7.65	30	6.33
16	5.87	14	8.01	Sept. 7	6.24
23	6.52	21	8.11	13	6.30
30	6.60	29	6.40	20	6.19
Oct. 7	7.00	Oct. 5	6.45	27	5.54
14	7.36	12	6.43	Oct. 4	5.95
21	7.77	19	6.51	11	6.18
28	8.03	26	5.14	18	6.52
Nov. 4	8.08	Nov. 2	5.52	26	4.54
11	8.03	9	5.77	Nov. 8	4.89

Water level in feet below measuring point in well EW 6-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Nov. 22	4.09	Dec. 6	4.20	Dec. 21	4.45

EW 8. A. E. Potwine, abandoned dug well, Conn. Rt. 140, Scantic, East Windsor. Diameter 36 inches, depth 11.9 feet. Measuring point is an orange paint mark on veranda floor 1.6 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 20	10.50	July 22	11.35	Mar. 30	8.85
27	10.52	29	11.35	Apr. 6	8.57
Dec. 4	10.38	Aug. 7	12.01	13	8.18
11	10.45	12	11.83	21	8.42
19	10.32	19	12.23	28	9.00
26	10.33	26	12.54	May 6	9.14
1935		Sept. 3	12.92	11	9.18
Jan. 2	10.38	9	12.69	18	9.24
8	9.98	16	11.99	25	9.42
15	9.81	23	12.26	June 1	9.77
22	10.30	30	12.59	8	10.11
29	10.21	Oct. 7	12.78	15	10.40
Feb. 6	10.45	14	13.11	22	10.49
13	10.30	21	13.03	29	10.71
19	10.59	28	13.12	July 6	10.63
26	10.59	Nov. 4	13.24	13	10.74
Mar. 4	10.11	11	13.25	20	11.01
12	9.82	18	13.19	27	12.09
18	9.65	25	12.96	Aug. 3	12.73
25	9.44	Dec. 2	12.31	10	13.47
Apr. 1	9.30	9	12.16	17	13.50
8	9.31	16	11.93	24	12.77
15	9.20	23	11.89	31	12.75
22	9.21	30	11.99	Sept. 8	12.75
29	9.56	1936		14	12.83
May 6	9.70	Jan. 6	11.77	21	12.76
13	9.79	13	11.50	29	12.30
20	10.16	20	11.16	Oct. 5	12.39
27	10.49	26	10.87	12	12.36
June 3	10.80	Feb. 4	10.98	19	12.32
10	10.95	10	10.91	26	11.56
17	11.20	24	10.89	Nov. 2	12.57
24	10.89	Mar. 2	10.75	9	11.47
July 1	10.93	9	10.90	17	11.36
8	10.90	16	10.62	23	11.40
15	11.25	24	9.28	30	12.45

Water level in feet below measuring point in well EW 8-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 7	11.30	Apr. 5	9.07	Aug. 10	10.59
14	10.90	12	8.45	16	10.65
21	10.58	19	8.82	23	10.62
28	10.42	27	8.95	30	10.52
1937		May 3	9.00	Sept. 7	10.47
Jan. 5	9.96	10	9.52	13	10.43
11	9.76	17	8.88	20	10.35
18	9.42	24	9.17	27	10.67
25	8.64	June 1	9.64	Oct. 4	10.96
Feb. 1	8.44	7	9.83	11	11.17
8	8.10	14	10.15	18	11.30
15	8.90	21	10.05	26	10.67
22	9.08	28	9.89	Nov. 8	10.20
Mar. 1	8.88	July 7	9.93	22	9.63
8	9.82	12	10.27	Dec. 6	8.70
15	9.91	19	10.33	21	9.06
22	8.73	26	10.41		
29	8.76	Aug. 2	10.53		

EW 9. R. Bartlett, abandoned dug well, Conn. Rt. 140, Scantic, East Windsor. Diameter 36 inches, depth 18.6 feet. Measuring point is a blue keel mark top of wooden well curb 2.7 feet above veranda floor and 4.2 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 20	13.62	Mar. 25	10.43	Aug. 7	16.93
27	13.50	Apr. 1	10.26	12	17.54
Dec. 4	13.46	8	10.85	19	18.32
11	13.65	15	10.09	26	19.02
18	12.98	22	10.92	Sept. 3	19.77
26	11.91	29	11.73	9	19.46
1935		May 6	11.95	16	17.87
Jan. 2	12.38	13	11.65	23	17.66
8	12.63	20	13.00	30	18.16
15	10.28	27	14.20	Oct. 7	18.68
22	11.64	June 3	15.26	14	19.70
29	12.19	10	15.54	21	19.66
Feb. 6	12.87	17	15.74	28	19.71
13	12.58	24	13.90	Nov. 4	19.81
19	11.77	July 1	14.18	11	19.90
26	11.35	8	14.76	18	20.01
Mar. 4	10.78	15	15.46	25	19.05
12	10.43	22	16.16	Dec. 2	17.88
18	10.26	29	15.66	9	16.55

Water level in feet below measuring point in well EW 9-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Dec. 16	15.76	Aug. 10	19.62	Apr. 5	11.04
23	15.41	17	20.12	12	10.15
30	15.80	24	20.58	19	10.45
1936		31	20.75	27	10.47
Jan. 6	15.32	Sept. 8	20.39	May 3	11.12
13	14.26	14	20.39	10	12.27
20	13.51	21	20.19	17	10.72
26	13.39	29	19.27	24	11.14
Feb. 4	13.41	Oct. 5	19.29	June 1	12.44
10	14.10	12	19.31	7	12.97
19	14.08	19	19.26	14	13.96
24	13.39	26	16.45	21	13.07
Mar. 2	12.55	Nov. 2	15.19	28	12.76
9	11.80	9	15.85	July 7	12.87
16	9.90	17	15.89	12	14.24
24	9.15	23	15.54	19	14.32
30	9.46	30	15.46	26	14.28
Apr. 6	9.53	Dec. 7	15.30	Aug. 2	14.44
13	9.39	14	13.82	10	14.52
21	9.60	21	13.03	16	14.59
28	9.69	28	12.20	23	14.49
May 6	11.36	1937		30	14.80
11	11.57	Jan. 5	10.73	Sept. 7	14.71
18	11.44	11	10.30	13	14.53
25	12.19	18	10.04	20	14.47
June 1	13.63	25	8.64	27	14.82
8	14.60	Feb. 1	10.02	Oct. 4	15.46
15	15.40	8	10.10	11	15.75
22	13.99	15	10.58	18	16.22
29	15.36	22	10.50	26	13.75
July 6	15.36	Mar. 1	10.67	Nov. 8	12.57
13	16.10	8	11.76	22	9.80
20	16.56	15	11.62	Dec. 6	10.33
27	18.74	22	9.73	21	10.69
Aug. 3	18.75	29	10.57		

EW 24. R. C. Allen, abandoned dug well, Scantic, East Windsor. Diameter 24 inches, depth 7.7 feet. Measuring point is an orange paint mark north side top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1935	
Nov. 20	4.96	Dec. 11	4.61	Jan. 2	5.00
27	5.08	18	5.03	8	4.58
Dec. 4	4.59	26	5.00	15	4.87

Water level in feet below measuring point in well EW 24-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Jan. 22	4.79	Jan. 13	5.37	Jan. 25	3.59
29	4.81	20	4.90	Feb. 1	4.01
Feb. 6	4.81	26	4.90	8	4.55
13	4.86	Feb. 24	5.50	15	4.47
19	4.66	Mar. 2	5.30	22	4.60
26	4.52	9	4.95	Mar. 1	4.60
Mar. 4	4.16	16	4.31	8	4.22
12	3.43	24	2.88	15	4.52
18	3.43	30	3.14	22	3.91
25	3.91	Apr. 6	3.37	29	4.42
Apr. 1	3.93	13	3.16	Apr. 5	4.82
8	4.31	21	3.21	12	4.40
15	4.11	28	5.16	19	4.82
22	4.50	May 6	4.68	26	4.90
29	4.74	11	4.98	May 3	5.00
May 6	4.96	18	5.08	10	5.31
13	4.93	25	5.23	17	4.96
20	5.14	June 1	5.49	24	4.82
27	5.34	8	5.65	June 1	5.32
June 3	5.54	15	5.36	7	5.48
10	5.65	22	5.60	14	5.61
17	5.72	29	5.83	21	5.47
24	5.65	July 6	5.80	28	5.36
July 1	5.01	13	6.01	July 7	5.29
8	5.21	20	6.16	12	5.39
15	5.35	27	6.52	19	5.45
24	5.42	Aug. 3	6.59	26	5.41
29	5.48	10	6.92	Aug. 2	5.83
Aug. 7	5.48	17	6.93	10	5.97
12	5.81	24	6.56	16	5.99
16	6.05	31	6.55	23	5.98
26	6.08	Sept. 8	6.56	30	5.33
Sept. 3	6.20	14	6.17	Sept. 7	5.18
9	5.93	21	6.06	13	5.59
16	5.84	29	6.00	20	5.40
23	5.81	Oct. 5	6.16	27	5.76
30	5.93	12	6.00	Oct. 24	5.75
Oct. 7	6.03	19	6.01	11	6.00
14	6.11	26	5.60	18	6.12
21	6.17	Nov. 2	5.85	26	5.53
28	6.27	9	5.82	Nov. 8	5.55
Nov. 4	6.27	17	5.78	22	4.97
11	6.41	23	6.03	Dec. 6	4.42
18	6.55	30	6.11	21	4.69
25	6.48	Dec. 7	6.03		
Dec. 2	6.05	14	4.87		
9	5.95	21	4.61		
16	6.02	28	4.80		
23	5.75	1937			
30	5.92	Jan. 5	4.36		
1936		11	4.45		
Jan. 6	5.41	18	4.38		

El 20. C. A. Armitage, abandoned dug well, Conn. Route #83, Ellington. Diameter 30 inches, depth 23.4 feet. Measuring point is an orange paint mark top of concrete curb 0.8 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 22	16.93	Oct. 7	18.36	Aug. 24	17.46
27	16.90	14	18.60	31	17.71
Dec. 4	16.87	21	18.85	Sept. 8	17.80
11	16.71	28	19.03	14	17.60
19	16.50	Nov. 4	19.25	21	17.17
26	16.45	11	19.42	29	17.02
1935		18	19.52	Oct. 5	17.31
Jan. 2	17.00	25	19.66	12	17.20
8	15.93	Dec. 2	19.55	19	17.00
15	15.70	10	19.50	26	17.62
22	16.26	16	19.47	Nov. 2	17.58
29	16.72	23	19.59	9	17.57
Feb. 6	17.03	30	19.43	17	17.53
13	16.39	1936		23	17.73
19	16.03	Jan. 6	18.90	30	17.78
26	16.19	13	17.74	Dec. 7	18.05
Mar. 4	16.98	20	16.58	14	16.59
12	16.65	26	16.21	21	16.20
18	16.28	Feb. 4	16.25	28	16.90
25	16.18	10	17.32	1937	
Apr. 1	16.29	19	17.42	Jan. 5	15.95
8	16.24	24	17.60	11	15.90
15	16.21	Mar. 2	17.75	18	15.79
22	16.25	9	17.30	25	15.55
29	16.12	16	15.93	Feb. 1	14.77
May 6	16.18	24	15.61	8	14.80
13	16.23	30	15.59	15	14.72
20	16.32	Apr. 6	15.44	22	14.69
27	16.45	13	14.95	Mar. 1	14.56
June 3	16.59	21	15.13	8	14.34
10	16.68	28	18.11	15	14.82
17	16.82	May 6	14.33	22	14.35
24	16.85	11	14.37	29	14.34
July 1	16.95	18	14.43	Apr. 5	14.55
8	17.00	25	14.56	12	14.46
15	17.13	June 1	14.72	19	14.52
22	17.24	8	15.00	27	14.58
29	17.23	15	15.17	May 3	14.62
Aug. 7	16.23	22	15.46	10	14.73
12	17.31	29	15.57	17	14.84
19	17.64	July 6	15.60	24	14.92
26	17.69	13	15.76	June 1	15.08
Sept. 3	17.96	20	16.11	7	15.22
9	17.73	27	16.80	14	15.41
16	17.82	Aug. 3	16.83	21	15.58
23	17.94	10	17.10	28	15.64
30	18.10	17	17.17	July 7	15.74

Water level in feet below measuring point in well El 20-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 12	16.60	Aug. 30	17.11	Oct. 18	18.09
19	16.70	Sept. 7	17.25	26	17.95
26	16.80	13	17.36	Nov. 8	17.62
Aug. 2	16.46	20	17.46	22	17.16
10	16.58	27	17.63	Dec. 6	16.20
16	16.66	Oct. 4	17.77	21	16.02
23	17.00	11	17.90		

El 21. J. Szostowicki, abandoned dug well, Main St., Ellington. Diameter 24 inches, depth 17.0 feet. Measuring point is an orange paint mark edge of hole in top of flagstone cover 0.2 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 22	12.25	June 24	12.62	Jan. 20	15.40
27	12.34	July 1	12.83	26	15.21
Dec. 4	12.30	8	13.00	Mar. 2	14.33
11	12.34	15	13.13	9	14.00
19	12.00	22	13.20	16	13.29
26	12.95	29	13.05	30	10.95
1935		Aug. 7	13.13	Apr. 6	10.41
Jan. 2	12.98	12	13.57	13	9.80
8	12.23	19	13.88	21	9.83
15	12.01	26	14.11	28	8.93
22	12.63	Sept. 3	14.35	May 11	10.52
29	12.99	9	14.17	18	10.67
Feb. 13	12.36	16	14.25	25	10.97
19	12.02	23	14.43	June 1	11.33
26	12.11	30	14.57	8	10.22
Mar. 4	12.32	Oct. 7	14.76	15	12.00
12	11.95	14	15.15	22	12.09
18	11.87	21	15.16	29	12.22
25	11.66	28	15.35	July 6	12.20
Apr. 1	11.60	Nov. 4	15.56	13	12.61
8	11.76	11	15.70	20	12.72
15	11.56	18	15.85	Aug. 3	12.72
22	11.63	25	15.98	10	13.53
29	11.82	Dec. 2	15.85	17	14.20
May 6	11.93	10	15.81	24	14.66
13	11.93	16	15.72	Sept. 8	14.70
20	12.14	23	15.71	14	15.15
27	12.53	30	15.89	21	15.15
June 3	12.68	1936		29	14.51
10	12.73	Jan. 6	15.85	Oct. 5	14.69
17	12.77	13	15.60	12	14.53

Water level in feet below measuring point in well El 21-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Oct. 19	14.47	Mar. 8	10.15	July 26	12.53
26	12.64	15	11.02	Aug. 2	12.64
Nov. 2	13.55	22	10.54	10	12.71
9	13.51	29	10.50	15	12.80
17	13.52	Apr. 5	10.82	23	12.88
23	13.70	12	10.53	30	12.88
30	12.97	19	10.64	Sept. 7	12.84
Dec. 7	16.30	27	10.69	13	12.89
14	13.28	May 3	9.98	20	12.78
21	12.51	10	11.30	27	12.74
28	11.02	17	11.41	Oct. 4	13.98
1937		24	11.63	11	14.17
Jan. 5	11.57	June 1	11.71	18	14.37
18	10.81	7	11.82	26	14.25
25	10.32	14	11.97	Nov. 8	13.71
Feb. 1	9.90	21	12.28	22	13.29
8	10.31	28	11.96	Dec. 6	12.17
15	10.42	July 7	12.05	21	11.85
22	10.62	12	12.42		
Mar. 1	10.41	19	12.46		

El 22. Wilhelm Bros., abandoned dug well, Main St., Ellington. Diameter 30 inches, depth 35.7 feet. Measuring point is an orange paint mark top of plank cover 0.5 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 22	21.99	Mar. 12	19.78	July 8	23.43
27	22.64	18	19.12	15	23.98
Dec. 4	22.01	25	19.97	22	24.40
11	22.36	Apr. 1	20.03	29	23.30
18	21.95	8	21.01	Aug. 7	24.20
26	22.30	15	20.24	12	24.01
1935		22	21.14	19	24.53
Jan. 2	23.89	29	23.12	26	24.46
8	19.69	May 6	23.22	Sept. 3	25.16
15	18.77	13	23.21	9	24.52
22	21.84	20	23.29	16	23.74
29	22.16	27	23.27	23	24.50
Feb. 6	23.43	June 3	23.31	30	25.02
13	23.15	10	23.33	Oct. 7	25.30
19	23.00	17	23.33	14	25.77
26	22.96	24	23.27	21	26.16
Mar. 4	21.06	July 1	23.30	28	26.42

Water level in feet below measuring point in well E1 22-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Nov. 4	26.62	July 13	24.81	Mar. 22	19.12
11	26.85	20	25.03	29	19.85
18	26.88	27	19.00	Apr. 5	21.00
25	26.49	Aug. 3	20.20	12	19.80
Dec. 2	23.29	10	20.37	19	20.06
10	23.39	17	20.41	27	20.12
16	23.31	24	24.95	May 3	22.70
23	23.56	31	23.58	10	23.78
30	23.80	Sept. 8	24.77	17	23.71
1936		14	24.45	24	23.70
Jan. 6	23.34	21	24.32	June 1	23.74
13	23.26	29	23.70	7	23.71
20	22.99	Oct. 5	23.69	14	23.73
26	22.66	12	23.10	21	23.75
Feb. 4	22.54	19	23.20	28	23.70
10	23.50	26	23.23	July 7	23.83
19	23.22	Nov. 2	23.26	12	24.34
24	23.66	9	23.73	19	24.30
Mar. 2	23.08	17	23.47	26	24.43
9	22.50	23	23.30	Aug. 2	23.80
16	18.26	30	23.30	10	24.12
24	15.87	Dec. 7	23.25	16	24.20
30	16.61	14	21.88	23	24.31
Apr. 6	18.67	21	19.31	30	23.70
13	18.33	28	19.85	Sept. 7	23.61
21	18.31	1937		13	23.93
28	19.06	Jan. 5	19.63	20	23.80
May 6	21.86	11	19.68	27	23.76
11	22.53	18	19.22	Oct. 4	25.25
18	23.07	25	17.25	11	25.17
25	23.40	Feb. 1	18.65	18	25.68
June 1	23.83	8	20.04	26	25.20
8	23.40	15	20.60	Nov. 8	23.65
15	23.43	22	21.23	22	22.00
22	23.26	Mar. 1	20.70	Dec. 6	19.75
29	23.30	8	21.65	21	20.65
July 6	24.10	15	22.78		

F 132. F. P. Swanston, abandoned dug well, High St., Farmington. Diameter 36 inches, depth 27.0 feet. Measuring point is a paint mark east side top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 21	18.45	Dec. 4	15.27	Dec. 18	15.03
28	17.52	10	14.88	24	14.77

F 134. J. Harrigan, abandoned dug well, New Britain Ave., Farmington. Diameter 20 inches, depth 9.2 feet. Measuring point is an orange paint mark top of curb inside well house at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 20	6.97	June 24	8.29	Jan. 21	7.93
27	7.22	July 1	8.20	28	6.76
Dec. 4	6.31	8	9.03	Feb. 24	6.39
10	6.18	15	9.18	Mar. 3	5.97
18	6.43	22	8.89	10	4.52
24	6.28	29	8.14	16	3.61
1935		Aug. 5	8.60	25	3.50
Jan. 8	6.87	12	9.15	30	3.02
15	4.37	19	Dry	Apr. 7	2.88
22	6.31	26	Dry	13	3.44
29	7.18	Sept. 2	Dry	20	5.18
Feb. 6	7.36	9	Dry	27	6.30
14	7.76	16	Dry	May 4	6.88
20	6.53	23	Dry	11	7.16
27	7.01	30	Dry	18	7.28
Mar. 7	4.60	Oct. 8	Dry	25	8.10
13	4.13	14	Dry	June 1	8.23
19	5.46	21	Dry	8	8.31
27	5.75	28	Dry	13	8.29
Apr. 1	5.00	Nov. 4	Dry	23	8.25
8	5.96	11	Dry	29	8.50
15	4.60	18	Dry	July 6	8.80
22	4.99	25	Dry	21	Dry
30	6.74	Dec. 2	Dry	27	Dry
May 8	7.01	9	Dry	Aug. 3	Dry
13	6.66	16	Dry	10	Dry
20	7.12	23	Dry	17	Dry
27	7.78	30	Dry	24	Dry
June 3	8.17	1936		31	Dry
10	8.18	Jan. 5	8.17	Sept. 8	Dry
17	8.44	13	7.86	14	Dry

Water level in feet below measuring point in well F 134-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Sept. 21	Dry	Feb. 9	6.09	July 7	7.25
28	Dry	15	6.15	13	7.60
Oct. 5	Dry	24	5.50	20	8.30
13	Dry	Mar. 2	5.47	27	8.69
20	Dry	8	6.57	Aug. 3	9.08
26	Dry	15	5.63	10	9.19
Nov. 2	Dry	22	5.18	16	Dry
9	Dry	29	5.47	23	9.02
16	Dry	Apr. 5	6.48	30	7.63
23	8.82	12	5.92	Sept. 8	8.35
30	8.70	19	6.03	14	7.82
Dec. 7	8.48	26	5.97	21	7.97
14	5.42	May 5	6.03	30	8.50
21	3.65	10	6.85	Oct. 5	8.65
28	6.08	17	5.50	14	8.67
1937		24	5.97	25	7.48
Jan. 4	7.15	June 1	6.84	Nov. 8	7.20
11	5.19	7	7.16	22	6.01
18	4.97	15	7.52	Dec. 6	4.75
25	1.78	21	7.48	20	6.23
Feb. 1	4.70	28	7.79		

Gl 122. Mrs. M. H. Hoell, abandoned dug well, South Main St. Glastonbury. Diameter 30 inches, depth 22.0 feet. Measuring point is a white paint mark top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 13	20.05	Sept. 30	21.32	Aug. 17	20.31
19	20.00	Oct. 7	21.41	24	19.74
26	19.88	14	Dry	31	20.05
Dec. 3	19.76	21	Dry	Sept. 8	20.31
10	19.48	28	Dry	14	20.60
16	20.01	Nov. 4	Dry	21	20.47
24	20.03	11	Dry	29	20.20
31	18.68	18	Dry	Oct. 5	20.01
1935		25	Dry	12	19.77
Jan. 7	17.82	Dec. 2	Dry	19	19.18
14	17.17	9	Dry	26	21.06
21	17.72	16	Dry	Nov. 2	21.25
28	17.83	23	Dry	10	21.18
Feb. 5	18.03	30	Dry	17	21.21
12	17.44	1936		25	21.48
18	17.42	Jan. 6	Dry	30	Dry
25	17.30	13	Dry	Dec. 14	20.61
Mar. 8	16.07	20	Dry	21	19.85
14	15.64	26	Dry	28	17.55
18	16.11	Feb. 4	Dry	1937	
28	16.99	10	Dry	Jan. 5	16.80
Apr. 10	14.91	19	19.05	11	15.86
17	14.90	24	20.22	18	15.27
24	15.09	Mar. 2	19.95	25	14.50
29	15.27	9	19.65	Feb. 1	13.28
May 6	15.42	16	15.72	8	13.03
13	15.89	30	9.62	15	13.19
20	16.29	Apr. 6	9.90	22	13.42
27	16.69	13	9.92	Mar. 1	13.54
June 3	16.83	21	10.09	9	13.91
10	16.45	28	9.96	16	14.16
17	16.85	May 6	12.19	23	13.62
24	17.93	11	12.59	30	14.10
July 1	18.60	18	13.55	Apr. 6	13.97
8	19.18	25	14.21	13	13.63
15	19.27	June 1	14.80	21	14.76
22	19.32	8	15.62	28	14.51
29	19.37	15	16.00	May 4	14.65
Aug. 6	19.96	22	16.71	11	15.04
12	20.37	29	16.92	18	14.98
19	20.51	July 6	16.90	25	15.78
26	20.54	13	16.92	June 2	15.82
Sept. 3	20.71	20	16.96	8	15.85
9	20.86	27	16.82	15	16.86
16	20.11	Aug. 3	18.32	23	16.89
23	21.21	10	20.51	30	17.16

Water level in feet below measuring point in well Gl 122-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 6	17.29	Aug. 24	17.83	Oct. 13	20.39
13	17.36	31	17.80	19	20.58
20	17.42	Sept. 8	17.78	Nov. 1	20.50
27	17.46	14	19.59	15	20.31
Aug. 3	17.62	21	19.18	29	19.24
9	17.77	28	19.15	Dec. 13	16.90
17	17.79	Oct. 5	20.19	28	14.02

Gl 126. C. H. Howe, abandoned dug well, Keeney St., Glastonbury. Diameter 30 inches, depth 34.6 feet. Measuring point is a paint mark west side top of housing 2.0 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 19	35.40	Dec. 10	35.30	Dec. 31	35.42
26	35.00	16	35.42		
Dec. 3	35.30	24	35.40		

Gl 160. F. Bantle, abandoned dug well, 483 Main St., Glastonbury. Diameter 24 inches, depth 10.3 feet. Measuring point is an orange paint mark top of housing 3.6 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Dec. 31	7.25	Apr. 2	7.01	July 8	9.46
1935		10	5.95	15	9.67
Jan. 7	7.64	17	6.01	22	9.32
14	7.01	24	6.70	29	8.93
21	6.76	29	7.74	Aug. 6	8.99
28	7.01	May 6	9.81	12	9.93
Feb. 5	7.28	13	9.54	19	10.14
12	7.09	20	9.65	26	9.60
18	6.12	27	8.58	Sept. 3	9.86
25	6.14	June 3	8.99	9	8.62
Mar. 8	5.80	10	8.05	16	8.65
14	5.71	17	8.87	23	9.10
18	5.76	24	8.40	30	9.37
28	6.31	July 1	9.28	Oct. 7	9.48

Water level in feet below measuring point in well Gl 160-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Oct. 14	9.61	July 20	9.01	Mar. 30	6.06
21	9.75	27	8.76	Apr. 6	5.30
28	9.91	Aug. 3	9.09	13	5.08
Nov. 4	9.70	10	10.25	21	6.93
11	9.76	17	10.27	28	6.11
18	9.56	24	10.21	May 4	7.08
25	9.14	31	9.96	11	7.52
Dec. 2	7.45	Sept. 8	9.93	18	6.51
9	9.22	14	10.07	25	6.57
16	7.42	21	8.40	June 2	6.71
23	7.93	27	8.41	8	5.91
30	8.73	Oct. 5	8.56	15	6.70
1936		12	8.10	22	5.96
Jan. 6	7.37	19	8.00	29	5.63
13	6.74	26	7.86	July 6	6.95
20	6.30	Nov. 2	8.22	13	6.98
26	7.60	10	7.73	20	6.64
Feb. 24	6.90	17	7.76	27	6.82
Mar. 2	7.40	23	8.46	Aug. 3	6.98
9	5.41	30	8.56	9	9.66
16	5.12	Dec. 7	7.45	17	9.72
30	5.41	14	6.29	24	8.78
Apr. 6	4.21	21	5.81	31	8.76
13	5.35	28	6.05	Sept. 8	8.70
21	6.12	1937		14	7.13
28	6.93	Jan. 5	6.04	21	7.80
May 6	6.00	11	5.98	28	8.48
11	6.92	18	5.45	Oct. 5	8.76
18	6.73	25	5.35	13	8.82
25	7.31	Feb. 1	5.72	19	9.12
June 1	8.15	8	6.50	Nov. 1	6.80
8	8.61	15	5.90	15	4.95
15	7.95	22	5.49	29	5.48
22	7.30	Mar. 1	6.10	Dec. 13	8.73
29	8.77	9	6.36	28	8.82
July 6	8.69	16	5.44		
13	8.93	23	5.89		

Gl 164. W. H. Carrier, abandoned dug well, Main St., Glastonbury. Diameter 30 inches, depth 10.9 feet. Measuring point is an orange paint mark top of curb 0.5 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 12	8.74	Nov. 19	8.75	Nov. 26	8.87

Water level in feet below measuring point in well G1 164-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Dec. 3	8.65	Nov. 25	10.36	Nov. 23	9.33
10	8.50	Dec. 2	9.91	30	9.42
17	8.64	9	9.82	Dec. 7	9.34
24	8.60	16	9.77	14	8.64
31	8.63	23	9.76	21	8.24
1935		30	9.88	28	7.14
Jan. 7	8.66	1936		1937	
14	7.99	Jan. 6	9.66	Jan. 5	8.08
21	8.50	13	9.55	11	8.00
28	8.61	20	9.43	18	7.98
Feb. 5	8.72	26	9.18	25	7.41
12	8.60	Feb. 4	9.20	Feb. 1	7.24
18	8.02	10	9.43	8	7.48
25	8.30	19	9.36	15	7.52
Mar. 8	7.51	24	7.81	22	7.57
14	7.42	Mar. 2	8.85	Mar. 1	7.60
18	7.40	9	8.59	9	7.76
28	7.81	16	8.75	16	7.55
Apr. 2	7.63	30	4.74	23	7.23
10	7.88	Apr. 6	5.13	30	7.46
17	7.75	13	5.55	Apr. 6	7.51
24	7.92	21	6.65	13	7.20
29	8.98	28	7.01	21	7.52
May 6	8.52	May 6	6.60	28	7.60
13	8.88	11	8.66	May 4	7.71
20	8.42	18	7.10	11	7.85
27	8.55	25	7.36	18	7.72
June 3	8.74	June 1	7.65	25	7.99
10	8.83	8	7.91	June 2	7.96
17	8.92	15	7.89	8	8.22
24	8.97	22	8.98	15	8.30
July 1	9.10	29	8.02	22	8.31
8	9.24	July 6	8.10	29	6.97
15	9.33	13	8.16	July 6	7.14
22	9.40	20	8.23	13	7.48
29	9.39	27	8.23	20	7.69
Aug. 6	9.39	Aug. 3	8.92	27	7.76
12	9.58	10	9.39	Aug. 3	7.88
19	9.71	17	9.36	9	8.02
26	9.76	24	9.44	17	8.12
Sept. 3	9.84	31	9.37	24	8.61
9	9.77	Sept. 8	9.55	31	8.52
16	9.76	14	9.83	Sept. 8	8.47
23	9.93	21	9.17	14	9.05
30	10.01	29	9.10	21	9.05
Oct. 7	10.06	Oct. 5	9.23	28	9.17
14	10.11	12	9.06	Oct. 5	9.29
21	10.14	19	8.81	13	9.37
28	10.19	26	9.07	19	9.44
Nov. 4	10.25	Nov. 2	8.54	Nov. 1	8.84
11	10.31	10	9.20	15	8.59
18	10.29	17	9.16	29	8.32

Water level in feet below measuring point in well Gl 164-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937			
Dec. 13	7.92	Dec. 28	8.10		

Gl 165. H. B. Lowe, abandonded dug well, Station 48, Glastonbury. Diameter 24 inches, depth 30.6 feet. Measuring point is an orange paint mark on curb 1.7 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 12	25.59	July 22	25.19	Apr. 6	19.25
19	25.54	29	25.42	13	19.51
26	25.53	Aug. 6	25.76	21	20.16
Dec. 3	25.49	12	25.72	28	21.33
10	25.10	19	25.91	May 6	19.12
17	25.00	26	26.02	11	21.40
26	25.20	Sept. 3	26.17	18	21.83
31	24.41	9	26.18	25	22.35
1935		16	26.17	June 1	22.80
Jan. 7	24.05	23	26.20	8	24.32
14	24.00	30	26.56	15	23.64
21	23.00	Oct. 7	26.68	22	23.33
28	23.36	14	26.83	29	24.24
Feb. 12	22.28	21	26.89	July 6	24.56
18	20.03	28	26.99	13	24.66
25	21.10	Nov. 4	27.11	20	24.65
Mar. 8	16.14	11	27.18	27	24.66
14	15.92	18	27.23	Aug. 3	24.67
18	17.14	25	27.31	10	24.52
28	18.11	Dec. 2	27.47	17	24.63
Apr. 2	19.16	9	27.54	24	25.54
10	21.32	16	27.67	31	25.60
17	21.29	23	27.75	Sept. 8	25.84
24	22.17	30	27.94	14	25.87
29	22.44	1936		21	25.83
May 6	22.57	Jan. 6	27.82	29	25.55
13	22.91	13	27.90	Oct. 5	24.32
20	23.29	20	27.81	12	24.16
27	23.70	26	27.70	19	24.63
June 3	24.12	Feb. 4	27.62	26	26.52
10	24.20	10	28.31	Nov. 2	26.60
17	24.41	24	26.54	10	26.69
24	24.60	Mar. 2	27 32	17	26.68
July 1	24.75	9	27.10	23	26.83
8	24.88	16	26.25	30	26.91
15	25.10	30	19.35	Dec. 7	26.95

Water level in feet below measuring point in well Gl 165-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 14	26.00	Apr. 6	21.05	Aug. 3	24.53
21	26.46	13	21.18	9	25.86
28	26.10	21	20.98	17	25.92
1937		28	20.69	24	25.21
Jan. 5	25.77	May 4	21.81	31	25.15
11	25.53	11	21.88	Sept. 8	25.09
18	25.88	18	21.04	14	25.44
25	23.40	25	22.50	21	25.57
Feb. 1	21.32	June 2	22.58	28	25.64
8	20.84	8	23.31	Oct. 5	25.74
15	21.08	15	23.54	13	25.85
22	21.28	22	23.61	19	25.93
Mar. 1	21.60	29	23.96	Nov. 1	25.89
9	21.70	July 6	24.08	15	25.65
16	21.73	13	24.18	29	25.19
23	21.62	20	24.25	Dec. 13	25.09
30	21.74	27	24.44	28	25.55

Gl 168. F. Roberts, abandoned dug well, Hebron Ave., Glastonbury. Diameter 30 inches, depth 19.9 feet. Measuring point is an orange paint mark top of wooden curb 1.8 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 19	17.49	Apr. 10	16.09	Sept. 3	17.46
26	17.49	17	16.10	9	17.50
Dec. 3	17.40	24	16.18	16	17.57
10	17.00	29	16.82	23	17.66
17	17.36	May 6	16.18	30	17.72
24	17.38	13	16.80	Oct. 7	17.78
31	17.00	20	16.27	14	17.79
1935		27	16.34	21	17.93
Jan. 7	17.40	June 3	16.39	28	17.98
14	17.32	10	16.46	Nov. 4	18.06
21	16.76	17	16.58	11	18.11
28	17.19	24	16.62	18	18.07
Feb. 5	18.08	July 1	16.36	25	18.20
12	18.30	8	16.80	Dec. 2	18.29
18	16.95	15	16.91	9	18.31
25	17.00	22	16.99	16	18.24
Mar. 8	16.21	29	16.90	23	18.38
14	16.01	Aug. 6	17.02	30	18.47
18	16.31	12	17.21	1936	
28	15.75	19	18.96	Jan. 6	18.50
Apr. 2	15.69	26	17.37	13	18.36

Water level in feet below measuring point in well Gl 168-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
Jan. 20	18.01	Sept.14	17.50	Apr. 28	15.76
26	18.08	21	17.48	May 4	15.71
Feb. 4	18.20	29	17.06	11	15.70
10	18.12	Oct. 5	17.16	18	15.53
19	18.35	12	18.31	25	15.69
24	18.45	19	17.17	June 2	15.71
Mar. 2	18.05	26	17.67	8	15.78
9	17.61	Nov. 2	17.71	15	15.80
16	16.05	10	17.73	22	15.52
30	16.40	17	17.75	29	15.74
Apr. 6	16.44	23	17.78	July 6	15.89
13	16.33	30	17.34	13	15.96
21	17.00	Dec. 7	17.63	20	15.88
28	17.93	14	17.05	27	15.98
May 6	16.33	21	16.85	Aug. 3	15.96
11	16.27	28	16.74	9	16.10
18	16.24	1937		17	16.17
25	16.25	Jan. 5	16.94	24	16.25
June 1	16.28	11	16.93	31	16.20
8	16.42	18	17.00	Sept. 8	16.12
15	16.43	25	16.05	14	16.46
22	16.51	Feb. 1	16.43	21	16.71
29	16.56	8	16.27	28	18.20
July 6	16.50	15	16.18	Oct. 5	18.25
13	16.72	22	16.00	13	18.35
20	16.86	Mar. 1	16.12	19	18.42
27	16.10	9	16.14	Nov. 1	18.52
Aug. 3	16.62	16	16.11	15	18.39
10	17.11	23	16.03	29	18.04
17	17.01	30	16.08	Dec. 13	17.40
24	17.20	Apr. 6	16.85	28	17.56
31	17.32	13	16.15		
Sept. 8	17.40	21	16.80		

Gl 175. W. J. Tuller, abandoned dug well, Keeney St., Glastonbury. Diameter 30 inches, depth 17.8 feet. Measuring point is a paint mark south side of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1935	
Nov. 19	16.40	Dec. 24	16.30	Jan. 21	15.83
26	16.40	31	16.22	28	16.02
Dec. 3	16.45	1935		Feb. 5	16.91
10	16.33	Jan. 7	15.68	12	16.07
17	16.28	14	15.53	18	15.32

Water level in feet below measuring point in well Gl 175-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1935		1936	
Feb. 25	15.00	Dec. 9	17.11	Sept. 21	16.15
Mar. 8	15.18	16	17.11	29	16.00
14	14.77	23	17.16	Oct. 5	15.83
18	15.12	30	17.28	12	15.55
28	15.96	1936		19	15.12
Apr. 2	16.16	Jan. 6	17.10	26	16.55
10	14.09	13	16.96	Nov. 2	17.57
17	13.76	20	16.46	10	16.52
24	13.26	26	16.21	17	16.60
29	13.12	Feb. 4	16.60	24	16.54
May 6	13.14	10	16.93	30	16.75
13	13.13	19	16.20	Dec. 7	16.80
20	13.32	24	16.80	14	16.11
27	13.67	Mar. 2	16.78	21	16.70
June 3	13.67	9	16.50	28	16.45
10	13.85	16	15.51	1937	
17	14.15	30	14.95	Jan. 5	15.64
24	14.40	Apr. 6	14.28	11	15.62
July 1	14.60	13	13.71	18	15.50
8	14.76	21	14.14	25	15.36
15	15.15	28	15.44	Feb. 1	14.79
22	15.37	May 6	12.00	8	14.61
29	15.56	11	11.59	15	14.50
Aug. 6	15.76	18	11.32	22	14.43
12	15.88	25	11.52	Mar. 1	14.24
19	16.05	June 1	11.75	9	14.34
26	16.15	8	12.12	16	13.92
Sept. 3	16.26	15	12.42	23	13.40
9	16.31	22	12.91	30	13.68
16	16.36	29	13.00	Apr. 6	13.30
23	16.45	July 6	13.10	13	13.46
30	16.51	13	13.06	21	14.94
Oct. 7	16.62	20	13.00	28	12.11
14	16.73	27	12.99	May 4	12.50
21	16.77	Aug. 3	14.01	11	12.80
28	16.84	10	15.73	18	12.74
Nov. 4	16.89	17	15.00	25	12.53
11	16.96	24	15.67	June 2	12.64
18	16.99	31	15.26	8	12.18
25	17.07	Sept. 8	15.94	15	13.42
Dec. 2	17.11	14	16.05	23	13.46

Gl 180. E. T. Loomer, abandoned dug well, Buckingham, Glastonbury. Diameter 20 inches, depth 14.1 feet. Measuring point is a paint mark north side top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point in well G1 180-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1934		1935	
Nov. 13	8.83	Dec. 24	8.68	Jan. 28	8.54
19	9.01	31	9.00	Feb. 5	8.59
26	9.14	1935		12	8.44
Dec. 3	8.22	Jan. 7	7.85	18	8.00
10	8.10	14	7.43	25	8.30
17	8.72	21	8.39		

G1 182. G. Ferraris, abandoned dug well, East Glastonbury, Glastonbury. Diameter 24 inches, depth 12.8 feet. Measuring point is an orange paint mark top of pump housing 3.0 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 12	11.10	June 24	11.44	Jan. 26	11.25
19	10.85	July 1	11.61	Feb. 4	10.92
26	10.88	8	11.80	10	10.12
Dec. 3	10.53	15	12.04	19	10.53
10	10.11	22	12.28	24	10.77
17	10.30	29	12.46	Mar. 2	10.10
26	10.28	Aug. 6	12.81	9	9.71
31	10.21	12	12.91	16	7.25
1935		19	13.14	30	7.74
Jan. 7	9.63	26	13.27	Apr. 6	7.76
14	9.06	Sept. 3	13.50	13	8.09
21	9.86	9	13.56	21	8.68
28	10.05	16	13.73	28	9.00
Feb. 5	11.01	23	13.86	May 6	9.39
18	9.86	30	14.01	11	9.42
25	10.11	Oct. 7	14.11	18	9.60
Mar. 8	8.55	14	14.27	25	9.85
14	8.63	21	14.39	June 1	10.15
18	8.60	28	14.53	8	10.52
28	9.04	Nov. 4	14.66	15	10.74
Apr. 2	10.00	11	14.72	22	10.52
10	9.55	18	14.85	29	10.76
17	9.37	25	15.03	July 6	10.93
24	9.63	Dec. 2	14.61	13	11.14
29	9.82	9	14.57	20	12.13
May 6	10.14	16	14.53	27	11.12
13	10.82	23	14.55	Aug. 3	12.11
20	10.40	30	14.62	10	12.51
27	10.65	1936		17	10.10
June 3	10.92	Jan. 6	13.58	24	12.60
10	11.12	13	13.26	31	12.71
17	11.32	20	12.97	Sept. 8	13.06

Water level in feet below measuring point in well Gl 182-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Sept. 14	13.20	Feb. 8	8.86	July 13	10.41
21	12.98	15	9.20	20	10.60
29	12.16	22	9.30	27	10.48
Oct. 5	12.23	Mar. 1	9.35	Aug. 3	10.64
12	11.90	9	9.66	9	10.76
19	12.24	16	9.34	17	10.82
26	13.05	23	9.11	24	10.80
Nov. 2	13.10	30	9.24	31	10.74
10	13.16	Apr. 6	9.43	Sept. 8	10.70
17	13.21	13	9.18	14	12.40
24	13.31	21	9.45	21	12.13
30	13.29	28	9.40	28	12.18
Dec. 7	13.24	May 4	9.59	Oct. 5	12.81
14	11.48	11	9.81	13	13.01
21	8.70	18	9.72	19	13.13
28	9.25	25	9.79	Nov. 1	12.25
1937		June 2	9.83	15	11.00
Jan. 5	9.10	8	10.40	29	9.10
11	9.11	15	10.48	Dec. 13	9.24
18	8.93	22	10.62	28	9.74
25	8.34	29	10.25		
Feb. 1	8.35	July 6	10.37		

Gl 186. J. M. Potter, abandoned dug well, East Glastonbury, Glastonbury Diameter 30 inches, depth 7.6 feet. Measuring point is an orange paint mark on flagstone curbing inside the well house at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 12	5.50	Feb. 18	5.55	June 3	5.59
19	5.54	25	5.60	10	5.57
26	5.55	Mar. 8	5.48	17	5.60
Dec. 3	5.03	14	5.55	24	5.59
10	5.00	18	5.60	July 1	5.58
17	5.55	28	5.72	8	5.59
24	5.50	Apr. 2	5.82	15	5.58
31	5.54	10	5.62	22	5.57
1935		17	5.60	29	5.58
Jan. 7	5.57	24	5.60	Aug. 6	5.57
14	5.00	29	5.62	12	5.56
21	5.57	May 6	5.54	19	5.54
28	5.58	13	5.58	26	5.56
Feb. 5	5.59	20	5.57	Sept. 3	5.56
12	5.60	27	5.57	9	5.53

Water level in feet below measuring point in well Gl 186-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Sept. 16	5.55	June 22	5.57	Mar. 9	5.54
23	5.54	29	5.55	16	5.53
30	5.55	July 6	5.55	23	5.55
Oct. 7	5.55	13	5.55	30	5.55
14	5.56	20	5.55	Apr. 6	5.58
21	5.56	27	5.55	13	5.54
28	5.58	Aug. 3	5.56	21	5.56
Nov. 4	5.57	10	5.55	28	5.55
11	5.57	17	5.55	May 4	5.59
18	5.56	24	5.57	11	5.56
25	5.55	31	5.65	18	5.51
Dec. 2	5.54	Sept. 8	5.65	25	5.53
9	5.56	14	5.54	June 2	5.55
16	5.55	21	5.64	8	5.58
23	5.55	29	5.54	15	5.51
30	5.56	Oct. 5	5.55	22	5.59
1936		12	5.54	29	5.41
Jan. 6	5.55	19	4.61	July 6	5.48
13	5.55	26	5.59	13	5.49
20	5.55	Nov. 2	5.60	20	5.52
26	5.55	10	5.55	27	5.56
Feb. 4	5.55	17	5.59	Aug. 3	5.59
10	5.55	24	5.59	9	5.61
24	5.45	30	5.59	17	5.63
Mar. 2	5.20	Dec. 7	5.59	24	5.65
9	5.50	14	5.59	31	5.60
16	5.55	21	5.55	Sept. 8	5.56
30	5.55	28	5.58	14	5.58
Apr. 13	5.55	1937		21	5.55
21	5.56	Jan. 5	5.52	28	5.56
28	5.57	11	5.58	Oct. 5	5.59
May 6	5.57	18	5.53	13	5.60
11	5.55	25	5.53	19	5.59
18	5.55	Feb. 1	5.55	Nov. 1	5.58
25	5.55	8	5.52	15	5.58
June 1	5.55	15	5.53	29	5.54
8	5.55	22	5.53	Dec. 13	5.62
15	5.55	Mar. 1	5.53	28	5.62

Gl 188. A. Casella, abandoned dug well, Quarry St., Glastonbury. Diameter 25 inches, depth 23.4 feet. Measuring point is an orange paint mark on wood curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point in well G1 188-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 12	20.32	Nov. 4	Dry	Oct. 26	20.90
19	20.25	11	Dry	Nov. 2	20.99
26	20.30	18	Dry	10	21.14
Dec. 3	20.41	25	Dry	17	21.10
10	19.46	Dec. 2	Dry	24	21.20
17	20.01	9	Dry	30	21.53
24	19.82	16	Dry	Dec. 7	21.62
31	20.41	23	Dry	14	21.22
1935		30	Dry	21	20.19
Jan. 7	19.40	1936		28	19.07
14	19.37	Jan. 6	Dry	1937	
21	20.09	13	Dry	Jan. 5	19.08
28	20.22	20	Dry	11	19.18
Feb. 5	20.73	26	Dry	18	17.17
12	19.85	Feb. 4	Dry	25	18.86
18	19.56	10	Dry	Feb. 1	18.07
25	19.30	19	22.80	8	18.18
Mar. 8	18.51	24	22.40	15	18.40
18	19.29	Mar. 2	22.05	22	18.56
28	19.37	9	21.37	Mar. 1	18.46
Apr. 2	18.78	16	19.11	9	18.60
10	18.64	30	18.05	16	18.64
17	18.58	Apr. 6	18.00	23	18.19
24	18.51	13	17.77	30	18.38
29	18.43	21	18.00	Apr. 6	17.63
May 6	18.67	28	19.08	13	18.21
13	18.75	May 6	18.18	21	18.35
20	18.87	11	18.02	28	18.00
27	19.03	18	17.94	May 4	17.80
June 3	19.88	25	18.03	11	18.04
10	19.40	June 1	18.11	18	18.23
17	19.56	8	18.21	25	18.27
24	19.73	15	18.34	June 2	18.32
July 1	19.90	22	18.41	8	18.60
8	20.11	29	18.35	15	18.78
15	20.20	July 6	18.40	22	20.95
22	20.26	13	18.98	29	20.94
29	20.57	20	19.01	July 6	20.98
Aug. 6	20.55	27	19.00	13	21.09
12	21.03	Aug. 3	21.10	20	21.18
19	21.26	10	21.60	27	21.34
26	21.45	17	21.73	Aug. 3	21.64
Sept. 3	21.68	24	20.05	9	19.97
9	21.85	31	20.28	17	20.13
16	21.98	Sept. 8	20.50	24	20.21
23	22.19	14	20.76	31	20.17
30	22.31	21	20.85	Sept. 8	20.15
Oct. 7	22.45	29	21.10	14	20.78
14	22.79	Oct. 5	21.13	21	20.73
21	Dry	12	20.76	28	20.81
28	Dry	19	20.16	Oct. 5	20.87

Water level in feet below measuring point in well Gl 188-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Oct. 13	21.13	Nov. 15	19.64	Dec. 28	19.10
19	21.33	29	19.78		
Nov. 1	21.00	Dec. 13	18.86		

Gl 191. P. A. Zimmerman, abandoned dug well, Hopewell Rd.,Glastonbury Diameter 30 inches, depth 14.6 feet. Measuring point is an orange paint mark top of wooden curb 3.0 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 12	12.42	July 1	13.21	Feb. 19	15.20
19	12.56	8	13.50	24	14.85
26	13.18	15	13.73	Mar. 2	14.00
Dec. 3	12.61	22	13.96	9	13.15
10	11.38	29	14.10	16	9.84
17	12.50	Aug. 6	14.72	30	7.57
24	12.48	12	14.81	Apr. 6	7.95
31	12.41	19	15.29	13	8.02
1935		26	15.58	21	8.17
Jan. 7	11.90	Sept. 3	16.17	28	9.19
14	10.90	9	15.90	May 6	9.75
21	11.79	16	15.92	11	9.67
28	12.41	23	16.42	18	10.11
Feb. 5	12.52	30	16.87	25	10.58
12	13.17	Oct. 7	17.63	June 1	11.02
18	11.31	14	Dry	8	11.41
25	11.73	21	Dry	15	11.62
Mar. 8	9.90	28	Dry	22	10.64
14	9.79	Nov. 4	Dry	29	10.86
18	9.83	11	Dry	July 6	10.80
28	10.15	18	Dry	13	10.98
Apr. 2	10.22	25	Dry	20	11.16
10	10.60	Dec. 2	17.11	27	11.61
17	10.00	9	15.94	Aug. 3	12.11
24	10.44	16	16.37	10	13.03
29	11.89	23	16.42	17	12.12
May 6	11.38	30	17.03	24	13.42
13	11.58	1936		31	13.70
20	11.86	Jan. 6	15.70	Sept. 8	14.07
27	12.17	13	13.70	14	14.39
June 3	12.47	20	12.98	21	13.45
10	12.59	26	13.22	29	13.13
17	12.99	Feb. 4	13.90	Oct. 5	13.12
24	12.98	10	14.40	12	12.61

Water level in feet below measuring point in well Gl 191-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Oct. 19	12.91	Mar. 1	10.00	July 20	11.78
26	13.29	9	10.64	27	11.86
Nov. 2	13.78	16	9.98	Aug. 3	11.98
10	13.36	23	8.99	9	13.15
17	13.45	30	9.35	17	13.22
24	14.94	Apr. 6	9.50	24	13.55
30	15.40	13	8.90	31	13.38
Dec. 7	15.36	21	9.45	Sept. 8	13.28
14	11.93	28	9.48	14	13.20
21	8.93	May 4	9.84	21	13.07
28	10.22	11	10.28	28	13.50
1937		18	10.40	Oct. 5	13.84
Jan. 5	10.47	25	10.59	13	14.27
11	10.68	June 2	10.63	19	14.64
18	10.53	8	11.20	Nov. 1	12.55
25	8.77	15	11.44	15	11.51
Feb. 1	9.26	22	11.31	29	10.27
8	9.56	29	11.34	Dec. 13	10.44
15	10.54	July 6	11.63	28	11.41
22	10.22	13	11.68		

Gl 198. P. J. Vail, abandoned dug well, Hopewell Rd., Glastonbury. Diameter 24 inches, depth 10.9 feet. Measuring point is an orange paint mark top of curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 12	3.35	Mar. 18	3.01	July 15	6.38
19	3.84	28	3.13	22	6.20
26	4.17	Apr. 2	4.96	29	5.83
Dec. 3	3.36	10	3.37	Aug. 6	5.79
10	3.67	17	3.40	12	6.67
17	4.02	24	3.69	19	6.95
26	4.00	29	4.14	26	7.09
31	3.97	May 6	4.22	Sept. 3	7.28
1935		13	4.08	9	7.12
Jan. 7	3.86	20	4.73	16	7.10
14	3.73	27	5.22	23	7.40
21	4.02	June 3	5.54	30	7.60
28	4.20	10	5.27	Oct. 7	7.77
Feb. 5	4.27	17	5.67	14	7.96
12	4.24	24	5.14	21	8.17
Mar. 8	3.32	July 1	5.79	28	8.34
14	3.35	8	6.14	Nov. 4	8.51

Water level in feet below measuring point in well Gl 198-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Nov. 11	8.69	July 27	5.15	Mar. 30	3.36
18	8.77	Aug. 3	6.10	Apr. 6	3.30
25	8.91	10	6.99	13	3.34
Dec. 2	7.93	17	6.01	21	3.31
9	7.53	24	7.28	28	3.39
16	7.43	31	7.19	May 4	3.70
23	7.29	Sept. 8	7.33	11	4.08
30	7.37	14	8.01	18	3.55
1936		21	7.66	25	4.03
Jan. 6	6.79	29	7.03	June 2	4.06
13	5.40	Oct. 5	8.00	8	4.96
20	5.14	12	7.63	15	4.92
26	4.28	19	6.86	22	4.03
Feb. 4	4.55	26	5.86	29	4.93
10	4.80	Nov. 2	6.20	July 6	5.00
24	3.80	10	6.15	13	5.10
Mar. 2	3.20	17	6.13	20	5.06
9	3.20	24	6.39	27	5.12
16	3.20	30	6.52	Aug. 3	5.18
30	3.27	Dec. 7	6.00	9	6.62
Apr. 6	3.20	14	3.40	17	6.68
13	3.22	21	3.35	24	6.84
21	3.21	28	3.60	31	6.76
28	3.26	1937		Sept. 8	6.70
May 6	3.19	Jan. 5	3.37	14	5.41
11	3.41	11	3.41	21	5.71
18	3.72	18	3.35	28	6.10
25	4.27	25	3.33	Oct. 5	5.65
June 1	4.87	Feb. 1	3.20	13	6.57
8	5.24	8	3.34	19	6.76
15	4.82	15	3.35	Nov. 1	4.43
22	4.09	22	3.33	15	3.40
29	4.92	Mar. 1	3.39	29	3.34
July 6	4.95	9	3.21	Dec. 13	3.57
13	5.06	16	3.34	28	3.60
20	5.15	23	3.39		

Gl 200. H. G. Miller, abandoned dug well, corner of Main and High St., Glastonbury. Diameter 30 inches, depth 24.4 feet. Measuring point is an orange paint mark top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 12	19.29	Nov. 26	19.32	Dec. 10	19.02
19	19.20	Dec. 3	19.02	17	18.65

Water level in feet below measuring point in well G1 200-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Dec. 26	18.73	Dec. 16	22.04	Dec. 14	19.73
31	18.76	23	22.13	21	17.59
1935		30	22.16	28	18.40
Jan. 7	18.59	1936		1937	
14	17.32	Jan. 6	22.23	Jan. 5	17.54
21	18.33	13	22.30	11	17.33
28	18.62	20	22.20	18	16.55
Feb. 5	18.69	26	20.98	25	14.20
12	18.48	Feb. 4	21.03	Feb. 1	14.37
18	17.42	10	20.89	8	15.53
25	18.05	19	20.75	15	15.05
Mar. 8	14.30	24	21.10	22	15.70
14	13.90	Mar. 2	19.73	Mar. 1	15.90
18	14.11	9	18.75	9	16.26
28	15.03	16	16.30	16	15.25
Apr. 2	14.92	30	13.39	23	14.15
10	15.57	Apr. 6	13.57	30	15.05
17	14.60	13	12.96	Apr. 6	15.12
24	15.68	21	13.11	13	15.04
29	15.97	28	13.92	21	15.18
May 6	16.43	May 6	15.55	28	15.02
13	16.83	11	15.53	May 4	15.47
20	17.28	18	15.97	11	16.00
27	17.66	25	16.45	18	16.30
June 3	18.00	June 1	17.00	25	16.62
10	18.18	8	17.58	June 2	16.68
17	18.46	15	18.82	8	17.32
24	18.53	22	18.07	15	17.41
July 1	18.86	29	18.18	22	17.53
8	19.04	July 6	18.16	29	17.69
15	19.23	13	18.43	July 6	18.08
22	19.37	20	18.81	13	18.20
29	19.51	27	18.96	20	18.36
Aug. 6	19.70	Aug. 3	19.10	27	18.42
12	19.86	10	20.00	Aug. 3	18.56
19	20.02	17	20.21	9	19.40
26	20.13	24	19.48	17	19.48
Sept. 3	20.29	31	20.00	24	19.62
9	20.22	Sept. 8	20.14	31	19.54
16	20.23	14	20.32	Sept. 8	19.49
23	20.64	21	20.38	14	19.84
30	20.70	29	20.39	21	19.82
Oct. 7	20.87	Oct. 5	20.00	28	19.90
14	20.92	12	20.11	Oct. 5	19.95
21	21.12	19	20.00	13	20.18
28	21.24	26	20.90	19	20.28
Nov. 4	21.34	Nov. 2	20.97	Nov. 1	19.72
11	21.42	10	20.98	15	19.06
18	21.53	17	20.96	29	17.04
25	21.77	23	21.09	Dec. 13	16.60
Dec. 2	21.63	30	21.14	28	17.35
9	21.94	Dec. 7	21.03		

Go 339. Torrington Water Co., abandoned dug well, Goshen East St., Goshen. Diameter 36 inches, depth 11.9 feet. Measuring point is a paint mark south side sharp edge of stone 0.5 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
May 5	8.09	July 13	10.20	Sept. 28	9.38
12	7.47	20	10.14	Oct. 6	9.94
19	6.85	27	10.27	11	10.05
25	6.94	Aug. 3	10.03	18	10.18
June 2	8.62	17	10.64	25	6.69
8	8.74	25	11.11	Nov. 8	7.69
15	9.20	31	9.77	23	7.51
22	9.34	Sept. 7	9.75	Dec. 6	7.35
29	9.66	14	8.50	20	7.43
July 7	9.83	21	8.61		

Go 340. Torrington Water Co., abandoned dug well, Goshen East St., Goshen. Diameter 24 inches, depth 15.2 feet. Measuring point is a paint mark center top edge of flagstone southeast side of well at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
May 5	5.71	July 13	5.82	Sept. 28	6.44
12	5.83	20	6.06	Oct. 6	7.07
19	4.54	27	6.11	11	7.08
25	4.78	Aug. 3	6.19	18	7.38
June 2	5.33	17	5.46	25	4.77
8	5.16	25	5.82	Nov. 8	5.70
15	5.41	31	5.90	23	5.37
22	5.63	Sept. 7	5.95	Dec. 6	5.31
29	5.81	14	4.20	20	6.71
July 7	5.93	21	5.46		

Go 341. Torrington Water Co., abandoned dug well, Goshen East St., Goshen. Diameter 60 inches, depth 15.0 feet. Measuring point is a paint mark center of beam west side over well 0.6 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point in well Go 341-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
May 5	3.02	July 7	3.78	Sept.28	3.84
12	3.04	13	3.07	Oct. 6	4.00
19	3.41	20	3.29	11	4.10
25	3.56	27	3.34	18	4.22
June 2	3.46	Aug. 3	3.40	25	3.00
8	3.44	31	3.65	Nov. 8	3.46
15	3.61	Sept. 7	3.78	23	3.47
22	3.13	14	2.84	Dec. 6	3.47
29	3.26	21	3.64	20	4.10

Go 342. F. Howe, abandoned dug well, Goshen North St., Goshen. Diameter 40 inches, depth 13.0 feet. Measuring point is a paint mark top of curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
May 18	8.14	June 29	8.76	Aug. 17	10.55
25	8.33	July 7	8.87	25	10.05
June 2	8.25	13	8.93	31	10.33
8	8.12	20	9.10	Sept. 7	10.47
15	8.29	27	9.25	14	9.68
22	8.51	Aug. 3	9.17		

Go 343. A. G. Cramer, abandoned dug well, Goshen North St., Goshen. Diameter 40 inches, depth 16.4 feet. Measuring point is a paint mark south side top of curb at the land surface. The water-bearing formation is till

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
May 18	10.31	July 7	11.03	Aug. 31	Dry
25	10.52	13	11.45	Sept. 7	Dry
June 2	10.19	20	12.37	14	Dry
8	10.25	27	13.18	21	Dry
15	10.47	Aug. 3	14.10	28	Dry
22	10.71	17	Dry		
29	10.96	25	Dry		

Go 344. A. G. Cramer, abandoned dug well, Goshen North St., Goshen Diameter 48 inches, depth 17.4 feet. Measuring point is a paint mark northeast side of hole in flagstone at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
May 18	12.41	July 20	12.93	Sept. 28	11.77
25	12.62	27	13.15	Oct. 6	12.30
June 2	12.20	Aug. 3	13.27	11	12.81
8	12.33	17	13.15	18	12.94
15	12.47	25	13.32	25	5.41
22	12.33	31	11.80	Nov. 8	10.68
29	12.47	Sept. 7	12.00	23	10.10
July 7	12.53	14	9.17	Dec. 6	9.63
13	12.74	21	10.86	20	10.52

Go 345. Vail, abandoned dug well, Conn. Route #4, 0.25 miles beyond Torrington and Goshen Town line, Goshen. Diameter 30 inches, depth 20.9 feet. Measuring point is a paint mark center top sharp edge east side of windlass structure 2.8 feet above the land surface. The water-bearing formation is till

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
May 5	8.13	Aug. 10	13.79	Oct. 11	14.95
12	7.87	17	14.88	18	15.33
19	7.56	25	14.81	25	11.89
25	7.93	31	13.48	Nov. 8	12.78
June 2	7.74	Sept. 7	13.80	23	12.66
8	7.63	14	13.42	Dec. 6	12.47
15	8.84	21	13.27	20	13.83
22	8.62	28	13.90		
29	8.87	Oct. 6	14.56		

Go 346. Unknown, abandoned dug well, Goshen North St., Goshen. Diameter 30 inches, depth 22.1 feet. Measuring point is a paint mark lower sharp edge of large flat boulder at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 2	18.31	June 8	18.42	June 15	18.74

Water level in feet below measuring point in well Go 346-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 22	18.94	Aug. 25	20.22	Oct. 18	20.58
29	17.13	31	20.67	25	16.06
July 7	17.29	Sept. 7	20.95	Nov. 8	16.48
13	17.56	14	20.93	23	17.25
20	17.84	21	19.12	Dec. 6	16.91
27	18.10	28	19.42	20	17.07
Aug. 3	18.35	Oct. 6	19.96		
17	19.77	11	20.15		

Go 347. Jurkevich, abandoned dug well, Goshen West St., Goshen. Diameter 36 inches, depth 17.3 feet. Measuring point is a paint mark top of curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
May 18	8.62	June 29	9.36	Aug. 10	8.72
25	8.74	July 7	9.47	17	10.10
June 2	8.89	13	9.51	25	9.79
8	8.67	20	9.59	31	10.31
15	8.83	27	9.65		
22	9.10	Aug. 3	9.73		

Go 350. Mrs. Richard, abandoned dug well, Goshen center, Goshen. Diameter 24 inches, depth 16.8 feet. Measuring point is a keel mark north side of chain pump housing half-way between side and end 2.9 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 2	8.31	Aug. 3	9.67	Oct. 6	10.26
8	8.42	10	11.07	11	10.39
15	8.76	17	11.13	18	10.77
22	8.91	25	11.03	25	6.19
29	9.17	31	9.00	Nov. 8	7.47
July 7	9.33	Sept. 7	9.42	23	7.05
13	9.27	14	8.31	Dec. 6	6.84
20	9.45	21	8.19	20	7.49
27	9.53	28	8.53		

H 1. U. S. Army Engineers, driven test well, North Meadows, Hartford. Diameter $1\frac{1}{4}$ inches, depth 15.9 feet (original depth 23.5 feet). Measuring point is the inside edge top of pipe 0.5 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 14	14.08	Sept. 22	15.48	Nov. 24	15.03
28	15.38	Oct. 1	Dry	Dec. 1	11.86
Aug. 11	16.35	6	Dry	8	13.11
17	15.82	21	16.31	15	12.99
25	13.74	27	14.28	22	12.92
Sept. 2	15.85	Nov. 3	13.85	29	14.00
9	15.85	10	Dry		
16	15.71	17	14.52		

H 2. U. S. Army Engineers, driven test well, North Meadows, Hartford. Diameter $1\frac{1}{4}$ inches, depth 16.5 feet (original depth 22.5 feet). Measuring point is inside edge top of pipe 1.5 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 14	9.76	Sept. 16	11.89	Nov. 17	11.95
28	11.17	22	11.78	24	11.01
Aug. 5	11.88	Oct. 1	12.54	Dec. 1	9.87
11	12.43	6	13.04	8	10.02
17	12.59	21	13.18	15	9.96
25	12.73	27	12.92	22	9.74
Sept. 2	12.11	Nov. 3	12.73	29	10.30
9	12.01	10	12.10		

H 3. U. S. Army Engineers, driven test well, North Meadows, Hartford. Diameter $1\frac{1}{4}$ inches, depth 9.6 feet (original depth 18.0 feet). Measuring point is inside edge top of pipe 2.0 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 28	4.26	Aug. 11	5.33	Aug. 25	5.37
Aug. 5	4.87	17	5.36	Sept. 2	5.00

Water level in feet below measuring point in well H 3 - Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Sept. 9	5.03	Oct. 27	5.18	Dec. 8	3.59
16	5.01	Nov. 3	5.17	15	3.79
22	4.89	10	5.65	22	3.60
Oct. 1	4.97	17	5.55	29	3.68
6	5.12	24	5.10		
21	5.23	Dec. 1	3.63		

H 4. U. S. Army Engineers, driven test well, North Meadows, Hartford. Diameter $1\frac{1}{4}$ inches, depth 3.0 feet (original depth 8.4 feet). Measuring point is inside edge of pipe 5.6 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 14	5.90	Sept. 16	5.61	Nov. 17	4.80
28	6.01	22	5.43	24	4.66
Aug. 5	6.30	Oct. 1	6.00	Dec. 1	5.26
11	6.36	6	6.10	8	5.39
17	6.04	21	5.70	15	4.97
25	5.80	27	5.76	22	5.90
Sept. 2	5.78	Nov. 3	5.69	29	5.78
9	5.73	10	5.09		

H 5. U. S. Army Engineers, driven test well, North Meadows, Hartford. Diameter $1\frac{1}{4}$ inches, depth 4.9 feet (original depth 10.9 feet). Measuring point is inside edge top of pipe 3.1 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 14	4.06	Sept. 16	4.22	Nov. 17	4.58
28	4.13	22	4.03	24	4.09
Aug. 5	4.22	Oct. 1	4.06	Dec. 1	4.05
11	4.30	6	4.12	8	4.00
17	4.31	21	4.22	15	3.96
25	4.19	27	4.19	22	3.98
Sept. 2	4.15	Nov. 3	4.14	29	3.97
9	4.50	10	4.14		

H 6. U. S. Army Engineers, driven test well, North Meadows, Hartford. Diameter $1\frac{1}{4}$ inches, depth 13.2 feet (original depth 20.0 feet). Measuring point is inside edge of top of pipe 4.0 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 14	14.89	Sept. 16	Dry	Nov. 17	14.90
28	15.86	22	Dry	24	15.62
Aug. 5	16.63	Oct. 1	Dry	Dec. 1	15.00
11	Dry	6	Dry	8	14.79
17	Dry	21	Dry	15	14.90
25	Dry	27	Dry	22	14.67
Sept. 2	Dry	Nov. 3	Dry	29	14.37
9	Dry	10	Dry		

H 7. U. S. Army Engineers, driven test well, North Meadows, Hartford. Diameter $1\frac{1}{4}$ inches, depth 14.5 feet (original depth 21.7 feet). Measuring point is inside edge top of pipe 2.3 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 14	10.43	Sept. 16	13.33	Nov. 17	13.09
18	11.55	22	13.44	24	13.17
Aug. 5	13.14	Oct. 1	13.65	Dec. 1	12.60
11	12.57	6	13.81	8	11.99
17	12.89	21	13.85	15	11.72
25	13.25	27	14.29	22	11.59
Sept. 2	13.32	Nov. 3	13.59	29	11.66
9	13.41	10	13.97		

H 9. U. S. Army Engineers, driven test well, North Meadows, Hartford. Diameter $1\frac{1}{2}$ inches, depth 7.8 feet (original depth 13.8 feet). Measuring point is inside edge top of pipe 5.2 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 18	6.11	Aug. 25	6.16	Sept. 22	6.03
Aug. 5	6.66	Sept. 2	6.23	Oct. 1	6.21
11	6.61	9	6.32	6	6.52
17	6.71	16	6.12	21	6.34

Water level in feet below measuring point in well H 9-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Oct. 27	6.18	Nov. 17	6.37	Dec. 15	5.39
Nov. 3	6.09	24	5.96	22	5.90
10	6.19	Dec. 8	5.48	29	5.80

H 10. U. S. Army Engineers, driven test well, North Meadows, Hartford. Diameter $1\frac{1}{4}$ inches, depth 13.3 feet (original depth 20.8 feet). Measuring point is inside edge top of pipe 3.2 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 14	10.84	Sept. 16	10.73	Nov. 17	11.02
28	11.47	22	10.68	24	10.71
Aug. 5	11.70	Oct. 1	11.28	Dec. 1	9.80
11	11.74	6	11.55	8	9.63
17	11.34	21	11.96	15	9.86
25	11.04	27	11.18	22	10.78
Sept. 2	10.66	Nov. 3	10.88	29	10.95
9	10.67	10	9.26		

H 12. U. S. Army Engineers, driven test well, North Riverside Park, Hartford. Diameter $1\frac{1}{4}$ inches, depth 7.4 feet (original depth 11.4 feet). Measuring point is inside edge top of pipe 2.6 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 14	5.78	Sept. 16	6.71	Nov. 17	6.09
28	6.70	22	6.65	24	3.56
Aug. 5	7.25	Oct. 1	7.05	Dec. 8	3.23
11	7.41	6	7.12	15	4.37
17	7.40	21	7.35	22	4.70
25	7.24	27	6.60	29	5.19
Sept. 2	6.91	Nov. 3	6.04		
9	6.73	10	6.28		

Ha 98. Mrs. Baroff, abandoned dug well, R.F.D. #2, Harwinton. Diameter 30 inches, depth 13.4 feet. Measuring point is a keel mark top of curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1935	
Oct. 23	5.29	Dec. 29	6.20	Feb. 11	7.97
Nov. 19	4.47	1935		18	7.10
26	5.50	Jan. 7	7.13	25	6.51
Dec. 3	4.42	14	3.80	Mar. 4	5.10
10	4.57	21	4.85	11	4.62
17	5.62	28	5.86	18	3.86
22	5.85	Feb. 4	7.12		

Ha 141. F. Gamber, abandoned dug well, R.F.D. #2 Harwinton. Diameter 36 inches, depth 7.4 feet. Measuring point is an orange paint mark on edge of jutting stone west side center at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Oct. 25	4.08	May 1	3.72	Oct. 21	4.80
Nov. 19	3.68	6	4.00	28	4.83
26	3.85	13	4.07	Nov. 4	5.22
Dec. 3	3.04	20	4.39	9	5.30
10	3.83	27	5.10	18	5.22
17	4.00	June 3	5.10	25	5.30
22	3.59	10	5.16	Dec. 2	3.94
29	3.68	17	6.06	9	4.29
1935		24	5.23	16	3.15
Jan. 7	3.87	July 1	5.42	23	3.84
14	3.29	8	5.42	30	3.85
21	3.68	15	5.51	1936	
28	3.98	22	6.03	Jan. 5	3.40
Feb. 4	4.44	29	6.14	13	3.30
11	4.61	Aug. 5	5.66	Mar. 16	1.10
18	3.87	12	5.06	23	2.10
25	3.80	19	5.92	30	3.77
Mar. 4	3.65	26	5.98	Apr. 6	3.76
11	3.25	Sept. 2	6.00	13	3.91
18	2.90	9	5.76	20	3.84
25	3.22	16	4.76	27	3.86
Apr. 3	3.48	23	4.77	May 4	3.32
9	4.01	30	4.78	11	4.45
16	3.26	Oct. 7	4.77	18	4.63
23	3.84	14	4.78	25	4.92

Water level in feet below measuring point in well Ha 141-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
June 1	5.14	Nov. 30	4.50	May 24	3.18
8	5.55	Dec. 7	4.21	June 1	3.37
15	5.61	14	3.92	7	3.23
22	5.93	21	3.71	14	3.11
29	5.42	28	3.22	21	3.39
July 6	5.47	1937		28	3.52
13	5.30	Jan. 4	3.16	July 12	3.41
21	5.57	11	2.98	19	3.47
27	5.20	18	4.41	26	3.59
Aug. 3	5.52	25	4.37	Aug. 2	3.53
10	5.55	Feb. 1	4.22	9	4.07
17	5.65	8	4.73	19	4.01
24	5.11	15	4.51	23	3.67
31	4.35	22	4.31	30	3.40
Sept. 8	5.34	Mar. 2	3.04	Sept. 6	3.25
14	5.01	8	3.67	13	4.12
21	4.03	16	3.41	20	3.74
29	5.50	22	3.57	27	4.39
Oct. 5	5.42	29	3.62	Oct. 5	4.67
12	4.30	Apr. 6	3.37	11	4.77
19	3.33	12	4.13	18	5.12
26	3.93	19	3.96	25	3.04
Nov. 2	4.30	26	3.62	Nov. 8	3.53
9	3.67	May 3	4.23	22	3.15
16	4.05	10	3.83	Dec. 6	1.96
23	4.42	17	3.62	20	3.31

Ha 142. C. Wilson, abandoned dug well, R.F.D. #2, Harwinton. Diameter 30 inches, depth 10.8 feet. Measuring point is an orange paint mark between axle of chain pump and end of pump housing north side 2.7 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Oct. 25	6.58	Jan. 21	6.56	Apr. 23	6.28
Nov. 12	6.25	28	6.62	May 1	6.30
19	6.46	Feb. 4	6.60	6	6.38
26	6.41	11	6.65	13	6.37
Dec. 3	6.18	18	6.43	20	7.01
10	6.60	25	6.41	27	7.10
17	6.62	Mar. 4	6.36	June 3	8.87
22	6.22	11	6.18	10	8.93
29	6.41	18	6.10	17	9.01
1935		25	6.12	24	6.50
Jan. 7	6.56	Apr. 9	7.01	July 1	7.11
14	6.31	16	6.12	8	7.01

Water level in feet below measuring point in well Ha 142-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
July 15	8.56	June 8	7.87	Mar. 8	6.73
22	8.63	15	8.10	16	6.42
29	7.96	22	8.21	22	6.63
Aug. 5	8.03	29	8.00	29	6.87
12	8.01	July 6	7.80	Apr. 6	6.23
19	8.70	13	8.31	12	6.10
26	9.11	21	8.74	19	5.96
Sept. 2	9.16	27	8.49	26	5.87
9	9.00	Aug. 3	9.22	May 3	6.27
16	8.09	10	9.40	10	5.71
23	8.10	17	10.07	17	5.21
30	9.00	24	10.12	24	5.37
Oct. 7	8.64	31	9.61	June 1	5.33
14	9.00	Sept. 8	9.19	7	5.31
21	9.41	14	9.50	14	6.41
28	9.00	21	9.25	21	6.63
Nov. 4	10.09	29	9.63	28	6.81
9	10.05	Oct. 5	9.51	July 6	6.51
18	10.05	12	9.67	12	6.72
25	10.15	19	6.53	19	6.64
Dec. 2	6.95	26	6.61	26	6.83
9	6.88	Nov. 2	6.75	Aug. 2	6.76
16	6.50	9	6.52	9	6.62
23	6.69	16	6.66	19	6.66
30	6.76	23	6.72	23	6.47
1936		30	7.21	30	6.32
Jan. 5	6.54	Dec. 7	6.87	Sept. 6	6.20
13	6.57	14	6.38	13	6.60
Mar. 16	6.36	21	6.15	20	6.46
23	6.38	28	6.03	27	6.74
30	6.21	1937		Oct. 5	6.95
Apr. 6	6.20	Jan. 4	5.87	11	6.81
13	6.33	11	5.99	18	7.01
20	6.54	18	5.72	25	6.21
27	6.53	25	5.45	Nov. 8	6.44
May 4	6.20	Feb. 1	5.17	22	6.53
11	6.55	8	5.62	Dec. 6	5.21
18	6.67	15	5.33	20	6.26
25	7.15	22	5.19		
June 1	7.18	Mar. 2	6.46		

Ha 183. A. G. Jasch, abandoned dug well, R.F.D. #2, Harwinton. Diameter 30 inches, depth 13.9 feet. Measuring point is an orange paint mark top of metal curb 3.0 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point in well Ha 183-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Oct. 18	9.57	Nov. 4	15.63	Oct. 26	12.94
Nov. 19	9.40	9	15.60	Nov. 2	12.63
26	9.51	18	15.06	9	12.15
Dec. 3	8.33	25	15.14	16	11.97
10	9.77	Dec. 2	14.10	23	12.15
17	10.33	9	13.14	30	12.71
22	9.75	16	13.17	Dec. 7	12.28
29	10.14	23	11.91	14	10.48
1935		30	12.01	21	10.10
Jan. 7	10.65	1936		28	9.87
14	8.96	Jan. 5	13.14	1937	
21	9.68	13	12.01	Jan. 4	9.15
28	10.02	21	15.16	11	8.91
Feb. 4	10.46	27	12.11	18	8.39
11	10.88	Feb. 3	12.09	25	8.34
18	10.56	17	13.21	Feb. 1	9.06
25	10.27	24	13.03	8	9.23
Mar. 4	10.08	Mar. 2	13.00	15	9.95
11	9.68	9	13.27	22	9.34
18	9.20	16	9.07	Mar. 2	9.67
25	8.83	23	9.10	8	9.93
Apr. 9	9.22	30	8.56	16	9.97
16	8.42	Apr. 6	8.63	22	10.05
23	9.02	13	8.90	29	10.23
May 1	9.01	20	9.10	Apr. 6	10.08
6	9.71	27	9.80	12	10.16
13	9.60	May 4	9.58	19	10.03
20	9.98	11	9.11	26	10.07
27	9.99	18	10.07	May 3	9.15
June 3	11.78	25	11.23	10	9.71
10	12.16	June 1	10.55	17	9.83
17	12.01	8	12.86	24	8.50
24	11.61	15	13.10	June 1	10.10
July 1	12.13	22	13.83	7	8.87
8	12.16	29	12.77	14	9.33
15	12.17	July 6	13.00	21	9.49
22	13.24	13	13.75	28	9.87
29	13.16	21	14.18	July 6	9.67
Aug. 5	13.68	27	14.87	12	9.94
12	14.06	Aug. 3	14.18	19	10.03
19	14.78	10	14.32	26	10.13
26	15.09	17	14.47	Aug. 2	10.23
Sept. 2	15.11	24	14.63	9	11.06
9	15.10	31	14.51	19	10.61
16	14.08	Sept. 8	15.20	23	10.33
23	14.10	14	15.92	30	10.12
30	15.00	21	14.40		
Oct. 7	14.75	29	15.61		
14	15.01	Oct. 5	13.45		
21	15.61	12	13.41		
28	15.63	19	13.10		

Ha 187. L. Fenn, abandoned dug well, R.F.D. #2, Harwinton. Diameter 30 inches, depth 23.1 feet. Measuring point is an orange paint mark top of curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Oct. 16	10.04	Mar. 11	13.75	July 15	17.01
Nov. 19	10.21	18	12.55	22	17.25
26	11.08	25	11.10	29	17.00
Dec. 3	9.79	Apr. 3	10.14	Aug. 5	18.20
10	9.93	9	10.16	12	18.66
17	11.00	16	8.29	19	18.98
22	11.22	23	9.01	26	19.23
29	11.97	May 1	9.11	Sept. 2	19.00
1935		6	11.20	9	18.19
Jan. 7	12.74	13	11.26	16	20.53
14	10.63	20	12.13	23	21.01
21	11.03	27	13.00	30	20.53
28	11.14	June 3	13.18	Oct. 7	21.05
Feb. 4	11.24	10	13.10	14	21.10
11	12.40	17	15.11	21	21.68
18	13.00	24	15.76	28	22.01
25	13.70	July 1	16.33		
Mar. 4	14.45	8	16.92		

M 77. E. S. Edgerton, abandoned dug well, North Main St., Manchester. Diameter 28 inches, depth 19.2 feet. Measuring point is a white paint mark top of curb 1.3 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 22	15.57	Sept. 30	16.68	Aug. 10	15.71
27	15.54	Oct. 7	16.80	17	16.03
Dec. 4	15.50	14	16.96	24	16.09
11	15.56	21	17.13	31	16.86
18	15.03	28	17.31	Sept. 8	16.39
26	14.60	Nov. 4	17.61	14	16.76
1935		11	17.52	21	16.31
Jan. 2	14.50	18	17.56	29	16.30
8	14.02	25	17.76	Oct. 5	16.16
15	12.06	Dec. 2	17.66	12	16.23
22	13.54	10	17.53	19	16.15
29	13.83	16	17.63	26	15.95
Feb. 6	14.11	23	17.29	Nov. 2	15.94
13	13.48	30	17.26	9	15.00
19	13.51	1936		17	14.96
26	13.53	Jan. 6	17.15	23	16.13
Mar. 4	12.30	13	16.86	30	16.22
12	11.20	20	15.76	Dec. 7	15.32
18	11.38	26	15.49	14	15.62
25	11.05	Feb. 4	15.11	21	14.51
Apr. 1	11.35	10	15.03	28	13.64
8	11.85	19	15.08	1937	
15	11.76	24	14.80	Jan. 5	12.18
22	12.10	Mar. 2	14.65	11	12.50
29	12.40	9	13.74	18	12.47
May 6	12.72	16	11.11	25	11.70
13	12.91	24	9.80	Feb. 1	11.19
20	13.22	30	9.59	8	11.36
27	13.44	Apr. 6	9.50	15	11.39
June 3	13.90	13	9.32	22	11.65
10	14.18	21	10.06	Mar. 1	11.70
17	14.44	28	10.10	8	11.76
24	14.62	May 6	10.70	15	12.35
July 1	14.85	11	11.16	22	11.60
8	15.10	18	11.49	29	11.75
15	15.46	25	11.95	Apr. 5	11.88
22	15.59	June 1	12.41	12	11.60
29	15.43	8	12.82	19	11.80
Aug. 7	15.78	15	13.24	27	12.31
12	15.71	22	13.46	May 3	12.30
19	15.94	29	13.76	10	12.91
26	16.12	July 6	13.67	17	13.03
Sept. 3	16.35	13	13.78	24	13.07
9	16.09	20	14.00	June 1	13.21
16	16.49	27	14.10	7	13.71
23	16.56	Aug. 3	14.10	14	13.89

Water level in feet below measuring point in well M 77-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 21	13.96	Aug. 16	14.38	Oct. 11	15.82
28	13.83	23	15.46	18	16.00
July 7	13.92	30	15.32	26	16.08
13	14.05	Sept. 7	15.22	Nov. 8	15.42
19	14.10	13	15.08	22	14.55
27	14.18	20	15.40	Dec. 6	13.10
Aug. 2	14.26	27	15.37	21	12.79
10	14.32	Oct. 4	15.70		

M 78. W. Hibbard, abandoned dug well, 300 North Main St., Manchester. Diameter 30 inches, depth 23.0 feet. Measuring point is a white paint mark on flagstones curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 22	16.40	June 3	14.78	Dec. 23	17.70
27	16.54	10	14.99	30	17.85
Dec. 4	16.00	17	15.13	1936	
11	15.85	24	14.82	Jan. 6	17.78
18	16.02	July 1	15.48	13	17.10
26	15.19	8	15.70	20	15.81
1935		15	15.64	26	15.54
Jan. 2	15.63	22	15.78	Feb. 4	15.32
8	14.70	29	14.08	10	16.64
15	13.82	Aug. 7	15.09	19	16.70
22	14.88	12	15.44	24	16.70
29	15.23	19	15.79	Mar. 2	16.29
Feb. 6	15.56	26	15.42	9	15.17
13	15.48	Sept. 3	16.03	16	13.17
19	15.38	9	15.63	24	12.22
26	15.16	16	16.01	30	12.38
Mar. 4	13.60	23	16.20	Apr. 6	12.07
12	13.60	30	16.36	13	11.85
18	13.80	Oct. 7	16.66	21	12.12
25	13.89	14	16.91	28	12.15
Apr. 1	13.86	21	17.05	May 6	12.00
8	14.01	28	17.29	11	12.02
15	13.75	Nov. 4	17.51	18	11.47
22	13.73	11	17.70	25	12.08
29	13.86	18	17.82	June 1	12.50
May 6	14.04	25	18.01	8	12.78
13	13.96	Dec. 2	17.73	15	13.12
20	14.22	10	17.54	22	12.88
27	14.53	16	17.63	29	12.32

Water level in feet below measuring point in well M 78-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
July 6	13.01	Dec. 28	14.29	June 14	14.02
13	13.00	1937		21	14.08
20	13.39	Jan. 5	14.40	28	13.94
27	14.58	11	14.35	July 7	13.88
Aug. 3	15.01	18	14.14	13	14.26
10	15.68	25	13.06	19	14.33
17	15.56	Feb. 1	12.60	26	14.43
24	15.88	8	12.60	Aug. 2	14.49
31	15.78	15	12.75	10	14.56
Sept. 8	15.75	22	13.69	16	14.65
14	16.07	Mar. 1	12.50	23	16.41
21	15.14	8	12.84	30	16.15
29	15.68	15	14.06	Sept. 7	16.09
Oct. 5	16.01	22	12.00	13	15.80
12	15.32	29	13.12	20	15.09
19	15.63	Apr. 5	12.54	27	15.16
26	15.78	12	12.14	Oct. 4	16.20
Nov. 2	16.13	19	12.62	11	16.55
9	16.41	27	12.60	18	16.07
17	16.47	May 3	12.16	26	15.53
23	16.65	10	13.01	Nov. 8	15.45
30	15.84	17	12.64	22	14.60
Dec. 7	17.10	24	12.69	Dec. 6	13.65
14	14.93	June 1	12.77	21	13.73
21	13.70	7	13.68		

M 79. M. Hickey, abandoned dug well, 206 Oakland St., Manchester. Diameter 30 inches, depth 21.2 feet. Measuring point is a white paint mark top of wood curb 2.8 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 22	21.32	Feb. 6	16.21	Apr. 29	14.99
27	21.12	13	15.58	May 6	15.15
Dec. 4	21.10	19	15.02	13	15.12
11	20.80	26	15.00	20	15.74
18	19.79	Mar. 4	15.32	27	15.77
26	19.63	12	13.13	June 3	16.23
1935		18	15.24	10	16.53
Jan. 2	18.11	25	15.03	17	16.67
8	19.54	Apr. 1	14.96	24	16.65
15	16.03	8	15.00	July 1	17.08
22	15.93	15	14.83	8	17.31
29	16.12	22	14.74	15	17.70

Water level in feet below measuring point in well M 79-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
July 22	18.00	May 11	15.05	Feb. 22	14.76
29	18.12	18	14.95	Mar. 1	14.71
Aug. 7	17.98	25	15.20	8	14.98
12	18.07	June 1	15.42	15	14.77
19	18.38	8	15.61	22	13.67
26	18.63	15	16.00	29	14.70
Sept. 3	19.02	22	16.50	Apr. 5	15.05
9	18.74	29	16.35	12	14.84
16	18.70	July 6	16.36	19	15.10
23	20.16	13	16.76	27	15.06
30	20.53	20	17.76	May 3	15.16
Oct. 7	20.88	27	18.00	10	15.23
14	21.12	Aug. 3	18.01	17	14.39
21	21.32	10	18.93	24	15.46
28	21.51	17	18.90	June 1	15.66
Nov. 4	21.78	24	19.57	7	15.95
11	21.98	31	20.13	14	16.97
18	22.21	Sept. 8	20.54	21	16.23
25	22.45	14	20.90	28	16.12
Dec. 2	21.62	21	21.01	July 7	16.06
10	22.98	29	21.11	13	16.37
16	22.85	Oct. 5	22.06	19	16.42
23	22.76	12	22.11	26	17.03
30	22.64	19	21.21	Aug. 2	17.20
1936		26	21.26	10	17.31
Jan. 6	22.53	Nov. 2	21.42	16	17.36
13	22.19	9	21.28	23	17.47
20	21.88	17	21.33	30	17.38
Feb. 4	17.34	23	21.53	Sept. 7	19.97
10	17.98	30	21.56	13	19.84
19	17.80	Dec. 7	21.52	20	19.27
24	17.30	14	21.28	27	19.34
Mar. 2	17.60	21	20.43	Oct. 4	19.47
9	17.15	28	17.70	11	19.63
16	16.22	1937		18	20.15
24	14.69	Jan. 5	16.16	26	20.42
30	14.31	11	15.22	Nov. 8	20.43
Apr. 6	14.33	18	15.21	22	19.61
13	14.15	25	14.52	Dec. 6	16.41
21	14.10	Feb. 1	14.10	21	15.69
28	13.06	8	14.59		
May 6	15.42	15	14.72		

M 80. J. Virginia, abandoned dug well, 422 Oakland St., Manchester. Diameter 30 inches, depth 22.3 feet. Measuring point is a white paint mark west side top of curb 2.0 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point in well M 30-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 22	23.03	Apr. 22	17.90	Sept. 30	21.96
27	22.00	29	19.03	Oct. 7	22.15
Dec. 4	22.01	May 6	18.18	14	22.43
11	22.00	13	18.37	21	22.46
18	21.46	20	18.63	28	22.64
26	20.05	27	18.90	1936	
1935		June 3	19.11	Feb. 10	21.14
Jan. 2	20.44	10	19.30	19	21.17
8	20.01	17	19.49	24	21.10
15	19.32	24	19.71	Mar. 2	21.00
22	19.06	July 1	20.00	9	20.41
29	20.04	8	20.06	16	16.58
Feb. 6	20.00	15	20.40	24	16.13
13	19.68	22	20.57	30	15.95
19	19.01	29	20.43	Apr. 6	16.40
26	18.94	Aug. 7	20.70	13	16.39
Mar. 4	18.32	12	20.85	21	16.41
12	17.21	19	20.09	28	17.03
18	18.06	26	21.26	May 6	17.60
25	18.01	Sept. 3	21.51		
Apr. 1	18.04	9	21.31		
8	18.14	16	21.64		
15	18.03	23	21.78		

M 83. D. Bryan, abandoned dug well, Conn. Route 83, 1000 feet west of Vernon and Manchester town line, Manchester. Diameter 48 inches, depth 19.4 feet. Measuring point is an orange paint mark edge of flagstone cover at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 22	12.49	Feb. 13	12.63	May 13	12.58
27	12.62	19	12.53	20	12.72
Dec. 4	12.50	26	12.49	27	12.84
11	11.61	Mar. 4	12.00	June 3	12.99
18	12.28	12	11.65	10	13.06
25	12.31	18	11.81	17	13.34
1935		25	11.91	24	13.03
Jan. 2	12.89	Apr. 1	12.01	July 1	13.21
8	11.44	8	12.14	8	13.37
15	11.36	15	12.00	15	13.40
22	12.22	22	11.93	22	13.46
29	12.52	29	12.18	29	12.80
Feb. 6	12.50	May 6	12.45	Aug. 7	12.87

Water level in feet below measuring point in well M 83-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Aug. 12	12.95	May 25	12.37	Feb. 22	12.11
19	13.16	June 1	12.62	Mar. 1	11.96
26	13.33	8	12.78	8	12.80
Sept. 3	13.43	15	12.92	15	12.40
9	13.29	22	12.16	22	11.56
16	13.11	29	12.77	29	12.76
23	13.16	July 6	12.96	Apr. 5	13.10
30	13.33	13	13.11	12	11.00
Oct. 7	13.45	20	13.13	19	12.90
14	13.54	Aug. 3	13.12	27	13.04
21	13.59	10	14.15	May 3	12.50
28	13.65	17	14.14	10	12.58
Nov. 4	13.72	24	13.46	17	12.58
11	13.75	31	13.00	24	12.64
18	13.75	Sept. 8	12.90	June 1	12.68
25	13.65	14	12.91	7	12.85
Dec. 2	13.29	21	12.64	14	12.87
10	12.91	29	12.38	21	12.98
16	12.87	Oct. 5	13.42	28	12.82
23	12.83	12	12.51	July 7	12.94
30	12.98	19	12.54	13	12.68
1936		26	12.30	19	12.66
Jan. 6	12.52	Nov. 2	12.50	26	12.00
13	12.17	9	12.68	Aug. 2	12.02
20	11.66	17	12.73	10	12.06
26	11.38	23	12.98	23	12.18
Feb. 4	12.23	30	12.99	30	12.09
10	12.61	Dec. 7	13.00	Sept. 7	12.05
Mar. 2	12.15	14	11.77	13	12.00
9	11.85	21	11.05	20	12.48
16	10.82	28	11.52	27	12.56
24	10.22	1937		Oct. 4	12.71
30	10.71	Jan. 5	11.77	11	12.86
Apr. 6	11.25	11	11.83	18	13.23
13	11.17	18	11.77	26	12.80
21	12.01	25	10.80	Nov. 8	12.37
May 6	12.18	Feb. 1	11.10	22	11.98
11	12.24	8	11.73	Dec. 6	11.67
18	12.23	15	11.90	21	12.08

M 85. D. Bryan, abandoned dug well, Conn. Route 83, 1000 feet west of Vernon and Manchester town line, Manchester. Diameter 24 inches, depth 15.0 feet. Measuring point is a white paint mark east side top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point in well M 85-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 22	12.89	Jan. 15	11.52	Mar. 18	11.15
27	12.86	22	11.70	25	11.42
Dec. 4	12.80	29	12.01	Apr. 1	11.55
11	12.00	Feb. 6	12.34	8	11.77
18	12.22	13	13.04	15	11.60
26	12.11	19	12.89	22	11.52
1935		26	12.79	29	11.86
Jan. 2	12.47	Mar. 4	11.52	May 6	12.44
8	11.83	12	11.00		

M 107. J. B. Spencer, abandoned dug well, 258 Spencer St., Manchester. Diameter 24 inches, depth 18.2 feet. Measuring point is an orange paint mark top of wooden curb 2.8 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 13	18.21	May 20	17.54	Dec. 2	19.64
19	18.24	27	17.60	9	19.52
26	18.21	June 3	17.72	16	19.51
Dec. 3	18.26	10	17.83	23	19.51
10	18.21	17	17.90	30	19.71
16	18.05	24	17.92	1936	
24	18.10	July 1	17.98	Jan. 6	19.63
31	17.93	8	18.12	13	19.50
1935		15	18.27	20	19.38
Jan. 7	17.60	22	18.34	26	19.17
14	17.12	29	18.36	Feb. 4	18.90
21	18.29	Aug. 6	18.56	10	19.23
28	17.61	12	18.49	19	19.40
Feb. 5	18.10	19	18.59	24	19.30
12	17.84	26	18.66	Mar. 2	19.75
18	17.69	Sept. 3	18.74	9	19.05
25	17.68	9	18.81	16	18.55
Mar. 8	17.58	16	18.86	30	17.45
14	17.92	23	18.93	Apr. 6	17.45
18	17.93	30	18.99	13	17.25
28	17.97	Oct. 7	19.05	21	17.26
Apr. 2	18.04	14	19.61	28	18.81
10	17.36	21	19.22	May 6	17.11
17	17.32	28	19.56	11	17.07
24	17.61	Nov. 4	19.38	18	17.14
29	17.18	11	19.49	25	17.05
May 6	17.35	18	19.51	June 1	17.22
13	17.42	25	19.61	8	17.33

Water level in feet below measuring point in well M 107-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
June 15	17.36	Dec. 14	18.58	June 8	16.30
22	17.41	21	18.34	15	16.27
29	17.47	28	17.91	22	16.30
July 6	17.49	1937		29	16.00
13	17.51	Jan. 5	17.68	July 6	16.12
20	17.72	11	17.54	13	16.16
27	16.90	18	17.42	20	16.20
Aug. 3	16.90	25	17.23	27	16.28
10	16.96	Feb. 1	15.80	Aug. 3	16.38
17	17.80	8	16.58	9	16.44
24	18.36	15	16.53	17	16.48
31	18.41	22	16.53	24	16.54
Sept. 8	18.50	Mar. 1	16.50	31	16.48
14	18.93	9	16.80	Sept. 8	16.42
21	18.13	16	15.46	14	16.70
29	17.87	23	16.29	21	16.63
Oct. 5	17.73	30	16.00	28	16.57
12	17.67	Apr. 6	16.02	Oct. 5	16.83
19	17.75	13	16.00	13	16.96
26	18.35	21	16.12	19	17.04
Nov. 2	18.66	28	15.99	Nov. 1	16.84
10	16.50	May 4	16.02	15	16.72
17	17.01	11	16.11	29	16.27
25	18.74	18	16.05	Dec. 13	15.69
30	18.80	25	16.21	28	15.82
Dec. 7	18.80	June 2	16.26		

M 118. N. Haefs, abandoned dug well, 207 West Center St., Manchester. Diameter 24 inches, depth 14.1 feet. Measuring point is an orange pain mark top of pump housing 3.5 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 13	9.64	Jan. 21	9.03	Apr. 10	8.44
19	9.84	28	9.58	17	8.30
26	10.08	Feb. 5	9.70	24	8.80
Dec. 3	9.55	12	9.72	29	9.08
10	9.55	18	9.72	May 6	9.41
16	9.75	25	9.31	13	9.50
24	9.78	Mar. 8	8.54	20	9.84
31	9.99	14	8.12	27	10.02
1935		18	8.33	June 3	11.33
Jan. 7	9.20	28	8.76	10	11.53
14	8.76	Apr. 2	8.88	17	11.66

Water level in feet below measuring point in well M 118-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
June 24	11.62	Apr. 21	8.12	Feb. 8	8.35
July 1	12.13	28	9.07	15	8.28
8	12.41	May 6	8.60	22	8.00
15	12.70	11	8.87	Mar. 1	8.39
22	12.83	18	8.84	9	8.77
29	11.78	25	9.23	16	8.35
Aug. 6	12.16	June 1	9.67	23	8.01
12	12.56	8	10.00	30	8.33
19	12.98	15	10.74	Apr. 6	8.41
26	13.18	22	10.59	13	8.14
Sept. 3	13.49	29	11.21	21	8.37
9	13.31	July 6	11.20	28	8.74
16	12.74	13	11.26	May 4	8.78
23	13.02	20	11.37	11	9.38
30	13.38	27	11.41	18	9.34
Oct. 7	13.62	Aug. 3	12.12	25	9.63
14	13.82	10	13.69	June 2	9.60
21	14.04	17	13.63	8	9.63
28	14.25	24	13.96	15	9.84
Nov. 4	14.45	31	14.13	22	9.86
11	14.64	Sept. 8	14.00	29	9.93
18	14.79	14	14.30	July 6	9.89
25	14.60	21	12.98	13	9.94
Dec. 2	12.73	29	12.16	20	9.98
9	11.79	Oct. 5	12.21	27	9.90
16	11.61	12	12.10	Aug. 3	9.88
23	11.40	19	12.00	9	9.96
30	11.67	26	10.80	17	9.98
1936		Nov. 2	11.08	24	9.96
Jan. 6	11.44	10	11.20	31	9.90
13	10.20	17	11.24	Sept. 8	9.87
20	9.62	25	11.53	14	10.65
26	9.16	30	10.77	21	10.48
Feb. 4	9.82	Dec. 7	11.21	28	10.41
10	10.35	14	9.38	Oct. 5	11.75
19	10.50	21	8.64	13	13.65
24	10.10	28	8.54	19	14.09
Mar. 2	9.92	1937		Nov 1	9.81
9	9.47	Jan. 5	8.17	15	9.34
16	8.01	11	8.25	29	8.58
30	7.45	18	8.11	Dec. 13	6.43
Apr. 6	7.14	25	7.16	28	9.10
13	7.69	Feb. 1	7.78		

M 119. Long, abandoned dug well, 199 West Center St., Manchester. Diameter 36 inches, depth 14.7 feet. Measuring point is an orange paint mark bottom sill of well house frame 0.8 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point in well M 119-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1936		1937	
Nov. 13	10.03	Jan. 26	Dry	Jan. 5	6.11
19	10.10	Feb. 4	Dry	11	5.29
26	10.60	10	Dry	18	5.10
Dec. 3	10.02	19	11.35	25	4.00
10	10.00	24	10.90	Feb. 1	4.40
16	9.43	Mar. 2	10.45	8	5.00
24	9.45	9	9.50	15	5.22
31	9.49	16	5.00	22	5.11
1935		30	3.87	Mar. 1	5.18
Jan. 7	8.69	Apr. 6	3.88	9	5.69
14	8.22	13	4.24	16	6.09
21	8.30	21	5.26	23	5.44
28	8.94	28	6.36	30	5.72
Feb. 5	9.51	May 6	5.83	Apr. 6	5.95
12	9.55	11	5.97	13	5.63
18	9.73	18	6.04	21	6.02
25	8.76	25	6.85	28	6.45
Mar. 8	5.54	June 1	8.24	May 4	6.48
14	5.12	8	9.45	11	7.26
18	5.20	15	10.21	18	7.20
28	5.75	22	11.41	25	8.62
Apr. 2	6.24	29	11.08	June 2	8.69
10	5.64	July 6	11.10	8	8.71
17	5.29	13	11.11	15	9.90
24	5.84	20	12.01	22	9.93
29	6.33	27	12.10	29	9.40
May 6	7.51	Aug. 3	13.10	July 6	9.61
13	8.11	10	14.60	13	9.73
20	8.74	17	14.52	20	9.90
27	9.64	24	Dry	27	9.96
June 3	10.51	30	Dry	Aug. 3	9.88
10	11.10	Sept. 8	Dry	9	9.94
17	11.35	14	Dry	17	9.98
24	11.87	21	Dry	24	9.96
July 1	12.47	28	Dry	31	9.91
8	12.82	Oct. 5	Dry	Sept. 8	9.87
15	13.47	12	Dry	14	12.81
22	13.71	19	Dry	21	12.73
29	12.99	26	12.19	28	12.68
Aug. 6	13.11	Nov. 2	11.33	Oct. 5	12.98
12	13.21	10	13.20	13	12.15
19	13.58	17	13.10	19	13.30
26	14.16	25	13.40	Nov. 1	11.23
Sept. 16	14.20	30	13.05	15	9.81
1936		Dec. 7	13.07	29	8.24
Jan. 6	Dry	14	8.52	Dec. 13	8.85
13	Dry	21	6.54	28	7.58
20	Dry	28	6.82		

M 121. R. Richmond, abandoned dug well, 608 South Main St., Manchester. Diameter 25 inches, depth 11.8 feet. Measuring point is an orange paint mark top of well curb at land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 13	9.12	Sept. 23	10.48	Aug. 24	9.77
19	9.02	30	10.55	31	9.35
26	9.52	Oct. 7	10.84	Sept. 8	9.59
Dec. 3	9.40	14	10.91	14	9.85
10	9.10	21	10.99	21	8.30
16	9.48	28	11.13	29	8.91
24	9.30	Nov. 4	11.20	Oct. 5	8.01
31	9.02	11	11.26	12	8.15
1935		18	11.31	19	8.11
Jan. 7	7.92	25	11.58	26	9.66
14	7.00	Dec. 2	11.48	Nov. 2	10.00
21	8.42	9	11.10	10	9.79
28	8.93	16	11.35	17	10.01
Feb. 5	9.03	23	11.42	25	10.37
12	8.52	30	11.62	30	10.47
18	8.00	1936		Dec. 7	10.29
25	8.02	Jan. 6	11.44	14	8.04
Mar. 8	6.60	13	10.79	21	7.20
14	7.07	20	10.53	28	8.24
18	7.00	26	10.26	1937	
28	8.12	Feb. 4	10.66	Jan. 5	8.07
Apr. 2	9.00	10	10.74	11	7.95
10	7.62	Mar. 2	9.61	18	7.74
17	7.41	9	8.53	25	6.75
24	7.80	16	6.64	Feb. 1	7.30
29	7.98	30	7.05	8	7.64
May 6	8.06	Apr. 6	7.03	15	7.35
13	8.07	13	6.96	22	7.31
20	8.29	21	6.73	Mar. 1	7.47
27	8.50	28	7.76	9	7.68
June 3	8.71	May 6	7.34	16	6.61
10	8.52	11	7.53	23	7.96
17	8.75	18	7.61	30	8.05
24	8.67	25	7.90	Apr. 6	7.40
July 1	9.02	June 1	8.10	13	6.98
8	9.25	8	8.20	21	7.68
15	9.35	15	8.17	28	7.51
22	9.37	22	7.80	May 4	7.63
29	9.22	29	8.16	11	7.90
Aug. 6	9.76	July 6	8.10	18	7.81
12	9.96	13	8.88	25	7.91
19	10.21	20	8.96	June 2	7.94
26	9.92	27	8.17	8	7.97
Sept. 3	10.06	Aug. 3	8.94	15	7.90
9	10.05	10	9.55	22	7.93
16	10.06	17	10.16	29	6.81

Water level in feet below measuring point in well M 121-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 6	7.10	Aug. 24	7.73	Oct. 13	9.75
13	7.14	31	7.68	19	9.90
20	7.22	Sept. 8	7.65	Nov. 1	8.78
27	7.40	14	8.62	15	8.05
Aug. 3	7.52	21	8.45	29	6.88
9	7.64	28	8.41	Dec. 13	8.15
17	7.69	Oct. 5	9.58	28	8.55

M 127. H. Agenow, abandoned dug well, 710 Keeney St., Manchester. Diameter 30 inches, depth 14.4 feet. Measuring point is an orange paint mark top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 19	7.80	June 10	9.70	Dec. 30	11.85
26	8.34	17	9.94	1936	
Dec. 3	8.08	24	10.29	Jan. 6	11.35
10	8.10	July 1	10.54	13	8.76
17	7.07	8	10.76	20	5.78
24	7.10	15	11.00	26	5.31
31	7.39	22	11.22	Mar. 2	5.10
1935		29	11.23	9	5.26
Jan. 7	7.40	Aug. 6	10.00	16	1.60
14	7.03	12	11.65	30	1.50
21	5.72	19	11.97	Apr. 6	1.00
28	6.03	26	11.84	13	1.55
Feb. 12	7.72	Sept. 3	12.03	21	1.00
18	7.70	9	11.95	28	1.96
25	7.73	16	11.98	May 6	4.13
Mar. 8	3.34	23	12.11	11	5.73
14	2.93	30	12.25	18	5.41
18	3.00	Oct. 7	12.38	25	6.27
28	4.16	14	12.59	June 1	7.27
Apr. 2	5.11	21	12.89	8	8.22
10	5.15	28	13.06	15	8.67
17	4.22	Nov. 4	13.34	22	8.70
24	5.13	11	13.51	29	8.93
29	5.93	18	13.64	July 6	8.90
May 6	6.93	25	13.79	13	8.96
13	7.64	Dec. 2	12.87	20	9.10
20	8.30	9	12.33	27	9.19
27	8.93	16	12.25	Aug. 3	10.10
June 3	9.41	23	12.02	10	11.40

Water level in feet below measuring point in well M 127-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Aug. 17	10.15	Jan. 18	2.34	June 29	7.68
24	11.30	25	1.40	July 6	7.88
31	10.60	Feb. 1	1.90	13	7.96
Sept. 8	11.96	8	3.10	20	7.90
14	12.10	15	3.34	27	7.88
21	11.34	22	3.46	Aug. 3	7.79
29	10.10	Mar. 1	3.54	9	7.84
Oct. 5	9.15	9	4.67	17	7.88
12	9.06	16	4.31	24	7.87
19	9.43	23	2.40	31	7.81
26	9.40	30	3.63	Sept. 8	7.80
Nov. 2	9.55	Apr. 6	4.55	14	10.37
10	9.82	13	3.84	21	10.17
17	9.76	21	4.46	28	10.14
25	10.34	28	5.00	Oct. 5	10.49
30	10.27	May 4	5.06	13	10.86
Dec. 7	9.73	11	6.60	19	11.13
14	5.00	18	6.54	Nov. 1	8.80
21	2.55	25	7.83	15	6.78
28	3.01	June 2	7.86	29	3.88
1937		8	7.91	Dec. 13	4.13
Jan. 5	2.95	15	8.71	28	4.38
11	2.85	22	8.74		

M 129. B. R. Keeney, abandoned dug well, 596 Keeney St., Manchester. Diameter 24 inches, depth 22.0 feet. Measuring point is a paint mark west side top of curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 19	15.67	Jan. 7	14.00	Feb. 25	13.40
26	16.46	14	13.40	Mar. 8	10.44
Dec. 3	15.22	21	13.46	14	11.17
10	15.00	28	14.01	18	12.11
16	13.56	Feb. 5	14.33	28	13.11
24	14.00	12	14.00	Apr. 2	13.66
31	14.05	18	13.47		

M 130. B. R. Keeney, abandoned dug well, 596 Keeney St.,Manchester. Diameter 30 inches, depth 35.4 feet. Measuring point is an orange paint mark top of curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point in well M 130-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 19	17.91	Dec. 16	21.14	Dec. 28	12.16
26	18.76	23	21.27	1937	
Dec. 3	18.37	1936		Jan. 5	13.63
10	18.30	Jan. 6	20.95	11	13.59
17	16.16	13	16.20	18	13.55
26	16.20	20	14.64	25	11.00
31	16.30	26	14.10	Feb. 1	10.98
1935		Feb. 4	17.80	8	13.05
Jan. 7	16.25	10	18.65	15	14.54
14	15.96	24	18.22	22	15.36
21	16.00	Mar. 2	16.27	Mar. 1	14.46
Feb. 25	17.01	9	15.12	9	15.06
Mar. 14	17.11	16	10.02	16	15.17
18	16.96	30	9.21	23	11.70
28	17.32	Apr. 6	11.11	30	13.10
Apr. 2	17.33	13	10.46	Apr. 6	14.31
10	14.82	21	11.96	13	13.72
17	13.99	28	12.12	21	14.28
24	14.27	May 6	14.56	28	14.73
29	14.82	11	14.73	May 4	14.77
May 6	15.86	18	14.85	11	16.58
13	16.65	25	15.30	18	16.54
20	17.16	June 1	16.06	25	16.92
27	17.52	8	17.30	June 2	16.97
June 3	18.80	15	18.35	8	16.98
10	20.04	22	18.05	15	17.46
17	20.56	29	18.55	22	17.49
24	20.94	July 6	18.61	29	16.17
July 1	21.40	13	18.73	July 6	16.42
8	22.17	20	18.82	13	16.48
15	22.38	27	18.86	20	16.34
22	22.42	Aug. 3	18.82	27	16.52
29	22.44	10	19.03	Aug. 3	16.68
Aug. 6	23.11	17	19.01	9	16.79
12	22.56	24	23.35	17	16.89
19	23.08	31	22.73	24	16.85
26	20.53	Sept. 8	22.50	31	16.80
Sept. 3	21.99	14	23.19	Sept. 8	16.73
9	21.09	21	18.60	14	19.77
16	20.46	29	18.01	21	19.50
23	21.64	Oct. 5	18.10	28	19.47
30	22.30	12	18.09	Oct. 5	21.28
Oct. 7	22.85	19	18.16	13	21.84
14	23.06	26	18.49	19	22.13
21	23.35	Nov. 2	20.13	Nov. 1	16.42
28	23.51	10	21.19	15	14.90
Nov. 4	23.79	17	21.20	29	12.80
11	24.01	25	21.96	Dec. 13	13.80
18	24.13	30	15.30	28	14.15
25	23.64	Dec. 7	22.28		
Dec. 2	20.39	14	12.86		
9	20.21	21	11.20		

NB 135. J. M. Curtin, abandoned dug well, 706 Farmington Ave., New Britain. Diameter 24 inches, depth 23.4 feet. The measuring point is an orange paint mark on top board of well house 3.4 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 20	16.43	Sept.30	21.43	Aug. 3	19.01
27	16.11	Oct. 8	21.77	10	19.60
Dec. 4	14.87	14	21.96	17	20.07
10	15.21	21	21.97	24	20.39
18	15.79	28	22.05	31	20.69
24	15.41	Nov. 4	22.64	Sept. 8	20.76
1935		11	22.85	14	20.83
Jan. 8	16.23	18	22.94	21	21.40
15	14.76	25	22.98	28	21.72
22	15.92	Dec. 2	22.55	Oct. 5	21.56
29	16.29	9	22.21	13	21.32
Feb. 6	16.38	16	22.69	20	21.40
14	16.37	23	22.78	26	21.33
20	16.00	30	22.81	Nov. 2	21.32
27	15.89	1936		9	21.18
Mar. 6	15.19	Jan. 5	21.36	16	20.84
13	19.22	13	21.06	23	20.50
19	19.26	21	22.16	30	20.46
27	19.30	28	18.20	Dec. 7	20.70
Apr. 1	19.00	Feb. 4	17.63	14	19.16
8	14.64	12	17.08	21	18.20
15	12.83	19	17.01	28	15.16
22	13.16	24	16.86	1937	
30	14.00	Mar. 3	16.43	Jan. 4	14.77
May 8	14.83	10	15.46	11	12.82
13	15.35	16	12.91	18	11.88
20	15.97	25	12.14	25	9.60
27	16.50	30	11.66	Feb. 1	10.75
June 3	17.03	Apr. 7	11.41	9	13.35
10	17.35	13	10.61	15	12.36
17	17.72	20	11.47	24	12.48
24	18.12	27	13.58	Mar. 2	12.76
July 1	18.61	May 4	13.19	8	12.89
8	18.93	11	14.07	15	12.92
15	19.23	18	14.12	22	12.12
22	18.94	25	14.40	29	12.46
29	18.80	June 1	14.92	Apr. 5	12.98
Aug. 5	19.00	8	15.33	12	12.14
12	19.52	15	16.01	19	12.35
19	19.84	23	16.44	26	12.18
26	20.30	29	16.75	May 5	12.96
Sept. 2	20.86	July 6	17.05	10	13.42
9	21.33	13	17.78	17	13.20
16	20.02	21	18.36	24	13.86
23	21.20	27	18.65	June 1	14.71

Water level in feet below measuring point in well NB 135-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 7	14.96	Aug. 3	18.30	Sept.30	18.58
15	14.32	10	18.73	Oct. 5	18.80
21	14.42	16	19.11	14	19.91
28	14.28	23	18.93	25	18.89
July 7	17.03	30	17.38	Nov. 8	17.32
13	17.29	Sept. 8	18.68	22	15.83
20	17.57	14	18.49	Dec. 6	12.87
27	17.81	21	18.73	20	14.13

NB 137. P. F. McDonough, abandoned dug well, Stanley St., New Britain. Diameter 24 inches, depth 24.6 feet. The measuring point is top of cement curb around iron top 0.4 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 21	11.91	June 17	12.50	Jan. 5	17.58
26	12.28	24	12.81	13	17.19
Dec. 4	10.53	July 1	14.27	21	17.49
10	10.04	8	13.68	28	15.20
18	10.61	15	14.01	Feb. 19	15.40
24	10.18	22	13.59	24	15.57
1935		29	13.71	Mar. 3	15.02
Jan. 8	11.87	Aug. 5	14.10	10	13.71
15	11.55	12	14.51	16	11.92
22	11.83	19	14.88	25	6.73
29	12.08	26	15.31	30	5.55
Feb. 6	12.05	Sept. 2	15.66	Apr. 7	5.77
20	11.99	9	15.60	13	5.57
27	11.84	16	15.84	20	6.35
Mar. 7	11.63	23	16.13	27	7.56
13	11.04	30	16.24	May 4	8.32
19	11.11	Oct. 8	16.69	11	8.88
27	12.33	14	16.97	18	9.45
Apr. 1	12.36	21	17.13	25	10.20
8	13.11	28	17.50	June 1	10.82
15	12.00	Nov. 4	17.81	8	11.31
22	12.00	11	17.96	15	12.02
30	8.64	18	18.12	23	12.34
May 8	9.61	25	18.35	29	12.67
13	9.90	Dec. 2	18.14	July 6	12.90
20	10.56	9	17.97	13	13.85
27	11.13	16	18.06	21	14.00
June 3	11.73	23	18.21	27	14.17
10	12.11	30	18.28	Aug. 3	14.83

Water level in feet below measuring point in well NB 137-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Aug. 10	15.73	Jan. 11	8.71	June 21	9.97
17	16.20	18	5.63	28	9.83
24	16.54	25	5.40	July 7	11.00
31	16.83	Feb. 1	5.90	13	11.37
Sept. 8	17.26	9	7.02	20	12.38
14	16.92	15	7.08	27	12.96
21	17.55	24	5.98	Aug. 3	13.21
28	17.21	Mar. 2	6.30	10	13.86
Oct. 5	16.98	8	7.52	16	14.19
13	16.14	15	7.63	23	14.07
20	16.10	22	5.92	30	13.11
26	16.13	29	6.53	Sept. 8	13.26
Nov. 2	16.16	Apr. 5	7.66	14	13.52
9	15.93	12	7.03	21	13.71
16	16.78	19	6.96	30	13.93
23	17.50	26	6.74	Oct. 5	13.63
30	17.42	May 5	7.37	14	13.91
Dec. 7	17.73	10	8.15	Dec. 6	6.47
14	15.62	17	8.02	20	7.85
21	14.68	24	8.76		
28	12.41	June 1	9.50		
1937		7	9.86		
Jan. 4	11.35	15	9.85		

NB 138. B. B. Gillette, abandoned dug well, 206 Hartford Rd., New Britain. Diameter 24 inches, depth 14.3 feet. The measuring point is an orange paint mark on tile inside of well box at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 13	8.20	Feb. 14	8.50	May 20	7.76
21	7.77	20	7.79	27	9.43
26	7.56	27	7.77	June 3	9.33
Dec. 4	7.05	Mar. 7	3.36	10	9.71
10	7.41	13	4.11	17	10.10
18	7.11	19	4.40	24	10.32
24	7.21	27	4.40	July 1	10.69
29	6.91	Apr. 1	4.42	8	10.95
1935		8	5.32	15	10.97
Jan. 8	7.45	15	3.92	22	10.26
15	4.69	22	4.13	29	9.66
22	7.10	30	6.18	Aug. 5	10.15
29	6.65	May 8	7.08	12	10.73
Feb. 6	7.94	13	7.07	19	11.22

Water level in feet below measuring point in well NB 138-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Aug. 26	11.68	June 15	9.45	Mar. 8	5.60
Sept. 2	11.87	23	9.87	15	5.52
9	11.38	29	10.25	22	4.06
16	11.18	July 6	10.63	29	4.72
23	11.90	13	11.05	Apr. 5	5.92
30	12.09	21	11.45	12	5.36
Oct. 8	12.02	27	11.81	19	5.71
14	12.30	Aug. 3	11.90	26	5.42
21	12.40	10	11.98	May 5	5.96
28	12.65	17	12.25	10	6.65
Nov. 4	12.73	24	12.85	17	5.72
11	12.89	31	12.06	24	5.83
18	12.97	Sept. 8	12.56	June 1	6.73
25	13.11	14	12.57	7	7.14
Dec. 2	10.14	21	11.97	15	8.42
9	10.00	28	12.23	21	8.30
16	10.32	Oct. 5	12.14	28	8.56
23	12.16	13	12.10	July 7	7.45
30	12.66	20	11.98	13	8.26
1936		26	11.77	20	8.55
Jan. 5	9.64	Nov. 2	11.75	27	8.76
13	9.13	9	11.64	Aug. 3	9.17
21	9.33	16	11.39	10	10.37
Feb. 24	8.98	23	11.12	16	10.58
Mar. 3	8.73	30	11.30	23	10.77
10	7.81	Dec. 7	10.64	30	9.06
16	5.46	14	6.73	Sept. 8	9.98
25	5.12	21	2.87	14	8.90
30	4.57	28	3.68	21	9.07
Apr. 7	4.22	1937		30	11.29
13	2.98	Jan. 4	3.27	Oct. 5	9.77
20	3.86	11	3.41	14	10.04
27	5.40	18	3.60	25	9.55
May 4	5.88	25	2.67	Nov. 8	7.88
11	6.96	Feb. 1	2.54	22	6.08
18	7.60	9	3.27	Dec. 6	3.38
25	8.34	15	7.38	20	5.13
June 1	8.87	23	4.78		
8	9.15	Mar. 2	5.17		

NB 139. Mrs. H. J. Sedgwick, abandoned dug well, 543 Hartford Rd., New Britain. Diameter 36 inches, depth 28.0 feet. The measuring point is an orange paint mark on stone curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point in well NB 139-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 13	19.52	Nov. 4	22.73	Nov. 16	22.62
21	19.57	11	22.92	23	21.75
26	18.83	18	23.09	30	21.47
Dec. 4	18.84	25	23.17	Dec. 7	22.87
10	18.57	Dec. 2	22.51	14	18.90
18	19.64	9	22.05	21	16.20
24	19.33	16	22.31	28	18.51
29	19.01	23	22.94	1937	
1935		30	22.68	Jan. 4	18.22
Jan. 8	19.53	1936		11	17.90
15	16.21	Jan. 5	20.00	18	18.08
22	19.43	13	19.30	25	16.02
29	19.25	21	19.57	Feb. 1	18.02
Feb. 6	20.13	Feb. 19	20.20	9	19.09
14	19.63	24	20.17	15	19.39
20	19.76	Mar. 3	19.49	23	18.64
27	19.81	10	17.83	Mar. 2	18.76
Mar. 7	18.40	16	16.10	8	19.08
13	18.65	25	16.27	15	18.72
19	18.96	30	16.88	22	17.98
27	19.00	Apr. 7	16.97	29	18.39
Apr. 1	19.19	13	17.64	Apr. 5	19.26
8	21.06	20	18.59	12	18.52
15	17.67	27	19.35	19	19.00
22	17.66	May 4	19.74	26	18.67
30	19.47	11	20.03	May 5	19.28
May 8	19.70	18	20.13	10	19.50
13	19.97	25	20.96	17	19.03
20	20.32	June 1	20.11	24	19.26
27	20.33	8	20.24	June 1	19.57
June 3	20.50	15	20.36	7	20.32
10	20.54	23	20.44	15	20.23
17	20.58	29	20.70	21	20.35
24	20.54	July 6	21.00	28	20.56
July 1	20.81	13	21.29	July 7	19.65
8	21.09	21	21.48	13	20.08
15	21.01	27	21.74	20	20.29
22	20.61	Aug. 3	22.08	27	20.46
29	19.56	10	22.32	Aug. 3	21.02
Aug. 5	20.47	17	22.50	10	21.90
12	20.96	24	22.93	16	22.06
19	21.17	31	22.81	23	20.12
26	21.63	Sept. 8	22.91	30	19.73
Sept. 2	21.91	14	22.96	Sept. 8	19.98
9	21.42	21	22.28	14	19.80
16	20.48	28	22.30	21	19.91
23	20.85	Oct. 5	22.15	30	19.45
30	20.96	13	22.10	Oct. 5	20.35
Oct. 8	21.64	20	21.96	14	21.60
14	21.83	26	22.00	25	19.65
21	21.96	Nov. 2	21.83	Nov. 8	19.40
28	22.37	9	21.67	22	18.80

Water level in feet below measuring point in well NB 139-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937			
Dec. 6	18.21	Dec. 20	19.27		

NB 144. W. L. Hatch Co., abandoned dug well, 646 Allen St., New Britain. Diameter 36 inches, depth 14.7 feet. Measuring point is an orange paint mark top of casing inside well house at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 13	7.97	July 22	9.85	Mar. 30	3.62
20	8.06	29	9.51	Apr. 7	3.76
27	8.16	Aug. 5	9.74	13	3.54
Dec. 4	6.39	12	9.44	20	4.41
10	7.04	19	9.91	27	5.20
18	8.44	26	10.25	May 4	5.45
24	8.19	Sept. 2	10.38	11	6.02
29	7.77	9	10.07	18	6.65
1935		16	10.19	25	7.16
Jan. 8	7.76	23	10.96	June 1	7.22
15	6.76	30	11.12	8	7.45
22	7.87	Oct. 8	11.83	15	7.63
29	8.03	14	12.06	23	7.90
Feb. 6	8.44	21	12.20	29	8.48
14	8.76	28	12.60	July 6	8.76
20	7.78	Nov. 4	12.97	13	9.75
27	7.02	11	13.33	21	9.92
Mar. 7	6.65	18	13.51	27	10.13
13	5.92	25	13.57	Aug. 3	10.90
19	5.88	Dec. 2	10.44	10	11.30
27	5.90	9	10.29	17	11.45
Apr. 1	5.71	16	10.57	24	11.87
8	6.63	23	12.03	31	11.06
15	5.10	30	13.09	Sept. 8	11.76
22	6.62	1936		14	12.14
30	7.32	Jan. 5	10.90	21	10.45
May 8	7.79	13	10.11	28	10.37
13	7.30	21	10.22	Oct. 5	10.24
20	8.20	28	9.20	13	10.21
27	8.33	Feb. 4	9.27	20	10.16
June 3	9.29	12	9.38	26	10.73
10	9.35	19	10.33	Nov. 2	10.61
17	9.50	24	10.24	9	10.77
24	9.29	Mar. 3	9.13	16	10.75
July 1	9.89	10	8.16	23	11.26
8	10.34	16	6.33	30	11.52
15	10.23	25	2.12	Dec. 7	9.62

Water level in feet below measuring point in well NB 144-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 14	7.42	Apr. 5	5.80	Aug. 3	9.62
21	5.83	12	5.06	10	10.69
28	6.83	19	5.38	16	11.06
1937		26	5.14	23	10.98
Jan. 4	5.50	May 5	5.82	30	6.60
11	5.78	10	6.28	Sept. 8	8.18
18	4.53	17	6.83	15	7.19
25	2.54	24	6.76	21	7.77
Feb. 1	4.40	June 1	6.63	30	9.15
9	5.98	7	6.92	Oct. 5	9.25
15	8.37	15	7.62	14	9.31
24	4.86	21	7.53	25	6.56
Mar. 2	5.32	28	7.72	Nov. 8	7.40
8	5.90	July 7	9.11	22	6.15
15	5.48	13	7.83	Dec. 6	4.82
22	5.23	20	8.16	20	5.74
29	5.00	27	9.03		

NB 145. B. Biella, abandoned dug well, 1042 East St., New Britain. Diameter 24 inches, depth 16.0 feet. The measuring point is an orange paint mark top of well house 3.7 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 13	9.52	Apr. 1	8.81	Aug. 26	11.44
21	9.92	8	10.50	Sept. 2	11.57
27	9.76	15	9.83	9	10.86
Dec. 4	9.25	22	9.84	16	11.22
10	9.41	30	10.54	23	11.27
18	9.67	May 8	9.42	30	11.39
24	9.45	13	9.50	Oct. 8	11.26
29	9.12	20	9.79	14	11.19
1935		27	10.04	21	11.15
Jan. 8	9.72	June 3	10.38	28	11.13
15	9.19	10	10.35	Nov. 4	11.50
22	9.85	17	10.66	11	11.66
29	9.74	24	10.70	18	11.82
Feb. 6	9.94	July 1	10.95	25	11.69
14	9.97	8	10.92	Dec. 2	10.96
20	8.88	15	11.07	9	10.75
27	11.66	22	10.81	16	11.04
Mar. 7	8.64	29	10.34	23	11.12
13	8.10	Aug. 5	11.11	30	11.56
19	8.19	12	11.16	1936	
27	8.73	19	11.33	Jan. 5	14.04

Water level in feet below measuring point in well NB 145-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
Jan. 13	14.00	Aug. 31	11.10	Apr. 12	12.23
21	14.01	Sept. 8	11.34	19	12.64
28	9.85	14	11.45	26	12.30
Feb. 4	9.72	21	11.23	May 5	12.60
12	9.73	28	11.25	10	14.15
19	10.74	Oct. 5	11.20	17	13.00
24	10.32	13	11.17	24	13.27
Mar. 3	9.77	20	11.12	June 1	13.52
10	8.83	26	11.02	7	13.87
16	7.99	Nov. 2	11.06	15	13.80
25	7.70	9	10.82	21	14.15
30	7.33	16	10.92	28	14.26
Apr. 7	7.29	23	10.83	July 7	14.10
13	7.71	30	10.65	13	14.20
20	8.10	Dec. 7	10.67	20	14.44
28	10.15	14	9.17	27	14.72
May 4	9.20	21	8.64	Aug. 3	15.22
11	8.40	28	8.87	10	15.18
18	9.65	1937		16	15.36
25	9.90	Jan. 4	8.51	23	15.59
June 1	10.05	11	10.92	30	14.60
8	10.16	18	8.10	Sept. 8	14.64
15	10.23	25	7.09	15	14.40
23	10.42	Feb. 1	7.68	21	14.61
29	10.60	9	8.68	30	14.50
July 6	10.87	15	5.32	Oct. 5	14.60
13	11.01	24	12.82	14	14.68
21	11.27	Mar. 2	12.76	25	14.00
27	11.45	8	12.90	Nov. 8	13.45
Aug. 3	11.40	15	12.16	22	12.91
10	11.38	22	11.70	Dec. 6	11.42
17	11.63	29	12.45	20	12.26
24	11.45	Apr. 5	12.70		

NB 204. **G. Doerner,** abandoned dug well, 82 Rocky Hill Ave. New Britain. Diameter 20 inches, depth 13.9 feet. The measuring point is an orange paint mark on stone curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1935	
Nov. 21	7.49	Dec. 24	7.11	Jan. 22	5.58
27	8.04	29	5.69	29	7.55
Dec. 4	5.35	1935		Feb. 5	7.93
10	5.48	Jan. 8	6.56	16	7.77
18	7.33	15	4.12	20	7.53

Water level in feet below measuring point in well NB 204-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1936	
Feb. 27	7.00	Jan. 21	10.63	Dec. 28	2.79
Mar. 7	3.06	28	4.91	1937	
13	2.49	Feb. 4	5.40	Jan. 4	2.23
19	2.98	12	6.98	11	2.30
27	2.99	19	7.00	18	1.82
Apr. 1	4.91	24	6.69	25	1.40
8	6.22	Mar. 3	6.02	Feb. 1	2.11
15	4.27	10	5.58	9	3.51
22	5.17	16	5.19	15	2.68
30	6.68	30	2.35	24	2.45
May 8	7.42	Apr. 7	2.19	Mar. 2	3.10
13	7.70	13	2.54	8	3.94
20	8.35	20	3.61	15	2.43
27	9.33	27	5.47	22	2.03
June 10	10.33	May 4	6.18	29	2.63
17	10.61	11	6.26	Apr. 5	3.94
24	10.63	18	6.90	12	2.80
July 1	11.50	25	7.40	19	4.43
8	11.52	June 1	7.64	26	4.59
15	11.60	8	7.83	May 5	5.98
22	11.22	15	8.01	10	6.80
29	9.95	23	8.20	17	6.05
Aug. 5	10.20	29	8.62	24	6.40
12	10.92	July 6	8.84	June 1	6.93
19	11.51	13	10.05	7	7.76
26	12.13	21	10.30	15	8.32
Sept. 2	12.29	27	10.55	21	8.52
9	11.94	Aug. 3	10.94	28	8.63
16	11.42	10	11.02	July 7	8.08
23	11.70	17	12.00	13	8.49
30	11.76	24	12.05	20	9.05
Oct. 8	11.08	31	12.39	27	9.53
14	12.65	Sept. 8	12.39	Aug. 3	10.42
21	12.76	14	11.73	10	11.03
28	12.95	21	12.60	16	11.36
Nov. 4	13.80	28	12.04	23	11.43
11	Dry	Oct. 5	11.88	30	9.60
18	Dry	13	11.90	Sept. 15	7.05
25	Dry	20	11.80	21	8.11
Dec. 2	12.77	26	11.76	30	8.36
9	12.63	Nov. 2	11.67	Oct. 5	9.40
16	12.83	9	11.01	14	8.72
23	13.28	16	11.15	25	13.42
30	14.01	23	11.27	Nov. 8	6.59
1936		30	11.45	22	5.07
Jan. 5	10.75	Dec. 7	10.60	Dec. 6	3.05
13	10.42	14	8.70	20	5.20

NH 55. F. J. Ramstein, abandoned dug well, R.F.D. #1, New Hartford. Diameter 36 inches, depth 23.8 feet. The measuring point is a paint mark top of curb, west side at land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 1	16.25	Apr. 17	16.82	Sept. 30	21.10
13	16.02	24	17.67	Oct. 7	22.01
20	15.85	May 1	17.01	14	23.06
29	16.10	6	16.87	21	23.00
Dec. 4	16.08	13	17.07	28	20.50
11	15.66	20	18.11	Nov. 4	20.62
18	15.96	27	19.04	9	20.70
24	16.17	June 3	19.07	18	20.90
1935		10	19.16	25	20.72
Jan. 2	16.52	17	20.11	Dec. 2	21.33
8	16.95	24	19.82	9	21.20
15	16.76	July 1	19.01	16	21.07
22	16.74	8	19.11	23	20.63
29	16.97	15	19.16	30	21.25
Feb. 5	17.23	22	20.12	1936	
12	17.23	29	19.19	Jan. 5	20.80
19	17.57	Aug. 5	18.60	13	20.59
26	17.70	12	21.76	21	20.30
Mar. 5	17.75	19	22.10	Feb. 2	20.00
12	17.62	26	22.93	10	20.93
19	17.49	Sept. 2	22.99	17	20.11
26	17.45	9	22.99	24	19.86
Apr. 4	17.52	16	19.60		
10	17.76	23	20.00		

NH 68. C. L. Marsh, abandoned dug well, R.F.D. #1 New Hartford. Diameter 36 inches, depth 14.1 feet. The measuring point is a paint mark on top east side center of pump structure 2.6 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 1	11.91	Jan. 2	11.97	Feb. 26	12.30
13	11.04	8	12.45	Mar. 5	12.28
20	11.59	15	11.59	12	11.65
27	11.81	22	12.00	19	11.40
Dec. 4	10.95	29	12.55	26	11.80
11	11.36	Feb. 5	12.56	Apr. 4	11.65
18	11.90	12	12.60	10	11.81
24	11.79	19	12.32	17	10.44

Water level in feet below measuring point in well NH 68-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Apr. 24	10.85	Mar. 2	13.20	Jan. 25	10.31
May 1	10.91	9	13.13	Feb. 1	10.46
6	11.62	16	11.35	8	11.15
13	11.59	23	11.10	15	11.09
20	12.16	30	8.32	22	10.72
27	12.56	Apr. 6	9.96	Mar. 1	11.10
June 3	12.59	13	10.01	8	11.33
10	13.14	20	9.98	15	10.88
17	13.13	27	9.38	22	11.12
24	12.48	May 4	8.71	29	11.59
July 1	13.24	June 1	12.17	Apr. 6	11.61
8	13.07	8	12.55	12	9.96
15	13.10	15	13.10	19	9.27
22	13.72	22	13.29	26	9.37
29	13.01	29	12.48	May 3	11.64
Aug. 5	12.76	July 6	12.80	10	9.87
12	13.58	13	13.02	17	9.93
19	13.71	21	13.26	24	11.05
26	14.08	27	13.33	June 2	11.51
Sept. 2	14.10	Aug. 3	13.35	7	11.90
9	13.59	10	13.50	14	12.20
16	12.10	17	13.70	21	12.42
23	13.10	24	13.66	28	11.27
30	13.60	31	13.47	July 6	11.31
Oct. 7	13.75	Sept. 8	13.41	12	11.39
14	14.23	14	13.40	19	11.47
21	14.52	21	13.49	26	11.51
28	14.15	29	13.33	Aug. 2	11.73
Nov. 4	14.12	Oct. 5	13.09	9	12.80
9	14.10	12	13.65	19	13.22
18	14.04	19	13.13	23	12.67
25	14.00	26	12.81	30	11.59
Dec. 2	13.55	Nov. 2	11.97	Sept. 6	12.20
9	13.44	9	13.51	13	12.50
16	13.50	16	12.89	20	11.96
23	12.92	23	12.66	27	12.48
30	13.10	30	13.32	Oct. 5	12.79
1936		Dec. 7	13.06	11	12.88
Jan. 5	13.24	14	12.00	18	13.06
13	13.24	21	11.60	25	11.75
21	12.88	28	11.12	Nov. 8	11.93
Feb. 2	12.83	1937		22	11.07
10	12.62	Jan. 4	11.50	Dec. 6	10.34
17	11.48	11	11.43	20	11.25
24	13.60	18	10.37		

NH 190. H. G. Haywood, abandoned dug well, R.F.D. #1 Nepaug Rd., New Hartford. Diameter 30 inches, depth 15.2 feet. Measuring point is a painted nail head north end of opening in hinged wooden cover at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Oct. 18	5.93	Sept. 9	11.23	Aug. 24	9.17
Nov. 20	5.88	16	11.23	31	9.42
27	6.40	23	11.30	Sept. 8	9.94
Dec. 4	4.34	30	10.18	14	10.00
11	6.17	Oct. 7	11.12	21	9.48
18	6.68	14	10.60	29	10.09
24	6.72	21	11.10	Oct. 5	9.87
31	6.89	28	11.15	12	10.03
1935		Nov. 4	11.10	19	9.06
Jan. 7	7.13	9	11.36	26	8.43
14	6.25	18	11.40	Nov. 2	7.93
21	5.97	Dec. 2	10.36	9	7.55
28	6.24	9	9.52	16	7.76
Feb. 4	6.81	16	9.47	23	7.68
11	7.39	23	8.96	1937	
18	7.46	30	9.40	May 3	6.32
25	7.19	1936		17	5.53
Mar. 4	6.44	Jan. 5	9.38	24	5.91
12	5.95	21	9.38	June 2	6.17
19	5.62	27	9.86	9	6.36
26	5.00	Feb. 4	9.90	14	8.31
Apr. 4	5.63	11	9.81	21	8.44
10	5.60	17	9.10	28	6.01
17	4.00	Mar. 10	8.43	July 6	6.01
24	5.11	16	6.28	12	6.04
May 1	5.00	23	6.30	19	6.09
6	6.27	30	6.26	26	6.13
13	6.01	Apr. 6	5.72	Aug. 2	6.19
20	7.00	13	6.00	9	6.25
27	8.11	20	5.81	19	6.41
June 3	8.86	27	5.68	23	5.93
10	8.85	May 4	5.00	30	5.58
17	9.16	June 1	8.26	Sept. 6	6.18
24	6.88	8	7.78	13	7.12
July 1	7.33	15	7.83	20	6.26
8	7.97	22	8.15	27	7.26
15	8.66	29	8.01	Oct. 5	7.73
22	8.72	July 6	7.83	11	7.81
29	8.62	13	8.07	18	8.30
Aug. 5	8.99	21	8.28	25	5.64
12	9.40	27	8.99	Nov. 8	6.62
19	10.12	Aug. 3	8.54	22	5.84
26	11.16	10	8.51	Dec. 6	5.59
Sept. 2	12.10	17	9.12	20	6.37

NH 192. E. B. Miner, abandoned dug well, R.F.D. #1 New Hartford. Diameter 48 inches, depth 10.8 feet. The measuring point is a painted nail head at center of sharp edge of board curb at an opening on west side at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Oct. 30	5.50	Sept. 23	8.56	Sept. 14	9.15
Nov. 13	5.12	30	8.93	21	9.18
20	5.44	Oct. 7	9.06	29	9.24
27	5.55	14	9.26	Oct. 5	9.19
Dec. 4	4.95	21	9.36	12	9.47
11	5.35	28	9.40	19	8.85
18	5.54	Nov. 4	9.63	26	8.21
24	5.60	9	9.97	Nov. 2	8.00
31	5.82	18	10.00	9	8.08
1935		Dec. 2	8.28	16	7.97
Jan. 7	5.60	9	8.00	23	8.01
14	4.84	16	8.16	30	8.15
21	5.00	23	8.01	Dec. 7	8.09
28	5.15	30	8.00	14	6.61
Feb. 4	5.26	1936		21	5.53
11	5.92	Jan. 5	7.78	28	5.26
18	6.00	13	7.28	1937	
25	5.87	21	7.31	Feb. 15	4.86
Mar. 4	5.60	27	6.28	22	4.51
12	5.48	Feb. 4	6.62	Mar. 1	5.02
19	5.32	11	6.50	8	5.45
26	4.80	17	6.43	15	5.09
Apr. 10	5.11	Mar. 10	6.02	22	5.48
17	4.19	16	4.26	29	5.22
24	5.18	23	4.16	Apr. 6	5.22
May 1	5.16	30	4.20	12	4.91
6	5.49	Apr. 6	4.23	19	4.93
13	5.42	13	4.62	26	4.95
20	6.34	20	4.63	May 3	5.01
27	7.01	27	5.03	10	5.25
June 3	7.98	May 4	5.10	17	4.76
10	8.12	June 1	6.00	24	4.81
17	8.19	8	6.00	June 2	5.37
24	6.02	15	6.01	7	5.17
July 1	6.18	22	6.10	14	5.53
8	6.12	29	6.05	21	5.41
15	6.96	July 6	6.83	28	5.14
22	7.00	13	7.02	July 6	5.17
29	6.95	21	7.35	12	5.15
Aug. 5	6.96	27	7.51	19	5.17
12	7.63	Aug. 3	7.71	26	5.21
19	8.16	10	7.90	Aug. 2	5.27
26	8.11	17	8.26	9	5.92
Sept. 2	8.30	24	8.50	19	6.16
9	8.15	31	8.77	23	5.83
16	8.17	Sept. 8	8.81	30	5.35

Water level in feet below measuring point in well NH 192-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Sept. 6	5.73	Oct. 5	6.33	Nov. 8	5.52
13	6.13	11	6.48	22	4.86
20	5.61	18	6.66	Dec. 6	4.72
27	6.15	25	5.31	20	4.83

NH 193. Mrs. Ralph Blaikie, abandoned dug well, R.F.D. #1, Nepaug-Burlington Rd., New Hartford. Diameter 36 inches, depth 15.4 feet. The measuring point is a paint mark on sharp edge of small boulder on curb south east side 2.5 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Nov. 30	14.55	Mar. 29	8.61	Aug. 2	7.67
Dec. 7	14.62	Apr. 6	8.51	9	8.01
14	13.67	12	7.91	19	8.37
21	12.62	19	7.94	23	8.46
28	11.51	26	7.74	30	8.80
1937		May 3	7.23	Sept. 13	9.60
Jan. 4	9.93	10	7.37	20	8.77
11	9.16	17	7.55	27	9.28
18	6.33	24	7.53	Oct. 5	10.30
25	6.23	June 2	8.32	11	11.85
Feb. 1	6.00	7	8.37	18	13.31
15	6.95	14	9.27	25	12.19
22	6.27	21	9.21	Nov. 8	8.61
Mar. 1	7.59	July 6	7.18	22	7.48
8	7.72	12	7.36	Dec. 6	6.68
15	7.14	19	7.49	20	7.92
22	7.67	26	7.58		

NH 263. F. Miranders, abandoned dug well, R.F.D. #1 New Hartford. Diameter 48 inches, depth 15.9 feet. The measuring point is a paint mark on the sharp edge north west side of wood curb 1.6 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 7	11.20	Nov. 20	11.40	Dec. 4	11.10
13	11.31	27	11.80	11	11.77

Water level in feet below measuring point in well NH 263-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1937	
Dec. 18	12.27	Dec. 9	16.08	Jan. 4	10.90
24	11.82	16	15.82	11	11.00
1935		23	15.90	18	10.31
Jan. 2	12.00	1936		25	10.01
8	12.43	Jan. 5	15.89	Feb. 1	10.35
15	11.59	13	15.59	8	11.14
22	11.97	21	15.52	15	10.84
29	12.12	Feb. 2	15.60	22	10.61
Feb. 5	12.31	10	15.64	Mar. 1	11.08
12	12.39	17	15.38	8	11.46
19	12.05	24	14.74	16	11.16
26	11.99	Mar. 9	14.41	22	10.71
Mar. 5	11.90	16	11.87	29	11.23
12	11.13	23	11.90	Apr. 6	10.87
19	10.96	30	11.82	12	10.15
Apr. 10	12.00	Apr. 6	11.81	19	10.99
17	10.98	13	10.96	26	10.57
24	11.55	20	11.53	May 3	10.80
May 1	11.77	27	11.66	10	11.17
6	11.84	May 4	11.64	17	10.46
13	11.74	June 8	12.74	24	10.69
20	11.82	15	13.10	June 2	10.16
27	12.01	22	13.10	7	11.72
June 3	12.59	29	12.11	14	11.31
10	13.16	July 13	13.92	21	11.63
17	13.09	22	14.36	28	11.91
24	12.19	27	14.32	July 6	11.98
July 1	13.23	Aug. 3	14.42	12	12.06
8	13.34	10	15.08	19	12.16
15	13.42	17	15.20	26	12.23
22	13.50	24	14.90	Aug. 2	12.37
29	13.27	31	15.63	9	10.75
Aug. 5	13.24	Sept. 8	15.71	19	11.19
12	14.41	14	14.36	23	10.83
19	14.85	21	15.92	30	10.50
26	15.07	29	14.39	Sept. 6	10.96
Sept. 2	15.37	Oct. 5	14.28	13	11.17
9	15.00	12	14.52	27	12.19
16	15.00	19	15.34	Oct. 5	12.48
23	15.01	26	15.27	11	12.62
30	15.10	Nov. 2	12.20	18	12.91
Oct. 7	16.36	9	13.94	25	11.24
14	16.47	16	14.17	Nov. 8	11.42
28	16.50	23	14.21	22	10.92
Nov. 4	17.00	30	14.51	Dec. 6	9.63
9	17.23	Dec. 7	14.13	20	11.06
18	17.46	14	12.92		
25	17.30	21	11.43		
Dec. 2	16.53	28	11.06		

NH 264. C. A. Mason, abandoned dug well, R.F.D. #1 New Hartford. Diameter 60 inches, depth 11.6 feet. The measuring point is a paint mark top of curb east side 3.0 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 7	10.64	Feb. 5	12.27	May 20	12.00
13	10.84	12	12.52	27	12.72
20	11.37	19	12.34	June 3	12.73
27	11.69	26	12.29	10	13.21
Dec. 4	10.56	Mar. 5	12.19	17	13.11
11	11.14	12	11.54	24	12.20
18	11.94	19	11.41	July 1	13.19
24	11.79	Apr. 4	11.12	8	12.99
1935		10	12.12	15	13.01
Jan. 2	11.99	17	10.20	22	13.20
8	12.41	24	11.02	29	13.13
15	11.14	May 1	11.11	Aug. 5	13.12
22	11.58	6	11.83		
29	11.91	13	11.62		

NH 266. Mrs. G. C. Kellogg, abandoned dug well, New Hartford. Diameter 36 inches, depth 29.1 feet. The measuring point is a paint mark top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 7	25.00	Jan. 2	25.32	Feb. 26	25.45
13	24.14	8	25.58	Mar. 5	25.43
20	25.32	15	24.90	12	24.92
28	25.46	22	25.18	19	24.87
Dec. 4	24.94	29	25.37	Apr. 4	25.46
11	25.27	Feb. 5	25.58		
18	25.51	12	25.70		
24	25.20	19	25.46		

N 146. G. T. Matthews, abandoned dug well, Maple Hill, Newington. Diameter 40 inches, depth 39.5 feet. Measuring point is an orange paint mark on cement curb 3.0 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 20	12.84	Oct. 21	36.38	Sept. 8	38.61
27	12.69	28	38.16	14	39.45
Dec. 4	10.68	Nov. 4	38.80	21	37.38
10	9.65	11	38.93	28	39.05
18	12.39	18	39.22	Oct. 5	38.15
24	11.21	25	40.40	13	38.00
29	10.27	Dec. 2	35.08	20	37.32
1935		9	34.17	26	36.12
Jan. 8	11.49	16	34.69	Nov. 2	35.98
15	8.33	23	36.19	9	35.23
22	9.60	30	37.96	16	35.30
29	10.95	1936		23	35.36
Feb. 5	12.73	Jan. 5	39.36	30	35.40
27	10.85	13	37.84	Dec. 7	34.23
Mar. 7	7.46	21	37.88	14	18.72
13	7.01	28	12.74	21	8.31
19	7.67	Feb. 4	17.86	28	9.38
27	8.00	12	21.10	1937	
Apr. 1	8.42	19	20.87	Jan. 4	8.45
8	9.59	24	18.23	11	8.23
15	7.83	Mar. 3	14.44	18	7.73
22	8.04	10	10.62	25	6.77
30	10.82	16	8.29	Feb. 1	7.55
May 8	11.66	25	3.15	9	9.15
13	12.09	30	7.30	15	9.47
20	15.03	Apr. 7	7.93	24	8.30
27	19.44	13	7.50	Mar. 2	8.96
June 3	22.08	20	8.37	8	10.38
10	23.72	27	10.44	15	9.76
17	25.45	May 4	11.70	June 15	16.78
24	25.75	11	12.60	21	16.89
July 1	27.48	18	13.29	28	17.10
8	29.00	25	13.85	July 7	15.11
15	29.84	June 1	15.72	13	17.42
22	29.45	8	18.60	20	19.02
29	29.10	15	21.01	27	20.87
Aug. 5	30.32	23	23.44	Aug. 3	25.54
12	31.78	29	24.43	10	27.87
19	31.99	July 6	24.75	16	28.85
26	32.07	13	25.80	23	28.82
Sept. 2	32.19	21	25.95	30	24.91
9	31.67	27	25.06	Sept. 8	23.00
16	32.44	Aug. 3	25.41	15	16.54
23	33.50	10	25.76	21	18.02
30	33.78	17	35.45	30	19.86
Oct. 8	35.41	24	36.47	Oct. 5	24.32
14	35.99	31	37.19	14	21.11

Water level in feet below measuring point in well N 146-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Oct. 25	19.91	Nov. 22	8.82	Dec. 20	9.07
Nov. 8	11.44	Dec. 6	7.40		

N 150. W. H. Ehlers & L. Gronbeck, abandoned drilled well, 165 Maple Hill Rd., Newington. Diameter 6 inches, depth 70 feet. Measuring point is an orange paint mark on top of pipe at the land surface. The water-bearing formation is sandstone.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 20	25.97	Aug. 12	30.00	Apr. 20	19.27
27	24.06	19	30.46	27	24.19
Dec. 4	18.35	26	30.51	May 4	23.98
10	20.11	Sept. 2	30.89	11	25.85
18	23.68	9	30.10	18	26.35
24	22.81	16	29.95	25	26.95
29	21.76	23	30.30	June 1	27.10
1935		30	30.76	8	27.36
Jan. 8	22.53	Oct. 8	31.25	15	27.61
15	19.41	14	31.54	23	27.80
22	22.14	21	31.76	29	29.16
29	23.21	28	32.49	July 6	29.42
Feb. 5	22.85	Nov. 4	32.65	13	29.17
Mar. 7	16.56	11	32.19	21	29.23
13	16.97	18	32.71	27	29.35
19	16.96	25	32.74	Aug. 3	29.53
Apr. 1	17.13	Dec. 2	30.19	10	29.76
8	22.62	9	30.01	17	31.43
15	18.00	16	30.14	24	31.89
22	19.76	23	31.01	31	31.94
30	23.54	30	31.75	Sept. 8	32.30
May 8	24.59	1936		14	32.65
13	24.66	Jan. 5	26.53	21	31.54
20	25.37	13	25.29	28	31.80
27	26.19	21	25.31	Oct. 5	30.92
June 3	27.00	28	23.29	13	30.30
10	27.41	Feb. 4	23.11	20	29.63
17	27.91	12	23.20	26	29.16
24	28.08	24	23.07	Nov. 2	29.03
July 1	28.60	Mar. 3	21.92	9	28.86
8	28.98	10	19.74	16	28.73
15	29.25	16	17.86	23	28.90
22	28.91	25	17.51	30	28.92
29	20.36	30	16.93	Dec. 7	27.13
Aug. 5	29.05	Apr. 7	16.61	14	20.42

Water level in feet below measuring point in well N 150-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 21	17.90	Apr. 5	22.48	July 27	26.21
28	19.37	12	18.50	Aug. 3	26.93
1937		19	22.04	10	26.57
Jan. 4	16.52	26	20.00	16	27.86
11	17.57	May 5	21.68	23	26.51
18	17.55	10	23.68	30	25.20
25	15.85	17	20.92	Sept. 8	25.62
Feb. 1	18.24	24	21.60	15	22.33
9	22.11	June 1	24.96	21	23.07
15	22.14	7	24.75	30	24.60
24	18.80	15	25.53	Oct. 5	26.20
Mar. 2	19.76	21	25.68	14	25.81
8	21.83	28	25.73	Nov. 8	22.57
15	18.37	July 7	23.44	22	19.48
22	16.58	13	24.50	Dec. 6	17.68
29	18.74	20	25.73	20	21.68

N 151. L. D. Boughton, abandoned drilled well, Maple Hill Ave., Newington. Diameter 6 inches, depth 104.0 feet. Measuring point is a paint mark top of casing 4 feet below land surface in cellar extension. The water-bearing formation is sandstone.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 20	19.54	Jan. 29	18.09	Apr. 22	15.31
27	18.81	Feb. 5	18.67	30	18.37
Dec. 4	15.92	14	20.63	May 8	19.20
10	16.83	20	18.86	13	19.86
18	17.98	27	17.01	20	20.52
24	17.95	Mar. 7	11.16	27	21.59
29	16.87	13	11.33	June 3	22.50
1935		19	11.36	10	22.12
Jan. 8	17.88	Apr. 1	12.11	17	23.61
15	15.62	8	17.10	24	23.92
22	17.89	15	14.61	July 1	24.39

N 152. C. H. Sherwood, abandoned dug well, Conn. Rt. 73, Newington. Diameter 24 inches, depth 22.0 feet. Measuring point is a paint mark west side top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point in well N 152-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 20	16.94	May 13	16.84	Nov. 11	19.99
27	16.87	20	15.08	18	20.14
Dec. 4	14.23	27	17.46	25	20.01
10	14.38	June 3	16.71	Dec. 2	19.25
18	15.67	10	17.69	9	19.01
24	15.33	17	18.03	16	19.27
29	14.29	24	18.15	23	19.53
1935		July 1	18.42	30	19.86
Jan. 8	16.59	8	18.65	1936	
15	14.51	15	18.68	Jan. 5	17.00
22	15.73	22	18.09	13	16.36
29	17.03	29	18.24	21	16.51
Feb. 5	17.12	Aug. 5	18.35	28	16.73
14	17.19	12	18.79	Feb. 4	16.91
20	16.01	19	19.07	12	17.02
27	15.73	26	19.45	19	17.00
Mar. 7	15.59	Sept. 2	19.66	24	16.80
13	15.38	9	19.09	Mar. 3	15.24
19	15.52	16	18.80	10	14.19
27	16.13	23	18.90	16	13.17
Apr. 1	16.00	30	19.22	25	13.54
8	16.57	Oct. 8	19.33	30	14.66
15	14.96	14	19.55	Apr. 7	14.60
22	15.13	21	19.60	13	12.20
30	16.65	28	20.20	20	12.91
May 8	16.79	Nov. 4	19.80		

N 155. M. Doraz, abandoned dug well, Willard Ave., Newington. Diameter 24 inches, depth 20.7 feet. Measuring point is a paint mark top of flagstone east side at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 13	5.29	Jan. 29	6.42	May 20	7.09
20	5.56	Feb. 5	5.59	27	7.70
27	6.29	Mar. 7	5.00	June 3	8.46
Dec. 4	4.57	13	5.13	10	8.97
10	5.38	19	5.13	17	9.63
18	6.41	27	5.99	24	9.50
24	5.87	Apr. 1	6.32	July 1	10.14
29	4.71	8	5.80	8	11.12
1935		15	4.98	15	11.68
Jan. 8	5.74	22	4.76	22	11.31
15	3.99	30	6.44	29	11.17
22	5.52	May 6	6.49	Aug. 5	11.31

Water level in feet below measuring point in well N 155-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1936	
Aug. 12	12.46	Mar. 25	4.29	Dec. 7	10.70
19	12.59	30	4.37	14	6.60
26	12.71	Apr. 7	4.49	21	4.27
Sept. 2	12.98	13	4.60	28	5.12
9	12.54	20	5.00	1937	
16	15.00	27	5.80	Jan. 4	4.27
23	13.63	May 4	6.02	11	4.03
30	13.92	11	6.35	18	4.04
Oct. 8	14.81	18	6.56	25	3.55
14	15.67	25	6.90	Feb. 2	3.98
21	15.48	June 1	7.07	9	5.43
28	16.38	8	7.64	15	4.92
Nov. 4	16.53	15	8.33	24	4.05
11	16.71	29	9.58	Mar. 2	5.20
18	16.86	July 6	9.94	8	5.92
25	16.72	13	11.11	15	4.90
Dec. 2	13.63	21	11.39	22	4.58
9	13.12	27	11.70	29	4.82
16	13.49	Aug. 3	11.92	Apr. 5	5.44
23	14.77	10	12.17	12	4.64
30	15.35	17	16.50	19	5.52
1936		24	17.72	26	5.08
Jan. 5	8.10	Sept. 21	18.00	May 5	5.73
13	7.51	28	16.95	10	6.30
21	7.69	Oct. 5	15.74	17	5.53
28	6.00	13	15.81	24	5.78
Feb. 4	6.47	20	15.70	June 1	6.35
12	7.03	26	14.90	7	6.72
19	6.24	Nov. 2	14.81	15	7.22
24	6.09	9	11.67	21	7.18
Mar. 3	5.17	16	11.56	28	7.03
10	4.43	23	11.07		
16	4.27	30	11.10		

N 156. Mrs. Robert Brown, abandoned dug well, East Robbins Ave., Newington. Diameter 36 inches, depth 18.5 feet. Measuring point is a paint mark north side of curb at the land surface. The water-bearing formation is stratified drift. The well was filled in on Oct. 5, 1937

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 13	16.25	Nov. 29	16.84	Dec. 10	16.53
20	17.00	Dec. 4	14.02	18	16.66

Water level in feet below measuring point in well N 156-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Dec. 24	16.47	Sept. 16	17.11	June 15	17.07
29	15.74	23	17.08	23	17.07
1935		30	17.31	29	17.00
Jan. 8	16.12	Oct. 8	17.15	July 6	17.35
15	14.94	14	17.17	13	16.99
22	16.34	21	17.21	21	17.25
29	18.18	28	17.23	27	17.77
Feb. 5	17.64	Nov. 4	17.12	Aug. 3	17.50
14	16.80	11	17.28	10	17.14
27	15.02	18	17.41	17	17.13
Mar. 7	15.70	25	17.10	24	17.10
13	15.91	Dec. 2	16.85	31	16.96
19	15.99	9	16.64	1937	
27	16.13	16	16.92	Feb. 25	16.15
Apr. 1	16.35	23	17.04	Mar. 2	16.38
8	16.45	30	17.14	8	16.74
15	15.92	1936		15	15.64
22	15.96	Jan. 5	16.52	22	15.83
30	16.43	13	15.83	29	16.45
May 8	16.49	21	15.96	Apr. 5	16.74
13	16.65	28	16.66	12	15.00
20	16.70	Feb. 19	16.45	19	16.70
27	16.79	24	16.17	26	16.56
June 3	16.74	Mar. 3	15.01	May 5	16.77
10	16.66	10	13.04	10	16.82
17	16.92	16	11.23	17	16.65
24	16.98	25	14.17	24	16.63
July 1	16.87	30	16.02	June 1	16.81
8	16.92	Apr. 7	15.72	7	16.70
15	17.06	13	16.20	15	16.94
22	16.77	20	16.40	21	16.90
29	17.04	28	16.70	25	16.87
Aug. 5	16.92	May 4	16.44	July 7	17.20
12	17.20	11	17.01	13	16.80
19	17.41	18	17.97	20	16.93
26	17.53	25	16.97	27	17.28
Sept. 2	17.60	June 1	16.99	Aug. 3	17.25
9	17.09	8	17.04	10	16.39

No 304. C. H. Denny, abandoned dug well, North St., Norfolk. Diameter 36 inches, depth 20.6 feet. Measuring point is a paint mark edge of hole in flagstone cover at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	9.73	Feb. 16	9.25	Apr. 20	9.06
29	9.91	23	9.09	27	9.23
1937		Mar. 3	9.19	May 4	8.87
Jan. 5	10.02	9	9.33	11	8.16
12	10.10	16	9.87	18	8.33
19	8.39	23	9.57	25	8.16
26	7.00	30	10.01	June 2	8.38
Feb. 2	9.06	Apr. 5	10.17	8	8.77
9	9.17	13	9.37	15	8.94

No 308. Mrs. Cleveland, abandoned dug well, Ashpohtag Rd., Norfolk. Diameter 40 inches, depth 12.0 feet. Measuring point is a paint mark edge of curb 1.0 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	8.48	Mar. 9	3.62	June 2	2.26
29	8.50	16	4.63	8	2.39
1937		23	4.19	15	2.57
Jan. 5	8.54	30	4.47	22	2.68
12	8.51	Apr. 5	4.52	29	2.37
19	5.41	13	7.16	July 7	2.49
25	2.97	20	7.03	13	2.54
Feb. 2	2.71	27	7.13	20	2.65
9	3.05	May 4	7.01	27	2.83
16	3.21	11	4.14	Aug. 3	2.72
23	3.07	18	5.23		
Mar. 3	3.45	25	2.11		

No 310. Mrs. B. Shores, abandoned dug well, Conn Rt. 44, 2 miles west of Norfolk Center, Norfolk. Diameter 36 inches, depth 13.6 feet. Measuring point is a paint mark on edge of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point in well No-310-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
May 11	12.21	June 29	10.39	Aug. 16	11.36
25	10.14	July 7	10.48	24	11.41
June 2	10.37	13	10.51	31	11.63
8	10.51	20	10.62	Sept. 7	11.58
15	10.84	27	10.83	14	11.08
22	10.23	Aug. 3	10.59		

No 311. J. Nash, abandoned dug well, North St., Norfolk. Diameter 40 inches, depth 11.9 feet. Measuring point is a paint mark top of pump housing 3.0 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
May 25	12.23	June 15	12.63	July 7	12.90
June 2	12.34	22	12.98		
8	12.45	29	12.83		

No 312. Mrs. E. Goetz, abandoned dug well, Route 44,Norfolk. Diameter 48 inches, depth 8.5 feet. Measuring point is a keel mark on top of sharp edge of small flat boulder north east side 0.5 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	6.61	Mar. 23	5.26	June 29	5.70
29	6.38	30	5.54	July 7	5.81
1937		Apr. 5	5.35	13	5.93
Jan. 5	6.64	13	5.55	20	6.07
12	6.91	20	5.35	27	6.11
19	6.41	27	5.02	Aug. 3	6.23
26	5.95	May 4	4.88	16	6.50
Feb. 2	6.25	11	5.40	24	6.57
9	5.89	18	5.13	31	6.70
16	5.47	25	5.74	Sept. 7	6.70
23	5.21	June 2	5.81	14	6.19
Mar. 3	5.70	8	5.63	21	6.84
9	5.52	15	5.45	28	7.15
16	5.93	22	5.42	Oct. 6	7.11

Water level in feet below measuring point in well No 312-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Oct. 11	7.23	Nov. 8	6.52	Dec. 20	5.09
18	7.24	23	5.98		
25	6.20	Dec. 6	5.43		

No 313. State of Connecticut,"Old Toll Gate", abandoned dug well, Norfolk-Canaan Rd., Norfolk. Diameter 36 inches, depth 15.0 feet. Measuring point is under sharp edge of windlass support east side 3.2 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	14.00	Apr. 13	14.20	Aug. 16	15.31
29	14.05	20	14.33	24	16.75
1937		27	14.40	31	16.52
Jan. 5	14.12	May 4	14.11	Sept. 7	16.40
12	14.54	11	15.80	14	16.02
19	13.87	18	12.37	21	16.52
26	13.11	25	14.32	28	16.73
Feb. 2	14.18	June 2	14.81	Oct. 6	16.67
9	14.87	8	14.97	11	16.79
16	15.08	15	14.83	18	16.79
23	14.59	22	14.76	25	13.97
Mar. 3	14.67	29	14.55	Nov. 8	14.80
9	14.85	July 7	14.67	23	14.45
16	15.71	13	14.77	Dec. 6	14.30
23	14.60	20	14.84	20	14.97
30	14.69	27	14.93		
Apr. 5	14.60	Aug. 3	14.97		

No 317. F. L. Noble, abandoned dug well, Norfolk-Winsted Rd.,Norfolk. Diameter 36 inches, depth 11.0 feet. Measuring point is a small keel mark on sharp edge of west side of curb 3.1 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	4.13	Jan. 5	3.61	Jan. 19	2.96
29	3.87	12	3.61	26	3.71

Water level in feet below measuring point in well No 317-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Feb. 2	4.31	May 4	3.67	Sept. 14	9.83
9	4.87	11	5.66	21	6.31
16	5.02	18	3.61	28	7.46
23	3.49	25	4.13	Oct. 6	8.02
Mar. 3	3.19	June 2	4.26	11	8.63
9	3.26	8	4.54	18	8.47
16	3.14	15	4.67	25	3.82
23	3.05	22	5.10	Nov. 8	4.87
30	3.24	29	4.89	23	4.16
Apr. 5	3.01	Aug. 16	9.81	Dec. 6	4.31
13	3.49	24	10.39	20	3.80
20	4.22	31	10.41		
27	4.03	Sept. 7	10.16		

No 318. W. Coy, abandoned dug well, Norfolk-Colebrook Rd., Norfolk. Diameter 28 inches, depth 11.4 feet. Measuring point is a paint mark on jutting edge of large flat boulder projecting over south side of curb 0.5 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	2.03	Apr. 20	2.08	Aug. 31	9.95
29	1.91	27	2.05	Sept. 7	10.25
1937		May 4	1.93	14	10.02
Jan. 5	1.71	11	3.11	21	9.53
12	2.11	18	1.92	28	9.11
19	1.04	25	2.96	Oct. 6	9.16
26	1.69	June 2	3.12	11	9.39
Feb. 23	1.71	8	3.03	18	9.52
Mar. 3	1.93	15	3.21	25	3.13
9	2.03	22	1.96	Nov. 8	3.65
23	2.10	29	2.07	23	2.80
30	2.81	Aug. 16	8.51	Dec. 6	3.14
Apr. 5	2.67	24	8.64	20	2.91

No 325. H. A. Cushing, abandoned dug well, Winchester Rd., Norfolk. Diameter 36 inches, depth 9.4 feet. Measuring point is a paint mark on jutting boulder in top of casing at the land surface. The water-bearing formation is till.

Water level in feet below measuring point in well No 325-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	3.98	May 11	4.74	Aug. 31	6.16
29	3.97	18	4.03	Sept. 7	5.85
1937		25	4.24	14	4.60
Jan. 5	3.99	June 2	4.51	21	4.71
12	4.14	8	4.12	28	5.05
19	3.79	15	5.62	Oct. 6	5.23
26	3.80	22	7.90	11	5.45
Feb. 2	4.23	29	4.50	18	5.47
23	3.91	July 7	4.61	25	3.97
Mar. 3	4.16	13	4.78	Nov. 8	4.16
9	4.31	20	5.10	23	4.34
Apr. 13	4.42	27	5.39	Dec. 6	4.08
20	4.38	Aug. 3	5.74	20	4.03
27	4.01	16	6.00		
May 4	4.24	24	6.26		

No 327. H. A. Cushing, abandoned dug well, Norfolk Rd., Norfolk. Diameter 36 inches, depth 9.2 feet. Measuring point is a paint mark center of sharp edge of large boulder on north side of casing at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	4.86	Apr. 13	5.95	Aug. 10	Dry
29	5.08	20	5.90	16	Dry
1937		27	6.10	24	Dry
Jan. 5	5.34	May 4	6.23	31	Dry
12	5.93	11	6.29	Sept. 7	Dry
19	5.72	18	6.26	14	Dry
26	3.96	25	6.30	21	8.44
Feb. 2	6.00	June 2	6.49	28	8.90
9	7.31	8	6.38	Oct. 6	Dry
16	7.65	15	6.49	11	Dry
23	6.37	22	6.67	18	Dry
Mar. 3	7.00	29	6.43	25	4.48
9	7.41	July 7	6.56	Nov. 8	6.98
16	7.17	13	6.64	23	6.64
23	6.96	20	6.78	Dec. 6	6.27
30	6.91	27	6.84	20	7.06
Apr. 5	7.02	Aug. 3	6.97		

No 329. A. O. Smith, abandoned dug well, Grants Rd., Norfolk. Diameter 36 inches, depth 14.4 feet. Measuring point is a small keel mark on north east side of stone slab 0.4 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	11.07	Apr. 13	10.20	Aug. 10	12.10
29	11.19	20	10.16	16	12.22
1937		27	10.91	24	12.41
Jan. 5	11.42	May 4	10.22	31	12.40
12	11.17	11	11.25	Sept. 7	11.25
19	10.84	18	10.44	14	12.20
26	9.87	25	10.95	21	12.00
Feb. 2	11.02	June 2	11.13	28	11.87
9	11.29	8	11.24	Oct. 6	11.96
16	11.21	15	11.21	11	12.04
23	11.55	22	11.15	18	12.13
Mar. 3	11.73	29	11.10	25	10.02
9	11.87	July 7	11.24	Nov. 8	11.27
16	11.43	13	11.37	23	11.17
23	11.94	20	11.18	Dec. 6	11.09
30	11.56	27	11.29	20	11.25
Apr. 5	11.10	Aug. 3	11.33		

No 330. F. C. Bruey, abandoned dug well, Winchester Rd., Norfolk. Diameter 30 inches, depth 14.6 feet. Measuring point is a paint mark center of top edge of wood windlass structure 2.4 feet above land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	14.55	May 5	14.42	Aug. 16	15.70
29	14.11	11	14.58	24	15.90
1937		18	13.22	31	15.55
Jan. 12	14.44	25	14.20	Sept. 7	15.40
19	14.50	June 2	14.51	14	14.75
26	14.14	8	14.38	21	15.05
Feb. 16	14.82	15	14.13	28	15.02
23	14.54	22	14.04	Oct. 6	15.24
Mar. 3	14.65	29	14.49	11	15.38
9	14.93	July 7	14.51	18	15.53
23	15.07	13	14.54	25	14.20
Apr. 5	14.58	20	14.62	Nov. 8	14.46
13	14.25	27	14.73	23	14.38
20	14.10	Aug. 3	14.81	Dec. 6	14.32
27	14.29	10	16.27	20	14.55

No 331. L. Marchand Sr., abandoned dug well, Winchester Rd.,Norfolk. Diameter 30 inches, depth 15.4 feet. Measuring point is a paint mark edge of tractor wheel 0.5 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Apr. 13	4.78	June 22	2.63	Oct. 6	7.14
20	4.61	29	3.83	11	7.46
27	3.09	Aug. 10	8.82	18	7.91
May 4	3.96	16	8.63	25	3.21
11	5.17	24	9.10	Nov. 8	4.71
18	4.96	31	9.56	23	4.08
25	4.30	Sept. 7	9.00	Dec. 6	4.08
June 2	4.47	14	6.40	20	5.13
8	4.54	21	4.86		
15	4.10	28	6.22		

No 332. L. Marchand Jr., abandoned dug well, Winchester Rd.,Norfolk. Diameter 48 inches, depth 12.4 feet. Measuring point is paint mark on point of jutting stone east side of curb 0.5 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	3.01	Apr. 5	3.25	Aug. 24	7.72
29	2.73	13	3.26	31	6.77
1937		20	3.18	Sept. 7	5.70
Jan. 5	2.46	27	2.40	14	2.85
12	2.79	May 4	2.61	21	3.54
19	1.84	11	3.84	28	4.29
26	2.01	18	2.39	Oct. 6	4.70
Feb. 2	3.41	25	3.52	11	4.37
9	3.72	June 2	3.63	18	4.77
16	3.81	8	3.74	25	2.59
23	2.83	15	3.12	Nov. 8	3.46
Mar. 3	3.82	22	1.82	23	3.14
9	3.56	29	2.15	Dec. 6	3.21
23	3.71	Aug. 10	6.90	20	2.66
30	3.83	16	7.38		

No 333. Inman, abandoned dug well, Torrington Rd., Norfolk. Diameter 24 inches, depth 25.3 feet. Measuring point is a paint mark on board of pump support on west side of pump 0.3 foot above land surface. The water-bearing formation is till.

Water level in feet below measuring point in well No 333-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Apr. 20	17.33	July 7	17.81	Sept. 21	19.50
27	17.12	13	17.93	28	19.66
May 5	17.45	20	18.20	Oct. 6	20.04
12	17.11	27	18.35	11	20.18
19	16.85	Aug. 3	18.62	18	20.51
25	17.06	10	19.90	25	18.96
June 2	17.31	17	20.11	Nov. 8	19.13
8	17.47	25	23.52	23	19.11
15	17.93	31	20.54	Dec. 6	18.77
22	17.87	Sept. 7	20.60	20	19.24
29	17.43	14	20.40		

No 334. Mrs. G. M. Parker, abandoned dug well, Hall Meadow Rd., Norfolk. Diameter 24 inches, depth 20.3 feet. Measuring point is a paint mark on southwest corner of windlass structure 3.7 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	7.55	May 11	8.12	Sept. 7	19.62
29	7.36	18	7.67	14	19.15
1937		25	7.96	21	13.85
Jan. 12	7.68	June 2	7.73	28	13.86
26	6.81	8	7.62	Oct. 6	14.95
Feb. 16	9.82	15	7.93	11	15.57
23	8.94	22	8.12	18	16.81
Mar. 3	8.71	29	8.63	25	7.23
9	8.99	Aug. 10	16.79	Nov. 8	8.70
23	9.05	16	17.59	23	8.27
Apr. 5	8.87	24	19.43	Dec. 6	8.03
May 4	8.17	31	19.33	20	9.37

No 335. E. C. Farrington, abandoned dug well, Norfolk. Diameter 30 inches, depth 10.5 feet. Measuring point is a paint mark center east side top of curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Apr. 20	3.32	May 5	4.13	May 19	3.62
27	3.48	12	5.09	25	4.37

Water level in feet below measuring point in well No 335-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 2	4.63	Aug. 3	4.62	Oct. 6	6.82
8	4.97	10	7.45	11	6.95
15	5.61	17	8.08	18	7.46
22	5.42	24	8.56	25	2.96
29	4.43	31	8.64	Nov. 8	4.27
July 7	4.72	Sept. 7	8.30	23	3.81
13	4.65	14	7.50	Dec. 6	3.66
20	4.87	21	5.62	20	3.72
27	4.93	28	6.16		

No 336. L. Humphreys, abandoned dug well, Goshen East St., Norfolk. Diameter 36 inches, depth 17.2 feet. Measuring point is a paint mark on center edge of second plank of wooden cover at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
May 18	9.16	Aug. 17	7.24	Oct. 6	7.53
25	9.25	25	7.80	11	7.58
June 2	9.11	31	7.31	18	7.82
8	9.26	Sept. 7	6.95	25	3.68
15	9.47	14	5.10	Nov. 8	4.74
22	9.81	21	5.32	23	4.56
29	9.63	28	6.02		

No 337. J. P. Elton, abandoned dug well, Winchester Rd., Norfolk. Diameter 48 inches, depth 17.3 feet. Measuring point is a paint mark at center of upper sharp edge of flat stone on west side 0.4 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	2.91	Feb. 2	3.92	Apr. 20	3.17
29	3.14	23	2.78	27	3.03
1937		Mar. 3	4.12	May 4	3.99
Jan. 5	3.66	9	4.25	11	4.09
12	4.17	23	4.16	18	2.95
19	3.12	30	4.07	25	3.89
26	2.94	Apr. 13	3.04	June 2	3.67

Water level in feet below measuring point in well No 337-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 8	3.45	Aug. 16	8.93	Oct. 11	9.45
15	3.10	24	8.42	18	10.13
22	2.83	31	8.20	25	4.01
29	3.33	Sept. 7	8.70	Nov. 8	4.07
July 7	4.71	14	7.70	23	3.64
13	5.02	21	7.91	Dec. 6	3.34
20	5.10	28	8.21	20	3.34
Aug. 10	7.40	Oct. 6	8.95		

No 338. E. P. Elton, abandoned dug well, Winchester Rd., Norfolk. Diameter 72 inches, depth 25.4 feet. Measuring point is a keel mark on upper sharp edge of square boulder at south side of curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 22	1.61	Mar. 30	1.75	Aug. 16	6.08
29	1.47	Apr. 5	1.63	24	6.37
1937		13	1.47	31	6.16
Jan. 5	1.39	20	1.32	Sept. 7	6.29
12	1.46	27	1.28	14	5.69
19	1.21	May 4	1.16	21	8.13
26	1.14	11	1.61	28	3.81
Feb. 2	1.45	18	1.03	Oct. 6	2.75
9	1.60	25	1.12	11	3.03
16	1.72	June 2	1.33	18	2.83
23	1.58	8	1.27	25	1.29
Mar. 3	1.65	15	1.16	Nov. 8	1.43
9	1.71	22	1.31	23	2.36
16	1.47	29	1.47	Dec. 6	1.35
23	1.68	Aug. 10	6.01	20	1.22

No 349. H. F. Mitchell, abandoned dug well, 0.3 miles north of Goshen and Norfolk Town line, Norfolk. Diameter 18 inches, depth 12.2 feet. Measuring point is a paint mark on jutting edge of stone south side of casing at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Apr. 20	8.08	Apr. 27	6.89	May 5	7.15

Water level in feet below measuring point in well No 349-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
May 12	8.08	July 20	8.25	Sept. 28	8.98
18	8.15	27	8.43	Oct. 6	9.01
25	6.33	Aug. 3	8.57	11	9.07
June 2	7.87	10	8.36	18	9.11
8	8.15	17	9.10	25	5.66
15	8.38	24	9.12	Nov. 8	6.83
22	8.72	31	9.15	23	6.58
29	6.37	Sept. 7	9.20	Dec. 6	5.99
July 7	7.81	14	8.85	20	7.35
13	8.15	21	8.98		

RH 177. Miss Grace Warner, abandoned dug well, Middletown Ave.,Rocky Hill. Diameter 15 inches, depth 18.1 feet. Measuring point is an orange paint mark on top board of handle side of well house 2.2 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 13	13.39	Sept.23	18.80	Aug. 3	16.74
20	13.28	30	18.97	10	16.85
27	13.32	Oct. 8	19.75	17	Dry
Dec. 4	11.39	14	Dry	24	Dry
10	11.18	21	Dry	31	Dry
18	11.99	28	Dry	Sept. 8	Dry
24	11.71	Nov. 4	Dry	14	Dry
29	11.46	11	Dry	21	Dry
1935		18	Dry	28	Dry
Jan. 8	11.74	25	Dry	Oct. 5	Dry
15	11.09	Dec. 2	Dry	13	Dry
22	11.33	9	Dry	20	Dry
29	11.82	16	Dry	26	Dry
Feb. 6	13.02	23	Dry	Nov. 2	Dry
14	13.00	30	Dry	9	19.54
20	10.49	1936		16	19.48
27	9.65	Jan. 5	14.69	23	19.05
Mar. 7	9.85	13	14.01	30	18.90
13	10.17	21	14.20	Dec. 7	19.11
19	10.28	28	9.21	14	16.84
27	11.00	Feb. 4	9.92	21	8.25
Apr. 1	11.13	12	10.38	29	8.47
8	11.51	19	9.82	1937	
15	10.97	24	9.24	Jan. 4	10.32
22	10.99	Mar. 3	8.81	11	10.00
30	12.10	10	7.65	18	8.52
May 8	12.66	16	6.91	25	8.18
13	12.98	25	5.57	Feb. 2	9.65
20	13.85	30	6.70	9	10.48
27	14.61	Apr. 7	6.43	15	10.44
June 3	12.98	13	7.28	24	10.30
10	13.35	20	7.99	Mar. 2	10.75
17	13.88	28	9.82	8	11.15
24	13.80	May 4	9.01	15	10.62
July 1	14.73	11	9.25	22	9.76
8	15.41	18	9.34	29	10.39
15	15.67	25	10.98	Apr. 5	11.12
22	15.23	June 1	11.12	12	10.35
29	15.35	8	11.93	19	10.98
Aug. 5	15.69	15	12.70	26	10.63
12	16.31	23	13.43	May 5	10.78
19	16.49	29	13.91	10	11.94
26	17.12	July 6	14.24	17	11.68
Sept. 2	17.49	13	14.97	24	11.77
9	17.05	21	16.50	June 1	11.42
16	17.38	27	16.65	7	13.35

Water level in feet below measuring point in well RH 177-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 15	13.82	Aug. 10	18.61	Oct. 5	18.34
21	14.78	16	18.91	14	19.02
28	14.60	23	19.01	25	18.12
July 7	15.20	30	16.89	Nov. 9	14.33
13	16.00	Sept. 8	18.47	22	11.48
20	16.47	15	18.08	Dec. 6	9.84
27	17.32	21	18.59	20	10.69
Aug. 3	18.07	30	18.83		

RH 178. C. Warner, abandoned dug well, Middletown Ave., Rocky Hill, Diameter 30 inches, depth 23.4 feet. Measuring point is an orange paint mark on stone curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 13	10.15	May 27	18.13	Dec. 16	Dry
20	15.54	June 3	19.39	23	Dry
27	16.61	10	19.66	30	Dry
Dec. 4	12.49	17	20.71	1936	
10	12.09	24	20.74	Jan. 5	21.22
18	15.01	July 1	21.61	13	20.77
24	14.74	8	21.68	21	20.99
29	14.38	15	22.69	28	13.90
1935		22	22.37	Feb. 4	14.37
Jan. 8	14.74	29	22.15	12	15.65
15	10.54	Aug. 5	23.00	19	15.02
22	12.35	12	23.00	24	14.76
29	14.52	19	Dry	Mar. 3	12.72
Feb. 6	15.73	26	Dry	10	10.83
14	16.53	Sept. 2	Dry	16	8.27
20	10.79	9	Dry	25	6.50
27	9.66	16	Dry	30	8.80
Mar. 7	9.25	23	Dry	Apr. 7	8.19
13	9.34	30	Dry	13	9.28
19	9.99	Oct. 8	Dry	20	10.84
27	10.13	14	Dry	28	13.20
Apr. 1	11.68	21	Dry	May 4	12.96
8	12.91	28	Dry	11	13.00
15	11.74	Nov. 4	Dry	18	13.15
22	12.63	11	Dry	25	16.70
30	14.46	18	Dry	June 1	17.25
May 8	16.02	23	Dry	8	18.10
13	16.14	Dec. 2	Dry	15	19.90
20	16.73	9	Dry	23	20,45

Water level in feet below measuring point in well RH 178-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
June 29	21.35	Dec. 14	Dry	May 24	14.18
July 6	21.65	21	10.12	June 1	14.93
13	22.00	29	10.39	7	15.17
21	Dry	1937		15	15.45
27	Dry	Jan. 4	10.81	21	15.70
Aug. 3	Dry	11	10.35	28	15.72
10	Dry	18	10.78	July 7	19.91
17	Dry	25	8.72	13	20.17
24	Dry	Feb. 2	9.98	20	21.02
31	Dry	9	11.70	27	21.79
Sept. 8	Dry	15	12.36	Aug. 3	22.17
14	Dry	24	11.42	10	23.29
21	Dry	Mar. 2	11.64	30	22.87
28	Dry	8	12.28	Sept. 8	23.00
Oct. 5	Dry	15	13.58	15	22.64
13	Dry	22	9.53	21	22.91
20	Dry	29	10.46	30	22.97
26	Dry	Apr. 5	11.83	Oct. 5	22.85
Nov. 2	Dry	12	10.18	14	Dry
9	21.80	19	11.50	20	Dry
16	21.73	26	10.97	Nov. 9	16.09
23	Dry	May 5	12.60	22	12.19
30	Dry	10	14.35	Dec. 6	9.70
Dec. 7	Dry	17	14.12	20	12.35

RH 179. C. F. Gallager, abandoned dug well, 147 Main St., Rocky Hill. Diameter 20 inches, depth 15.2 feet. Measuring point is an orange paint mark on shelf in well house 1.6 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 13	12.15	Feb. 6	11.73	May 8	12.63
20	11.75	14	12.70	13	12.81
27	12.36	20	6.69	20	13.06
Dec. 4	10.56	27	5.90	27	13.29
10	8.52	Mar. 7	5.73	June 3	13.25
18	10.74	13	6.36	10	13.25
24	11.31	19	7.30	17	13.46
29	10.97	27	7.31	24	13.42
1935		Apr. 1	9.53	July 1	13.68
Jan. 8	11.71	8	10.65	8	13.97
15	7.12	15	10.45	15	14.34
22	8.97	22	10.60	22	13.89
29	11.56	30	11.94	29	13.75

Water level in feet below measuring point in well RH 179-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Aug. 5	14.30	May 11	10.78	Feb. 15	8.60
12	14.93	18	10.90	24	8.55
19	15.02	25	12.53	Mar. 2	8.06
26	15.47	June 1	12.73	8	9.57
Sept. 2	15.56	8	12.90	15	9.28
9	15.21	15	13.20	22	5.46
16	15.39	23	13.44	29	6.54
23	15.33	29	13.73	Apr. 5	8.74
30	15.24	July 6	14.07	12	7.02
Oct. 8	15.36	13	14.76	19	8.40
14	15.96	21	15.35	26	8.80
21	16.10	27	15.65	May 5	9.98
28	16.31	Aug. 3	15.73	10	10.12
Nov. 4	16.29	10	15.82	17	11.62
11	16.37	17	16.25	24	10.86
18	16.62	24	16.42	June 1	11.59
25	15.60	31	16.56	7	12.52
Dec. 2	13.92	Sept. 8	Dry	15	13.10
9	13.17	14	Dry	21	13.30
16	13.54	21	15.18	28	13.26
23	14.52	28	14.92	July 7	13.34
30	14.97	Oct. 5	14.66	13	13.52
1936		13	14.06	20	13.70
Jan. 5	13.40	20	13.21	27	14.16
13	13.05	26	14.12	Aug. 3	14.38
21	13.28	Nov. 2	14.16	10	14.67
28	8.72	9	14.68	16	14.73
Feb. 4	9.97	16	14.70	23	15.12
12	11.85	23	14.77	30	14.19
19	11.72	30	14.80	Sept. 8	14.15
24	11.66	Dec. 7	14.40	15	14.02
Mar. 3	9.57	14	9.20	21	14.19
10	7.99	21	5.09	30	14.21
16	5.38	29	5.19	Oct. 5	14.77
25	3.10	1937		14	14.71
30	4.80	Jan. 4	7.00	25	13.94
Apr. 7	4.35	11	6.88	Nov. 9	11.74
13	4.40	18	6.50	22	8.15
20	7.29	25	4.23	Dec. 6	5.18
28	9.82	Feb. 2	5.47	20	8.39
May 4	10.50	9	7.48		

RH 180. E. G. Stevens, abandoned dug well, 255 Main St., Rocky Hill. Diameter 18 inches, depth 12.2 feet. Measuring point is an orange paint mark top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point in well RH 180-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 13	9.31	Nov. 4	8.80	Nov. 2	9.89
20	9.46	11	8.98	9	9.73
27	9.58	18	9.16	16	9.85
Dec. 4	8.83	25	8.35	23	10.38
10	9.13	Dec. 2	6.33	30	10.50
18	9.39	9	6.02	Dec. 7	10.40
24	9.24	16	6.85	14	10.54
29	8.99	23	7.23	21	8.60
1935		30	8.13	29	9.20
Jan. 8	9.33	1936		1937	
15	9.03	Jan. 5	6.90	Jan. 4	11.82
22	9.28	13	6.17	11	11.44
29	9.86	21	6.71	18	8.70
Feb. 3	10.08	28	6.63	25	8.24
14	9.66	Feb. 4	6.87	Feb. 2	9.43
20	9.18	12	7.50	9	8.71
27	9.01	24	7.03	15	8.84
Mar. 7	8.59	Mar. 3	6.18	24	8.92
13	8.56	10	4.66	Mar. 2	9.05
19	8.76	16	4.08	8	9.20
27	8.80	25	4.36	15	9.05
Apr. 1	8.75	30	4.97	22	8.48
8	9.00	Apr. 7	4.51	29	8.75
15	8.55	13	5.17	Apr. 5	9.03
22	8.01	20	5.45	12	8.48
30	9.16	28	6.75	19	8.85
May 8	9.13	May 4	5.04	26	8.64
13	9.23	11	5.97	May 5	8.96
20	9.59	18	6.10	10	9.20
27	9.75	25	6.79	17	8.80
June 3	7.13	June 1	7.31	24	9.19
10	7.02	8	8.05	June 1	9.40
17	7.18	15	8.86	7	9.97
24	6.79	23	9.52	15	9.59
July 1	7.20	29	10.70	21	9.72
8	7.48	July 6	11.00	28	9.63
15	7.29	13	10.17	July 7	9.73
22	6.86	21	10.80	13	10.12
29	6.68	27	11.00	20	9.90
Aug. 5	7.22	Aug. 3	11.05	27	10.61
12	7.63	10	11.10	Aug. 3	11.41
19	7.87	17	11.23	10	10.97
26	7.97	24	11.19	16	10.88
Sept. 2	8.02	31	11.10	23	10.74
9	7.69	Sept. 8	11.26	30	10.06
16	10.31	14	11.44	Sept. 8	9.80
23	10.92	21	10.48	15	9.70
30	10.99	28	10.40	21	9.91
Oct. 8	8.15	Oct. 5	10.22	30	10.02
14	8.23	13	10.09	Oct. 5	10.54
21	8.86	20	9.69	14	10.47
28	8.60	26	9.97	25	9.76

Water level in feet below measuring point in well RH 180-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937			
Nov. 9	9.58	Dec. 6	8.85		
22	9.11	20	9.02		

S 78. F. S. Butler, abandoned dug well, Conn. Rt. 10, Simsbury Rd., south of Pettibone Tavern, Simsbury. Diameter 30 inches, depth 13.9 feet. Measuring point is a paint mark top of tile 3.0 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1938	
Nov. 19	15.38	Sept. 23	16.00	July 27	15.65
26	14.46	30	16.20	Aug. 3	15.73
Dec. 3	14.38	Oct. 7	16.25	10	15.97
11	14.12	14	16.43	17	16.20
17	14.26	21	16.50	24	16.33
26	14.04	28	16.54	31	16.24
31	14.12	Nov. 4	16.58	Sept. 8	16.30
1935		11	16.61	14	16.43
Jan. 7	14.25	19	16.64	21	16.20
14	13.68	26	16.65	28	15.84
21	13.64	Dec. 2	16.41	Oct. 5	16.00
28	13.82	10	16.42	13	16.10
Feb. 5	14.06	16	Dry	20	15.76
15	14.37	23	Dry	26	15.09
21	14.58	30	15.25	Nov. 2	14.93
28	14.26	1936		9	15.36
Mar. 6	14.16	Jan. 5	15.22	16	15.36
13	14.00	13	15.93	23	15.38
19	13.74	21	15.81	30	15.25
26	13.60	28	14.20	Dec. 7	15.40
Apr. 2	13.58	Feb. 4	14.38	14	14.72
9	13.63	12	15.27	21	14.54
16	13.46	17	14.90	28	13.95
23	13.50	25	14.77	1937	
May 2	13.80	Mar. 3	14.75	Jan. 4	14.00
8	13.96	9	14.61	11	13.98
14	14.00	16	14.40	18	13.90
20	13.62	25	11.19	26	13.48
26	13.85	30	10.73	Feb. 1	12.91
June 3	13.71	Apr. 7	10.54	8	13.06
10	13.24	13	11.01	16	13.12
17	13.04	20	11.26	23	13.23
24	14.21	27	11.73	Mar. 1	13.17
July 1	15.07	May 4	12.05	8	13.30
8	15.20	11	12.45	15	13.54
15	15.20	18	12.81	22	12.83
22	15.45	25	13.20	29	13.47
29	15.30	June 1	13.77	Apr. 6	13.65
Aug. 5	15.48	8	13.86	12	13.63
12	15.55	15	13.94	19	13.26
19	15.71	22	14.17	26	13.20
26	15.90	29	14.58	May 4	13.90
Sept. 3	16.04	July 6	14.75	11	13.44
9	16.06	13	15.22	17	13.10
16	16.10	21	15.48	24	13.17

Water level in feet below measuring point in well S 78-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 2	13.19	July 6	13.53	Aug. 11	14.53
7	13.35	12	13.74	17	14.60
14	13.59	19	13.90	24	13.86
22	13.38	26	14.18	31	14.40
29	13.23	Aug. 2	14.30		

S 80. C. B. Rowe, abandoned dug well, Conn. Route 10, Simsbury Rd., Simsbury. Diameter 30 inches, depth 16.4 feet. Measuring point is an orange paint mark top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 12	14.33	June 17	13.01	Jan. 28	Dry
19	14.42	24	13.94	Feb. 4	Dry
26	14.46	July 1	15.25	13	Dry
Dec. 3	14.43	8	15.18	17	Dry
11	14.22	15	15.38	25	Dry
17	14.38	22	15.60	Mar. 3	15.33
26	14.09	29	15.62	9	13.52
31	14.21	Aug. 5	15.71	15	15.02
1935		12	15.60	25	14.71
Jan. 7	15.11	19	14.61	30	14.37
14	13.98	26	15.90	Apr. 7	14.18
21	13.96	Sept. 3	15.97	13	13.80
28	14.28	9	16.12	20	14.62
Feb. 5	14.98	23	16.01	27	13.75
15	15.00	Oct. 1	16.12	May 4	13.85
21	15.21	7	Dry	11	13.72
28	15.10	14	Dry	18	14.12
Mar. 6	14.57	21	16.31	25	14.29
13	14.21	28	Dry	June 1	15.01
19	14.10	Nov. 4	Dry	8	15.86
26	14.15	11	Dry	29	14.93
Apr. 2	14.24	19	Dry	July 6	15.16
9	14.41	26	Dry	13	15.15
16	14.17	Dec. 2	Dry	21	15.29
23	14.18	10	Dry	27	15.38
May 2	14.34	16	Dry	Aug. 3	15.55
8	14.47	23	Dry	10	15.73
14	14.96	30	Dry	17	15.92
20	14.84	1936		24	15.92
27	15.06	Jan. 5	Dry	31	15.58
June 3	14.97	13	Dry	Sept. 8	15.74
10	13.23	21	Dry	14	15.85

Water level in feet below measuring point in well S 80-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Sept. 21	15.28	Feb. 8	13.83	July 6	13.46
28	15.90	15	13.87	12	14.24
Oct. 5	16.00	23	13.74	19	14.08
13	15.96	Mar. 1	13.77	26	14.37
20	16.10	8	14.09	Aug. 2	14.46
26	Dry	15	13.76	11	14.38
Nov. 2	Dry	22	13.61	17	14.40
9	Dry	29	13.82	24	14.03
16	Dry	Apr. 6	13.76	31	14.35
23	Dry	12	13.75	Sept. 7	14.20
30	Dry	19	13.78	14	14.22
Dec. 7	Dry	26	13.82	20	14.00
14	Dry	May 4	13.75	28	13.20
21	15.12	11	13.80	Oct. 4	14.30
28	15.07	17	13.63	13	14.61
1937		24	13.54	18	14.58
Jan. 4	15.01	June 2	13.76	Nov. 1	14.30
11	15.00	7	13.79	15	14.10
18	14.78	14	13.90	29	13.80
26	13.42	22	13.78	Dec. 13	14.60
Feb. 1	13.72	29	13.69	27	14.68

S 82. J. Kulakowski, abandoned dug well, Conn. Route 10, Simsbury Rd., Simsbury. Diameter 30 inches, depth 12.6 feet. Measuring point is an orange paint mark top of curb 2.9 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 12	5.58	Feb. 28	6.33	June 17	9.10
19	6.33	Mar. 6	5.80	24	8.87
26	6.44	13	5.12	July 1	10.60
Dec. 3	5.31	19	4.98	8	11.15
11	6.93	26	5.41	15	11.81
17	7.36	Apr. 2	5.32	22	12.35
26	6.97	9	5.63	29	10.20
31	7.21	16	5.13	Aug. 5	11.40
1935		23	6.19	12	12.10
Jan. 7	7.78	May 2	7.12	19	12.76
14	5.70	8	6.40	26	13.26
21	6.65	14	7.00	Sept. 3	13.78
28	7.02	20	6.80	9	14.01
Feb. 5	7.75	26	6.91	16	13.74
15	7.14	June 3	6.79	23	13.92
21	6.80	10	9.52	30	14.00

Water level in feet below measuring point in well S 82-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Oct. 7	14.97	June 29	10.61	Mar. 15	5.50
14	14.46	July 6	10.89	22	4.55
21	14.65	13	12.15	29	5.37
28	15.07	21	12.82	Apr. 6	4.43
Nov. 4	15.30	27	13.05	12	5.15
11	Dry	Aug. 3	13.30	19	5.78
19	Dry	10	13.50	26	5.50
26	Dry	17	13.65	May 4	5.98
Dec. 2	15.50	24	14.13	11	7.18
10	14.36	31	14.23	17	4.98
16	13.88	Sept. 8	14.60	24	5.32
23	14.15	14	13.78	June 2	6.75
30	12.64	21	13.50	7	7.06
1936		28	12.70	14	7.82
Jan. 5	11.97	Oct. 5	11.19	22	5.13
13	9.40	13	10.80	29	6.26
21	9.91	20	10.16	July 6	6.58
28	7.62	26	9.87	12	7.67
Feb. 4	7.77	Nov. 2	9.76	19	6.83
17	9.45	9	7.78	26	8.81
25	9.26	16	7.90	Aug. 2	8.50
Mar. 3	8.94	23	9.11	11	8.53
9	6.37	30	9.70	17	7.56
16	4.80	Dec. 7	8.90	24	7.13
25	4.82	14	6.70	31	5.90
30	4.93	21	5.05	Sept. 7	5.88
Apr. 7	4.81	28	5.61	14	4.82
13	4.56	1937		20	6.01
20	5.25	Jan. 4	6.12	28	7.48
27	6.64	11	6.62	Oct. 4	8.01
May 4	6.72	18	4.10	13	8.12
11	6.90	26	4.32	18	9.40
18	7.07	Feb. 1	5.24	Nov. 1	5.65
25	8.20	8	6.24	15	5.15
June 1	9.15	15	5.59	29	3.98
8	10.48	23	4.54	Dec. 13	5.82
15	12.03	Mar. 1	5.52	27	5.80
22	13.16	8	5.94		

SW 27. R. C. Lasbury Jr., abandoned dug well, U.S. Rt. 5, opposite S.N.E.T. pole 1644, South Windsor. Diameter 30 inches, depth 14.1 feet. Measuring point is an orange paint mark north side top of brick curb on vernnda, 4.3 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 20	13.89	Sept.30	14.31	Aug. 24	14.57
27	14.05	Oct. 7	14.37	31	14.44
Dec. 4	14.19	14	14.47	Sept. 8	14.36
11	14.20	21	14.59	14	14.37
18	13.93	28	14.51	21	14.51
26	14.00	Nov. 4	14.53	29	13.05
1935		11	14.54	Oct. 5	13.10
Jan. 2	14.12	18	14.54	12	13.10
8	14.00	25	14.51	19	13.06
15	12.98	Dec. 2	14.21	26	13.85
22	14.10	9	14.20	Nov. 2	14.04
29	14.19	16	14.22	9	14.15
Feb. 6	15.01	23	14.16	17	14.16
13	14.14	30	14.19	23	14.28
19	14.10	1936		30	14.36
26	13.73	Jan. 6	14.03	Dec. 7	14.66
Mar. 4	14.04	13	14.02	14	13.83
12	13.88	20	13.91	21	13.69
18	13.73	26	13.91	28	13.74
25	13.61	Feb. 4	14.03	1937	
Apr. 1	13.59	10	14.40	Jan. 5	13.81
8	13.67	19	14.30	11	13.63
15	13.81	24	14.42	18	13.57
22	13.84	Mar. 2	14.05	25	13.21
29	13.85	9	14.05	Feb. 1	13.15
May 6	13.99	16	13.51	8	13.46
13	14.07	24	12.69	15	13.67
20	14.13	Apr. 13	12.94	22	13.76
27	14.22	21	12.13	Mar. 1	13.18
June 3	14.30	28	13.16	8	13.18
10	14.35	May 4	13.71	15	13.33
17	14.38	11	13.84	22	13.47
24	14.43	18	13.74	29	13.56
July 1	14.14	25	13.97	Apr. 5	13.71
8	14.21	June 1	14.15	12	13.56
15	14.28	8	14.15	19	13.53
24	14.33	15	14.20	26	13.62
29	14.30	22	14.25	May 3	13.75
Aug. 7	15.02	27	14.28	10	13.87
12	14.51	July 6	14.26	17	13.64
16	14.82	13	15.10	24	13.83
26	14.51	20	15.16	June 1	13.93
Sept. 3	14.62	27	16.02	7	14.00
9	14.14	Aug. 3	16.12	14	13.98
16	13.95	10	17.13	21	14.01
23	13.92	17	17.11	28	14.00

Water level in feet below measuring point in well SW 27-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 7	13.73	Aug. 23	14.42	Oct. 11	14.46
12	14.02	30	14.36	18	14.47
19	14.06	Sept. 7	14.02	26	14.11
26	14.12	13	14.08	Nov. 8	13.97
Aug. 2	14.22	20	13.91	22	13.72
10	14.34	27	14.19	Dec. 6	13.24
16	14.38	Oct. 4	14.35	21	13.75

SW 28. E. Sperry, abandoned dug well U.S. Rt. 5, opposite S.N.E.T. pole 1648, South Windsor. Diameter 24 inches, depth 10.4 feet. Measuring point is an orange paint mark on curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 20	6.42	June 10	5.61	Jan. 6	7.22
27	6,56	17	5.77	13	7.02
Dec. 4	6.08	24	5.80	20	6.88
11	6.16	July 1	7.02	26	6.88
18	6.48	8	7.13	Feb. 4	6.89
26	6.50	15	7.22	10	7.20
1935		24	7.30	24	7.41
Jan. 2	6.54	29	7.08	Mar. 2	7.71
8	6.02	Aug. 7	7.38	9	6.50
15	5.73	12	7.57	16	5.20
22	7.07	16	7.79	24	4.25
29	6.62	26	7.68	30	4.00
Feb. 6	7.98	Sept. 3	7.73	Apr. 6	4.18
13	6.51	9	7.37	13	3.70
19	6.25	16	7.18	21	4.03
26	6.01	23	7.43	28	4.00
Mar. 4	5.73	30	7.61	May 6	5.11
12	5.28	Oct. 7	7.81	11	5.33
18	5.11	14	7.81	18	5.64
25	5.21	21	7.85	25	5.85
Apr. 1	5.17	28	8.02	June 1	6.16
8	5.55	Nov. 4	7.95	8	6.47
15	5.28	11	7.99	15	6.63
22	5.63	18	8.03	22	6.63
29	5.89	25	7.98	27	6.82
May 6	4.72	Dec. 2	7.61	July 6	6.96
13	4.67	9	7.42	13	6.83
20	5.06	16	7.39	20	7.03
27	5.31	23	7.40	27	7.31
June 3	5.58	30	7.67	Aug. 3	7.35

Water level in feet below measuring point in well SW 28-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Aug. 10	7.37	Jan. 11	5.80	June 21	6.32
17	7.72	18	5.78	28	6.21
24	7.80	25	4.88	July 7	6.24
31	7.72	Feb. 1	5.00	12	6.36
Sept. 8	7.80	8	5.43	19	6.43
14	7.75	15	5.26	26	6.57
21	7.73	22	5.36	Aug. 2	6.87
29	7.39	Mar. 1	5.32	10	6.96
Oct. 5	7.32	8	5.38	16	7.03
12	7.01	15	5.58	23	7.14
19	7.36	22	4.55	30	7.07
26	6.95	29	5.04	Sept. 7	7.00
Nov. 2	7.20	Apr. 5	5.38	13	7.11
9	7.05	12	4.83	20	7.08
17	7.06	19	5.29	27	7.25
23	7.32	26	5.34	Oct. 4	7.32
30	7.39	May 3	5.59	11	7.43
Dec. 7	8.37	10	5.86	18	7.53
14	7.68	17	5.68	26	7.09
21	6.30	24	5.73	Nov. 8	6.98
28	6.29	June 1	6.03	22	6.56
1937		7	6.17	Dec. 6	5.80
Jan. 5	5.99	14	6.35	21	5.77

SW 63. P. J. Healy, abandoned dug well, Station 42, South Windsor. Diameter 30 inches, depth 13.5 feet. Measuring point is an orange paint mark east side top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 20	10.31	Feb. 26	11.11	June 3	10.25
27	10.38	Mar. 4	10.00	10	10.31
Dec. 4	10.31	12	9.91	17	10.41
11	10.21	18	9.80	24	10.55
18	10.38	25	9.71	July 2	10.70
26	10.40	Apr. 1	9.65	8	10.73
1935		8	9.62	15	10.82
Jan. 2	10.41	15	9.60	23	10.94
15	9.02	22	9.62	29	10.76
22	10.08	29	9.73	Aug. 7	10.91
29	10.51	May 6	9.82	12	11.01
Feb. 6	10.92	13	9.89	16	11.14
13	10.44	20	10.00	26	11.27
19	10.00	27	10.12	Sept. 3	11.31

Water level in feet below measuring point in well SW 63-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Sept. 9	11.06	July 20	10.31	Mar. 22	9.00
16	10.98	27	10.30	29	9.04
23	10.99	Aug. 3	10.31	Apr. 5	9.21
30	11.09	10	10.96	12	9.05
Oct. 7	11.15	17	12.12	19	9.12
14	11.20	24	10.74	26	9.18
21	11.26	31	10.75	May 3	9.28
28	11.24	Sept. 8	10.98	10	9.42
Nov. 4	11.26	14	11.16	17	9.44
11	11.31	21	10.99	24	9.49
18	11.36	29	10.84	June 1	9.56
25	11.38	Oct. 5	10.80	7	9.63
Dec. 2	11.15	12	10.76	14	9.60
9	11.15	19	10.61	21	9.76
16	11.17	26	10.77	28	9.73
23	11.10	Nov. 2	10.65	July 7	9.51
30	11.21	9	10.65	12	9.68
1936		17	10.61	19	9.79
Jan. 6	11.01	23	10.75	26	9.90
13	10.75	30	11.00	Aug. 2	9.97
20	10.69	Dec. 7	10.66	10	10.05
26	10.69	14	10.34	16	10.17
Mar. 2	10.75	21	9.90	23	10.17
9	10.21	28	9.80	30	10.05
16	9.79	1937		Sept. 7	10.13
May 4	7.94	Jan. 5	9.83	13	10.19
11	8.22	11	9.05	20	10.07
18	8.52	18	9.61	27	10.18
25	8.71	25	9.34	Oct. 4	10.18
June 1	9.05	Feb. 1	8.97	11	10.28
8	9.20	8	9.15	18	10.35
15	9.40	15	9.23	26	10.19
22	9.02	22	9.30	Nov. 8	10.04
29	9.64	Mar. 1	9.27	22	9.77
July 6	9.66	8	9.87	Dec. 6	8.94
13	9.70	15	9.96	21	9.18

SW 64. W. Farnum, abandoned dug well, Station 37, South Windsor. Diameter 24 inches, depth 18.3 feet. Measuring point is an orange paint mark north side of flagstone cover, 0.5 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 20	12.88	Dec. 4	12.86	Dec. 18	13.00
27	12.90	11	12.85	26	12.95

Water level in feet below measuring point in well SW 64-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1935		1936	
Jan. 2	13.04	Dec. 23	14.24	Dec. 14	12.70
8	12.31	30	14.29	21	12.28
15	11.96	1936		28	11.79
22	12.67	Jan. 6	14.08	1937	
29	13.11	13	14.01	Jan. 5	12.11
Feb. 6	13.06	20	13.80	11	12.00
13	12.81	26	13.69	18	11.86
19	12.01	Feb. 4	13.71	25	11.58
26	11.93	10	13.36	Feb. 1	11.05
Mar. 4	12.55	19	13.83	8	11.02
12	12.30	24	13.75	15	11.10
18	12.26	Mar. 2	13.76	22	11.16
25	12.23	9	12.70	Mar. 1	11.18
Apr. 1	12.21	16	12.85	8	11.07
8	12.23	30	7.65	15	11.49
15	12.18	Apr. 6	7.79	22	11.00
22	12.18	13	7.77	29	10.94
29	12.21	21	7.77	Apr. 5	11.08
May 6	12.30	28	8.12	12	10.94
13	12.38	May 4	9.20	19	11.00
20	12.46	11	9.41	26	11.06
27	12.70	18	9.70	May 3	10.14
June 3	12.88	25	10.02	10	11.38
10	12.91	June 1	10.37	17	11.38
17	13.05	8	10.73	24	11.40
24	13.15	15	10.94	June 1	11.59
July 2	13.31	22	11.11	7	11.70
8	13.39	29	11.31	14	11.78
15	13.46	July 6	11.30	21	11.82
24	13.50	13	11.01	28	11.73
29	13.46	20	11.16	July 7	11.47
Aug. 7	13.51	27	12.13	12	11.83
12	13.61	Aug. 3	12.12	19	11.94
16	13.73	10	13.10	26	11.98
26	13.77	17	13.00	Aug. 2	12.00
Sept. 3	13.86	24	12.55	10	12.06
9	13.73	31	12.64	16	12.22
16	13.65	Sept. 8	12.35	23	12.31
23	13.67	14	12.81	30	12.18
30	13.71	21	12.63	Sept. 7	12.20
Oct. 7	13.82	29	13.02	13	12.29
14	13.87	Oct. 5	13.10	20	12.41
21	13.92	12	13.06	27	12.35
28	13.98	19	13.00	Oct. 4	12.40
Nov. 4	14.03	26	12.79	11	12.46
11	14.08	Nov. 2	12.76	18	12.51
18	14.12	9	12.98	26	12.55
25	14.16	17	12.36	Nov. 8	12.28
Dec. 2	14.16	23	13.00	22	12.01
9	14.17	30	13.05	Dec. 6	11.05
16	14.22	Dec. 7	13.01	21	11.15

Su 10. S. Markowski, abandoned dug well, East St., Suffield. Diameter 36 inches, depth 37.5 feet. Measuring point is an orange paint mark on north side of stone slab at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 19	30.22	Oct. 7	34.23	Aug. 17	33.97
26	31.15	14	34.33	24	34.21
Dec. 3	31.30	21	34.39	31	34.30
11	30.87	27	34.44	Sept. 8	34.50
17	31.91	Nov. 4	34.52	14	34.53
26	31.57	11	34.58	21	35.56
31	31.33	19	34.60	28	35.78
1935		26	34.55	Oct. 5	35.37
Jan. 7	30.89	Dec. 2	34.67	13	34.21
14	30.21	10	34.70	20	33.16
21	30.48	16	34.74	26	34.03
28	32.84	23	34.92	Nov. 2	34.09
Feb. 5	33.41	30	34.85	9	34.82
15	33.11	1936		16	34.84
21	33.16	Jan. 5	34.60	23	34.85
28	34.11	13	34.80	30	35.83
Mar. 3	31.93	21	34.65	Dec. 7	34.86
12	32.02	28	34.27	14	34.84
19	31.99	Feb. 4	34.96	21	34.84
26	31.75	11	34.95	28	34.82
Apr. 2	31.21	17	34.90	1937	
9	30.78	25	34.71	Jan. 4	34.70
16	30.24	Mar. 3	34.66	11	34.69
23	29.65	9	32.12	18	34.68
May 2	29.00	16	31.85	26	34.46
8	28.78	25	31.39	Feb. 1	34.18
14	28.79	30	32.72	8	33.52
21	28.80	Apr. 7	32.93	15	31.78
June 3	28.71	13	31.43	23	32.08
10	28.87	20	30.84	Mar. 1	31.62
17	28.79	27	28.44	8	32.10
24	28.91	May 4	27.39	15	31.78
July 1	30.40	11	27.44	22	30.67
8	33.75	18	27.68	29	30.86
15	32.04	25	27.82	Apr. 6	29.54
22	32.50	June 1	28.15	12	28.72
29	32.95	8	28.40	19	29.07
Aug. 5	33.28	15	28.82	26	27.10
12	33.60	22	29.20	May 4	26.20
19	33.78	29	30.38	11	26.70
26	34.10	July 6	30.52	17	25.97
Sept. 3	34.08	13	31.79	24	25.48
9	33.86	21	31.55	June 2	25.32
16	33.90	27	31.69	7	26.37
23	34.04	Aug. 3	32.50	14	26.08
30	34.13	10	33.65	22	26.92

Water level in feet below measuring point in well Su 10-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 29	27.00	Aug. 24	30.31	Oct. 18	34.00
July 6	27.81	31	31.65	Nov. 1	32.05
12	26.82	Sept. 7	32.34	15	32.31
19	27.02	13	32.63	29	33.13
26	28.52	20	32.86	Dec. 13	33.59
Aug. 2	28.81	27	33.25	27	33.77
11	29.37	Oct. 4	33.52		
17	30.38	13	33.81		

Su 11. A. M. Senter, abandoned dug well, East St., Suffield. Diameter 30 inches, depth 43.4 feet. Measuring point is an orange paint mark on stone curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 12	25.37	June 17	29.04	Jan. 21	39.63
26	31.32	24	29.11	28	36.34
Dec. 3	30.97	July 1	30.34	Feb. 4	36.86
11	31.23	8	30.23	13	37.22
17	32.08	15	31.30	17	Dry
26	31.34	22	31.60	24	43.37
31	31.11	29	31.76	Mar. 3	41.19
1935		Aug. 5	31.04	9	37.05
Jan. 7	30.94	12	32.48	16	35.40
14	27.53	19	32.90	25	30.17
21	28.19	26	33.20	30	29.32
28	30.35	Sept. 3	34.00	Apr. 7	29.09
Feb. 5	30.95	9	34.25	13	21.63
15	30.00	16	34.40	20	26.10
21	29.16	23	34.15	27	26.16
28	31.41	30	35.25	May 4	26.45
Mar. 6	30.56	Oct. 7	35.77	11	27.03
12	30.05	14	36.23	18	27.25
19	30.08	21	36.65	25	27.57
26	29.41	27	38.05	June 1	27.72
Apr. 2	29.28	Nov. 19	38.45	8	27.90
9	28.85	26	38.82	15	28.85
16	28.41	Dec. 2	39.12	22	29.40
23	28.42	10	39.47	29	29.70
May 2	28.44	16	39.30	July 6	30.03
8	28.46	23	39.48	13	30.36
14	29.02	30	39.40	21	30.72
20	28.61	1936		27	30.89
June 3	28.84	Jan. 5	39.15	Aug. 3	31.10
10	29.95	13	39.44	10	32.21

Water level in feet below measuring point in well Su 11-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Aug. 17	32.36	Jan. 18	30.16	July 6	26.88
24	33.25	26	27.98	12	25.70
31	33.56	Feb. 1	27.76	19	26.08
Sept. 8	33.68	8	27.63	26	28.57
14	34.53	15	27.62	Aug. 2	28.73
21	33.42	23	27.30	11	28.64
28	33.12	Mar. 1	26.92	17	29.32
Oct. 5	32.61	8	27.53	24	29.06
13	32.11	15	27.36	31	30.52
20	32.10	22	26.94	Sept. 7	30.77
26	32.96	29	27.18	13	30.80
Nov. 2	32.73	Apr. 6	26.94	20	31.72
9	35.94	19	27.23	27	31.85
16	35.76	26	25.62	Oct. 4	31.46
23	35.28	May 4	23.81	13	31.73
30	35.09	11	24.44	18	31.74
Dec. 7	35.05	17	24.18	Nov. 1	34.25
14	34.70	24	24.26	15	33.45
21	34.12	June 2	24.31	29	29.20
28	33.33	7	24.82	Dec. 13	31.47
1937		14	25.42	27	32.35
Jan. 4	32.87	22	26.00		
11	31.83	29	25.55		

T 24. A. N. Plante, abandoned dug well, Torringford St., Torrington. Diameter 36 inches, depth 11.1 feet. Measuring point is a keel mark on rock cover at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 5	3.79	June 17	5.93	Mar. 16	3.03
13	4.08	24	5.92	23	3.13
20	4.57	July 1	6.72	30	3.75
27	4.73	8	6.86	Apr. 6	3.83
Dec. 4	3.44	15	6.97	13	3.98
11	4.42	22	7.01	20	4.16
18	5.08	29	7.00	27	4.92
24	4.57	Aug. 5	7.19	May 4	5.00
1935		19	8.24	11	4.98
Jan. 2	4.68	26	8.37	18	5.16
8	4.93	Sept. 2	8.60	23	6.06
15	3.76	9	8.55	June 1	6.50
22	4.31	16	8.90	8	6.98
29	3.89	23	8.10	15	7.01
Feb. 5	4.92	30	8.96	22	7.14
12	5.76	Oct. 7	8.32	29	6.76
19	4.45	14	9.01	July 6	6.78
26	4.21	21	9.01	13	7.99
Mar. 7	3.35	28	8.87	21	8.59
12	3.13	Nov. 4	8.79	27	8.50
19	3.08	9	8.76	Aug. 3	8.69
26	3.61	18	8.02	10	8.80
Apr. 4	4.06	25	8.00	17	8.90
10	5.00	Dec. 2	5.60	24	8.80
17	4.31	9	5.45	31	9.41
24	4.43	16	4.99	Sept. 8	9.72
May 1	4.16	23	4.63	14	10.01
6	4.99	30	4.76	21	8.81
13	4.84	1936		29	10.11
20	5.12	Jan. 6	4.42	Oct. 5	9.89
27	5.90	13	4.44	12	7.47
June 3	5.90	21	4.48	19	6.04
10	5.90	27	4.48	26	6.01

T 30. Z. Chapocwski, abandoned dug well, Torringford St., Torrington. Diameter 36 inches, depth 26.6 feet. Measuring point is a paint mark south side top of curb 3.0 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point in well T 30-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 6	15.08	Mar. 26	14.18	Aug. 12	22.77
20	14.00	Apr. 4	13.93	19	23.78
27	15.13	10	14.10	26	23.78
Dec. 4	13.37	17	12.13	Sept. 2	24.01
11	12.08	24	12.16	9	24.03
18	13.87	May 1	12.15	16	26.32
24	14.71	6	14.73	23	26.35
31	15.31	13	14.89	30	26.37
1935		20	15.16	Oct. 7	28.18
Jan. 8	16.39	27	16.13	14	28.30
15	13.21	June 3	17.31	21	Dry
22	13.83	10	18.16	28	28.30
29	15.33	17	18.24	Nov. 4	Dry
Feb. 5	16.45	24	20.16	9	Dry
12	16.79	July 1	20.19	18	Dry
19	17.80	8	20.20	25	25.85
26	17.69	15	20.36	Dec. 2	26.69
Mar. 7	17.31	22	21.01	9	27.00
12	15.56	29	20.19		
19	15.02	Aug. 5	21.06		

T 34. J. Ferraratti, abandoned dug well, Torringford St., Torrington. Diameter 36 inches, depth 19.4 feet. Measuring point is a paint mark on square curb, center of west side, 1.4 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1935	
Nov. 6	6.46	Mar. 7	6.70	July 8	8.37
13	6.65	12	6.22	15	8.01
20	7.17	19	6.15	22	9.00
27	7.25	26	7.20	29	9.02
Dec. 4	6.23	Apr. 4	6.76	Aug. 5	10.11
11	7.12	10	6.80	12	10.87
18	7.80	17	6.31	19	11.23
24	7.28	24	6.93	26	12.01
31	7.49	May 1	6.76	Sept. 2	12.10
1935		6	7.39	9	12.00
Jan. 8	7.96	13	7.18	16	11.86
15	6.58	20	7.43	23	11.89
22	7.13	27	7.66	30	11.88
29	7.46	June 3	8.53	Oct. 7	12.15
Feb. 5	7.74	10	9.55	14	12.20
12	8.02	17	8.87	21	12.00
19	7.55	24	9.00	28	12.81
26	7.43	July 1	8.35	Nov. 4	13.21

Water level in feet below measuring point in well T 34-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Nov. 9	13.26	Aug. 10	11.00	Mar. 29	7.19
18	13.27	17	11.20	Apr. 6	6.55
25	13.20	24	10.50	12	7.50
Dec. 2	11.91	31	11.69	19	7.37
9	9.90	Sept. 8	11.60	26	6.62
16	9.50	14	11.61	May 3	7.03
23	9.90	21	11.73	10	7.12
30	10.00	29	11.71	17	6.17
1936		Oct. 5	11.60	24	7.09
Jan. 6	9.69	12	9.18	June 2	7.13
13	7.90	19	7.82	7	6.31
21	4.00	26	6.41	14	7.07
27	4.00	Nov. 2	7.74	21	6.62
Mar. 16	6.22	9	7.21	28	7.30
23	6.21	16	7.42	July 6	7.65
30	6.24	23	7.56	12	7.79
Apr. 6	6.36	30	8.37	19	7.87
13	7.01	Dec. 7	7.64	26	7.82
20	7.20	14	6.78	Aug. 2	7.97
27	7.32	21	6.74	9	7.85
May 4	7.65	28	6.41	19	7.92
11	7.64	1937		23	7.26
18	7.69	Jan. 4	6.57	30	6.95
25	8.10	11	6.11	Sept. 6	7.60
June 1	9.94	18	6.39	13	8.23
8	9.70	25	6.26	20	7.11
15	10.16	Feb. 1	6.87	27	7.98
22	10.14	8	7.69	Oct. 5	8.49
29	9.83	15	7.19	18	9.21
July 6	9.42	22	6.91	25	6.37
13	10.17	Mar. 1	7.08	Nov. 8	6.46
21	10.27	8	7.17	22	7.05
27	11.63	15	6.97	Dec. 6	7.01
Aug. 3	11.68	22	7.43	20	7.37

T 37. F. B. Woodward, abandoned dug well, Torringford St., Torrington. Diameter 36 inches, depth 14.6 feet. Measuring point is a paint mark on upper sharp edge of sill support for chain pump north side center, 0.9 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 2	5.16	Nov. 20	5.23	Dec. 4	2.95
13	4.01	27	5.61	11	5.00

Water level in feet below measuring point in well T 37-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1937	
Dec. 18	6.93	Dec. 30	10.61	Jan. 18	7.93
24	6.35	1936		25	6.41
31	7.61	Jan. 6	10.42	Feb. 1	4.35
1935		13	9.27	8	5.08
Jan. 8	8.21	Mar. 16	3.51	15	6.01
Mar. 7	5.80	23	2.99	22	5.66
26	4.80	30	2.99	Mar. 1	5.97
Apr. 4	4.95	Apr. 6	3.16	8	6.14
10	5.13	13	4.00	15	6.06
17	3.79	20	4.73	22	6.35
24	4.92	27	5.00	29	6.03
May 1	4.89	May 4	5.34	Apr. 6	5.83
6	6.41	11	5.42	12	8.17
13	5.78	18	5.63	19	8.06
20	7.56	25	5.63	26	7.83
27	7.82	June 1	8.51	May 3	4.98
June 3	8.14	8	9.59	10	6.15
10	9.11	15	10.10	17	7.22
17	9.77	22	10.10	24	4.68
24	9.62	29	9.68	June 2	10.19
July 1	10.01	July 6	9.98	7	7.26
8	10.66	13	10.41	14	10.85
15	10.57	21	10.79	21	10.93
22	10.92	27	10.63	28	11.17
29	9.76	Aug. 3	10.72	July 6	9.75
Aug. 5	11.22	10	11.22	12	9.91
12	11.16	17	11.48	19	10.06
19	11.58	24	11.72	26	10.31
26	12.01	Sept. 21	11.52	Aug. 2	10.47
Sept. 2	12.01	29	10.25	9	10.41
9	11.96	Oct. 5	9.97	19	10.98
16	12.03	12	10.91	23	8.94
23	12.06	19	9.82	30	5.50
30	12.10	26	8.76	Sept. 6	9.25
Oct. 7	12.73	Nov. 2	9.86	13	11.80
14	13.01	9	8.53	20	7.32
21	13.10	16	8.45	27	8.62
28	13.62	23	8.34	Oct. 5	9.48
Nov. 4	13.82	30	10.46	11	9.77
9	13.75	Dec. 7	9.49	18	10.26
18	13.64	14	8.53	25	5.32
25	13.00	21	6.43	Nov. 8	6.79
Dec. 2	11.47	28	5.76	22	5.11
9	10.71	1937		Dec. 6	4.99
16	10.59	Jan. 4	4.59	20	6.34
23	10.50	11	4.31		

T 48. J. E. Burnell, abandoned dug well, Torringford St., Torrington. Diameter 30 inches, depth 12.4 feet. Measuring point is a paint mark north side top of casing 1.3 feet below land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 2	3.33	Sept. 23	7.77	Oct. 5	10.03
13	2.89	30	8.00	12	9.76
20	3.60	Oct. 7	9.50	19	8.68
27	3.78	14	9.97	26	6.14
Dec. 4	2.13	21	9.99	Nov. 2	4.77
11	3.64	28	8.83	9	4.27
18	4.80	Nov. 4	10.52	16	4.05
24	3.90	9	10.53	23	3.98
31	4.58	18	10.50	30	6.60
1935		25	10.53	Dec. 7	5.55
Jan. 8	5.35	Dec. 2	8.42	14	4.80
15	2.88	9	6.97	21	2.52
22	3.71	16	8.00	28	2.81
29	4.49	23	7.78	1937	
Feb. 5	5.37	30	7.93	Jan. 4	2.69
12	5.41	1936		11	2.47
19	5.50	Jan. 5	4.87	18	2.93
26	5.42	13	5.56	25	2.61
Mar. 7	4.90	Mar. 16	0.95	Feb. 1	2.58
12	4.29	23	1.23	15	3.52
19	4.19	30	2.32	22	2.72
26	3.36	Apr. 6	2.30	Mar. 8	3.45
Apr. 4	3.30	13	2.38	15	3.11
10	3.33	20	2.43	Apr. 6	2.64
17	1.53	27	2.57	12	2.52
24	2.33	May 4	4.01	19	2.13
May 1	2.33	11	4.29	26	2.17
6	3.16	18	4.01	May 3	2.37
13	2.98	25	4.50	10	2.33
20	3.14	June 1	6.05	17	2.11
27	3.22	8	6.08	24	2.14
June 3	4.11	15	6.17	June 2	3.14
10	5.16	22	7.08	7	2.23
17	4.88	29	6.10	14	3.31
24	4.62	July 6	6.85	21	3.44
July 1	5.35	13	7.42	28	3.62
8	5.35	21	8.01	July 6	4.01
15	5.90	27	8.00	12	4.03
22	6.01	Aug. 3	8.32	19	4.09
29	5.96	10	8.60	26	4.14
Aug. 5	7.90	17	8.78	Aug. 2	4.28
12	7.01	24	9.17	9	6.56
19	7.32	31	9.12	19	5.00
26	7.96	Sept. 8	9.17	23	3.64
Sept. 2	7.97	14	10.13	30	2.40
9	7.96	21	9.06	Sept. 6	3.60
16	7.52	29	10.15	13	4.10

Water level in feet below measuring point in well T 48-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Sept.20	2.46	Oct. 18	4.63	Dec. 6	1.72
27	3.74	25	1.43	20	2.41
Oct. 5	4.51	Nov. 8	2.84		
11	4.81	22	2.10		

T 75. Radom & Tomkin, abandoned dug well, R.F.D. #2, Torrington. Diameter 36 inches, depth 13.2 feet. Measuring point is a paint mark south side top of curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 6	7.33	Jan. 29	7.37	May 27	6.67
13	5.44	Feb. 5	7.60	June 3	9.91
20	6.18	12	8.19	10	10.11
27	6.47	19	11.48	17	11.19
Dec. 4	5.30	26	11.50	24	10.73
11	5.72	Apr. 3	6.61	July 1	11.26
18	7.39	10	6.64	8	11.13
24	7.55	17	5.31	15	11.92
31	7.85	24	5.37	22	12.11
1935		May 1	5.29	29	12.11
Jan. 8	8.09	6	6.31		
15	5.44	13	5.42		
22	6.44	20	6.35		

V 48. K. Gibson, abandoned dug well, Conn. Rt. #83, Rockville, Vernon. Diameter 24 inches, depth 8.6 feet. The measuring point is a paint mark top of curb, south side at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1935	
Nov. 22	7.44	Dec. 11	6.80	Jan. 2	7.40
27	6.82	18	7.43		
Dec. 4	6.85	26	7.40		

V 49. A. M. Burke, abandoned dug well, Conn. Rt. #83, Rockville, Vernon. Diameter 30 inches, depth 16.8 feet. The measuring point is a white paint mark on curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 22	7.10	June 10	9.36	Dec. 30	11.35
27	7.44	17	9.67	1936	
Dec. 4	7.51	24	9.06	Jan. 6	11.90
11	5.99	July 1	9.38	13	11.21
18	7.45	8	9.90	20	11.02
26	6.55	15	10.11	Feb. 4	11.66
1935		22	10.26	10	11.50
Jan. 2	7.20	29	9.76	Mar. 2	11.26
8	8.28	Aug. 7	10.62	9	9.32
15	7.36	12	10.58	16	7.36
22	7.49	19	11.22	24	4.19
29	7.61	26	11.47	30	3.87
Feb. 6	8.02	Sept. 3	11.89	Apr. 6	3.25
19	8.00	9	11.32	13	3.48
26	8.11	16	11.20	21	3.57
Mar. 4	6.53	23	11.21	28	3.55
11	5.15	30	11.53	May 6	6.34
18	5.14	Oct. 7	11.90	11	6.01
25	5.20	14	12.43	18	5.84
Apr. 1	5.15	21	12.53	25	6.76
8	6.03	28	12.93	June 1	7.77
15	4.76	Nov. 4	13.03	8	8.42
22	5.61	11	13.24	15	8.58
29	6.72	18	13.32	22	7.52
May 6	7.58	25	13.37	29	8.28
13	7.24	Dec. 2	12.53	July 6	8.30
20	8.15	10	12.81	13	8.30
27	8.82	16	11.47	20	8.88
June 3	9.24	23	11.13	27	11.12

Water level in feet below measuring point in well V 49-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Aug. 3	11.92	Jan. 11	4.96	June 21	9.20
10	12.09	18	4.03	28	8.81
17	12.00	25	2.45	July 7	8.93
31	12.05	Feb. 1	4.08	12	8.46
Sept. 8	12.25	8	5.56	19	8.56
14	12.45	15	5.02	26	9.63
21	12.10	22	4.10	Aug. 2	10.04
29	11.14	Mar. 1	4.91	10	10.12
Oct. 5	11.12	8	5.35	16	10.16
12	11.10	15	6.14	23	10.99
19	11.16	22	3.96	30	10.75
26	10.70	29	4.96	Sept. 7	9.99
Nov. 2	9.80	Apr. 5	5.74	13	9.81
9	9.70	12	4.70	20	9.75
17	9.63	19	5.64	27	9.73
23	10.24	27	5.68	Oct. 4	10.60
30	10.59	May 3	6.13	11	10.70
Dec. 7	10.60	10	7.25	18	11.34
14	8.34	17	6.93	26	10.24
21	6.61	24	6.47	Nov. 8	9.20
28	6.90	June 1	7.32	22	7.15
1937		7	7.80	Dec. 6	5.34
Jan. 5	5.25	14	7.90	21	6.40

V 50. W. B. Thrall, abandoned dug well, Conn. Route #83, SNET pole #429, Vernon. Diameter 50 inches, depth 37.7 feet. The measuring point is a paint mark east side top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 22	25.74	Feb. 19	22.01	June 3	19.81
27	25.99	26	21.03	10	27.34
Dec. 4	25.70	Mar. 4	21.94	17	29.70
11	25.65	12	21.20	24	30.93
18	26.09	19	20.88	July 1	31.08
25	26.13	25	19.39	15	19.70
1935		Apr. 1	17.51	22	19.90
Jan. 2	26.66	15	19.63	29	19.49
8	25.56	22	33.90	Aug. 5	19.40
15	24.00	29	33.34	12	22.68
22	26.02	May 6	19.78	19	22.02
29	27.01	13	16.45	26	22.14
Feb. 6	27.16	20	16.05	Sept. 3	22.41
13	23.63	27	23.87	9	21.95

Water level in feet below measuring point in well V 50-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Sept.16	23.19	June 29	17.00	Mar. 8	18.23
23	23.62	July 6	17.81	15	18.55
30	23.95	13	18.02	22	17.05
Oct. 7	24.27	20	18.86	29	18.14
14	24.62	27	19.01	Apr. 5	17.61
21	25.26	Aug. 3	19.00	12	17.18
28	25.79	10	20.21	19	18.04
Nov. 4	25.98	17	22.06	27	18.15
11	26.14	24	20.94	May 3	13.93
18	26.69	31	21.56	10	14.52
25	26.82	Sept. 8	22.22	17	14.40
Dec. 2	27.57	14	22.80	24	14.52
10	27.51	21	22.63	June 1	14.61
16	28.51	29	23.77	7	14.54
23	28.82	Oct. 6	24.06	14	14.57
30	29.59	12	23.92	21	14.59
1936		19	23.78	July 7	14.98
Jan. 6	29.26	26	24.71	13	15.03
13	30.65	Nov. 2	25.73	19	15.14
Feb. 4	25.80	9	25.99	26	15.26
24	24.76	17	26.13	Aug. 2	15.41
Mar. 2	33.01	23	26.78	10	15.55
9	33.39	30	27.21	16	15.63
16	32.85	Dec. 7	27.05	23	15.69
24	31.21	14	26.79	30	15.66
30	27.30	21	28.40	Sept. 7	15.57
Apr. 6	20.96	28	28.08	20	15.41
13	17.66	1937		27	15.44
21	18.07	Jan. 5	27.76	Oct. 4	16.54
28	16.76	11	27.10	11	16.87
May 6	16.21	18	26.26	18	23.92
11	18.28	25	25.30	26	24.35
18	17.20	Feb. 1	24.60	Nov. 8	25.02
25	15.77	8	21.06	22	21.88
June 1	15.30	15	18.49	Dec. 6	25.63
8	15.70	22	18.05	21	25.78
22	16.33	Mar. 1	17.98		

V 53. Lyman Bros., abandoned dug well, Conn. Route #83, Station #64, Vernon. Diameter 24 inches, depth 23.8 feet. Measuring point is a white paint mark on flag stone cover at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 22	18.61	Dec. 4	17.50	Dec. 18	17.46
27	17.58	11	18.01	25	17.60

Water level in feet below measuring point in well V 53-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Jan. 2	18.00	Jan. 6	20.60	Jan. 5	16.06
8	18.02	13	20.09	11	16.02
15	17.08	20	19.70	18	15.84
22	18.30	26	19.56	25	15.42
29	18.73	Feb. 4	18.80	Feb. 1	15.59
Feb. 13	17.48	10	19.00	8	15.85
19	17.03	24	19.10	15	15.84
Mar. 4	17.11	Mar. 2	17.04	22	15.80
12	15.44	9	17.50	Mar. 1	15.81
18	15.46	16	15.47	8	16.90
25	15.50	24	15.42	15	16.37
Apr. 1	15.39	30	14.37	22	15.39
8	15.63	Apr. 6	15.33	29	15.64
15	15.51	13	15.50	Apr. 5	15.00
22	15.52	21	15.51	12	15.54
29	15.79	28	16.13	19	15.80
May 6	16.08	May 6	16.42	27	15.82
13	16.15	11	16.20	May 3	16.30
20	16.44	18	15.98	10	16.40
27	16.97	25	16.14	17	15.97
June 3	17.07	June 1	16.59	24	16.03
10	17.83	8	17.02	June 1	16.14
17	18.13	15	17.47	7	16.70
24	18.75	22	17.63	14	16.92
July 1	18.61	29	17.98	21	17.23
8	18.82	July 6	17.98	28	16.94
15	18.90	13	17.98	July 7	17.03
22	18.95	20	18.01	13	17.08
29	18.60	27	17.98	19	17.12
Aug. 7	18.70	Aug. 3	17.16	26	17.18
12	19.13	10	18.32	Aug. 2	17.27
19	19.41	17	18.37	10	17.36
26	19.36	24	19.90	16	17.42
Sept. 3	19.64	31	19.72	23	17.46
9	19.43	Sept. 8	19.85	30	17.44
16	19.46	14	20.01	Sept. 7	17.42
23	19.74	21	20.00	13	17.35
30	19.94	29	19.80	20	17.24
Oct. 7	20.12	Oct. 5	20.20	27	17.29
14	20.31	12	19.96	Oct. 4	17.59
21	20.48	19	19.19	11	17.72
28	20.66	26	23.60	18	19.82
Nov. 4	20.78	Nov. 2	20.68	26	19.60
11	20.99	9	19.79	Nov. 8	19.34
18	21.08	17	19.92	22	18.46
25	21.15	23	20.01	Dec. 6	15.96
Dec. 2	20.65	30	20.14	21	16.35
10	20.72	Dec. 7	19.90		
16	20.85	14	19.70		
23	20.94	21	17.86		
30	21.28	28	16.60		

WH 70. J. S. Garvan, abandoned dug well, Mountain Rd., West Hartford. Diameter 20 inches, depth 27.0 feet. Measuring point is a copper plug set in bucket shelf 0.8 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Dec. 7	27.72	Apr. 6	25.80	Aug. 11	26.13
14	27.45	12	24.51	17	27.29
21	27.14	19	26.02	24	26.99
28	26.61	26	25.98	31	25.37
1937		May 4	25.90	Sept. 7	26.01
Jan. 4	26.11	11	22.15	14	26.14
11	26.12	17	26.11	20	27.14
18	25.96	24	26.18	27	25.97
26	25.16	June 2	26.71	Oct. 4	25.70
Feb. 1	24.67	7	26.26	13	25.81
8	25.06	14	25.03	18	26.20
16	25.41	22	26.30	Nov. 1	25.80
23	24.63	29	26.20	15	26.05
Mar. 1	25.98	July 6	26.13	29	24.90
8	26.10	12	25.87	Dec. 13	25.27
15	26.14	19	26.40	27	25.59
22	25.67	26	26.82		
29	26.10	Aug. 2	26.98		

WH 101. A. Anderson, abandoned dug well, Albany Ave., West Hartford. Diameter 20 inches, depth 19.0 feet. Measuring point is a paint mark northwest side top of casing at the land surface. The water-bearing formation is till. Well filled in on July 13, 1936.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 19	13.17	Mar. 6	9.35	June 10	9.13
26	13.32	13	9.48	17	9.06
Dec. 3	10.94	19	9.00	24	9.00
11	10.31	26	8.93	July 1	12.90
17	10.86	Apr. 2	8.72	8	13.50
26	9.97	9	8.81	15	13.76
31	10.34	16	8.04	22	14.15
1935		23	8.63	29	13.72
Jan. 7	10.08	May 2	9.40	Aug. 5	14.00
14	10.33	8	9.67	12	14.32
21	10.18	14	9.91	19	14.56
28	10.67	20	9.32	26	14.00
Feb. 5	10.72	26	9.74	Sept. 3	15.54
16	9.97	June 3	9.40	9	15.46

Water level in feet below measuring point in well WH 101-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1935		1936	
Sept.16	15.21	Dec. 30	15.40	Apr. 7	5.90
23	16.59	1936		13	4.80
30	15.76	Jan. 5	15.16	20	6.45
Oct. 7	15.92	13	14.12	27	7.72
14	16.13	21	14.57	May 4	8.40
21	16.30	28	13.42	11	8.81
28	16.71	Feb. 4	14.44	18	9.40
Nov. 4	16.71	13	13.60	25	9.83
11	16.81	17	13.70	June 1	10.14
19	17.02	25	13.54	8	11.10
26	16.63	Mar. 3	13.21	15	11.94
Dec. 2	16.85	9	11.88	22	11.90
10	16.45	16	9.00	29	12.27
16	16.30	25	6.21	July 6	12.41
23	16.73	30	5.97		

WH 102. A. W. Brown, abandoned dug well, 753 North Main St., West Hartford. Diameter 30 inches, depth 17.6 feet. Measuring point is an orange paint mark on pump frame 2.7 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 19	11.87	Apr. 16	8.81	Sept.16	15.98
26	11.29	23	9.58	23	16.56
Dec. 3	10.50	May 2	10.34	30	17.00
11	10.28	8	10.44	Oct. 7	17.24
17	10.78	14	10.56	14	17.50
26	10.09	20	10.45	21	17.61
31	10.51	26	10.31	28	17.91
1935		June 3	10.15	Nov. 4	18.09
Jan. 7	10.93	10	13.02	11	18.30
14	10.25	17	12.11	19	18.48
21	10.58	24	12.00	26	18.43
28	10.94	July 1	13.50	Dec. 2	16.85
Feb. 3	10.91	8	12.30	10	17.00
16	10.01	15	15.15	16	17.04
21	9.76	22	15.51	23	17.33
28	9.77	29	14.33	30	16.76
Mar. 6	9.80	Aug. 5	15.02	1936	
13	8.90	12	16.50	Jan. 5	16.66
19	8.80	19	15.99	13	15.21
26	8.70	26	16.35	21	15.66
Apr. 2	8.67	Sept. 3	16.78	28	13.34
9	8.72	9	15.64	Feb. 4	14.62

Water level in feet below measuring point in well WH 102-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
Feb. 13	13.55	Sept. 21	16.69	Apr. 26	8.97
17	12.15	28	16.39	May 4	9.33
25	12.01	Oct. 5	15.90	11	10.04
Mar. 3	11.71	13	15.43	17	9.08
9	10.14	20	14.87	24	9.44
16	8.20	26	15.13	June 2	10.19
25	7.96	Nov. 2	15.15	7	10.18
30	7.81	9	14.85	14	10.41
Apr. 7	7.66	16	14.73	23	8.98
13	7.50	23	14.85	29	9.76
20	8.35	30	15.07	July 6	9.66
27	9.15	Dec. 7	15.05	12	10.60
May 4	10.25	14	11.23	19	10.80
11	9.62	21	9.52	26	12.35
18	9.93	28	9.93	Aug. 2	11.78
25	10.41	1937		11	12.52
June 1	10.89	Jan. 4	9.03	17	12.79
8	11.92	11	9.04	24	12.61
15	12.40	18	8.59	31	11.15
22	12.36	26	7.34	Sept. 7	10.38
29	12.54	Feb. 1	7.94	14	9.53
July 6	12.83	8	8.92	20	10.04
13	14.08	16	8.60	27	10.86
21	14.70	23	8.19	Oct. 4	10.45
27	14.96	Mar. 1	8.30	13	11.61
Aug. 3	15.25	8	8.68	18	12.65
10	15.55	15	8.96	Nov. 1	9.78
17	15.94	22	8.05	15	9.58
24	16.26	29	8.77	29	7.73
31	16.31	Apr. 6	8.66	Dec. 13	8.56
Sept. 8	16.58	12	7.45	27	8.68
14	16.90	19	9.20		

WH 104. E. A. White, abandoned dug well, 893 Main St., West Hartford. Diameter 36 inches, depth 27.0 feet. Measuring point is an orange paint mark east side top of curb 2.3 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1935	
Nov. 26	18.38	Dec. 31	16.19	Jan. 28	16.60
Dec. 3	17.93	1935		Feb. 5	16.41
11	15.64	Jan. 7	16.82	16	16.08
17	16.22	14	16.22	Mar. 13	16.00
26	15.77	21	16.38	19	15.96

Water level in feet below measuring point in well WH 104-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Mar. 26	15.90	Feb. 25	21.19	Jan. 11	12.08
Apr. 2	14.90	Mar. 3	20.95	18	10.20
9	14.12	9	19.48	26	8.09
16	12.25	16	19.43	Feb. 1	8.47
23	11.56	25	17.13	8	9.20
May 2	12.40	30	12.91	15	9.35
8	12.93	Apr. 7	13.11	23	9.80
14	13.30	13	8.85	Mar. 1	9.86
20	13.17	20	9.08	8	10.19
26	13.20	27	11.25	15	10.52
June 3	13.13	May 4	10.75	22	9.52
10	13.70	11	10.10	29	9.93
17	13.61	18	11.65	Apr. 6	9.48
24	13.25	25	12.38	12	8.44
July 1	17.40	June 1	13.15	19	9.15
8	18.72	8	14.53	26	8.76
15	19.60	15	15.17	May 4	9.03
22	20.08	22	15.85	11	10.22
29	20.78	29	14.86	17	9.96
Aug. 5	20.81	July 6	14.93	24	9.82
12	20.08	13	15.90	June 2	10.63
19	22.56	21	16.70	7	11.45
26	23.19	27	16.95	14	12.00
Sept. 3	23.76	Aug. 3	17.04	22	11.81
9	23.70	10	Dry	29	10.39
16	23.93	17	Dry	July 6	10.60
23	24.10	24	Dry	12	10.14
30	24.09	31	20.38	19	12.54
Oct. 7	24.57	Sept. 8	Dry	26	13.02
14	24.79	14	Dry	Aug. 2	13.27
21	25.06	21	21.87	11	13.49
28	25.19	28	22.20	17	13.60
Nov. 4	25.29	Oct. 5	21.83	24	13.36
11	25.30	13	21.82	31	12.73
19	25.52	20	20.23	Sept. 7	11.07
26	25.49	26	21.76	14	8.36
Dec. 2	25.58	Nov. 2	21.76	20	8.55
10	25.41	9	21.72	27	9.26
16	25.00	16	21.40	Oct. 4	9.38
23	25.24	23	21.20	13	10.17
30	24.53	30	20.90	18	9.74
1936		Dec. 7	20.92	Nov. 1	8.45
Jan. 5	24.48	14	19.84	15	8.41
13	24.20	21	19.02	29	8.02
21	24.29	28	16.50	Dec. 13	8.36
28	25.91	1937		27	8.55
Feb. 17	21.37	Jan. 4	15.20		

WH 106. F. M. Hawes, abandoned dug well, North Main St., West Hartford. Diameter 30 inches, depth 16.0 feet. Measuring point ia an orange paint mark south side of well under cover 0.9 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1935		1936		1936	
Apr. 2	5.91	Feb. 13	9.56	Dec. 21	6.25
9	6.70	17	8.73	28	6.82
16	6.11	25	8.49	1937	
23	7.10	Mar. 3	8.38	Jan. 4	5.72
May 2	8.13	9	5.61	11	5.80
8	7.29	16	4.93	18	5.55
14	8.39	25	4.90	26	4.34
20	7.96	30	4.84	Feb. 1	5.22
26	8.11	Apr. 7	4.68	8	6.42
June 3	8.02	13	4.27	16	6.25
10	9.21	20	5.76	23	5.80
17	9.03	27	6.70	Mar. 1	5.83
24	8.71	May 4	7.33	8	6.32
July 1	11.20	11	7.53	15	5.74
8	11.51	18	7.97	22	5.57
15	11.40	26	8.64	29	6.30
22	11.90	June 1	8.32	Apr. 6	6.58
29	10.67	8	9.01	12	5.96
Aug. 5	10.83	15	9.68	19	6.80
12	10.50	22	10.10	26	6.38
19	11.80	29	10.80	May 4	6.70
26	12.02	July 6	11.20	11	7.75
Sept. 3	11.32	13	11.53	17	6.37
9	12.64	21	11.93	24	6.82
16	12.20	27	12.35	June 2	7.51
23	12.47	Aug. 3	12.40	7	7.15
30	12.47	10	12.54	14	7.60
Oct. 7	12.53	17	12.67	22	5.02
14	12.82	24	12.98	29	7.03
21	12.96	31	13.15	July 6	6.85
28	13.07	Sept. 8	13.07	12	6.52
Nov. 4	13.10	14	13.29	19	8.26
19	13.32	21	13.32	26	9.20
26	13.22	28	13.05	Aug. 2	9.62
Dec. 2	12.98	Oct. 5	12.90	11	10.67
10	12.51	13	12.87	17	10.50
16	12.26	20	12.73	24	9.86
23	12.59	26	12.16	31	9.26
30	11.06	Nov. 2	12.13	Sept. 7	8.80
1936		9	11.33	14	8.58
Jan. 5	10.97	16	11.11	20	9.33
13	10.05	23	10.80	27	9.08
21	10.33	30	11.19	Oct. 4	9.72
28	8.17	Dec. 7	11.00	13	9.72
Feb. 4	9.04	14	8.73	18	10.40

Water level in feet below measuring point in well WH 106-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Nov. 1	7.70	Nov. 29	4.93	Dec. 27	5.72
15	7.80	Dec. 13	5.19		

WH 109. E. S. Foote, abandoned dug well, corner of Farmington Ave. and Mountain Rd., West Hartford. Diameter 36 inches, depth 21.0 feet. Measuring point is an orange paint mark east side of curb 2.0 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 19	20.21	July 15	19.77	Mar. 3	20.19
26	21.35	22	20.52	9	19.00
Dec. 3	21.14	29	20.45	16	18.74
11	21.58	Aug. 5	20.59	25	18.66
17	21.26	12	20.64	30	18.52
26	20.53	19	20.61	Apr. 7	18.41
31	21.03	26	20.70	13	18.50
1935		Sept. 3	20.76	20	18.54
Jan. 7	21.13	9	20.16	27	19.33
14	20.77	16	20.50	May 4	19.42
21	20.47	23	20.72	11	19.70
28	21.09	Oct. 1	20.21	18	19.85
Feb. 5	21.46	7	20.81	25	20.12
15	21.32	14	20.87	June 1	20.50
21	21.11	21	20.83	8	21.33
28	19.83	28	20.90	15	22.14
Mar. 7	20.45	Nov. 4	20.91	22	22.10
13	20.36	11	21.26	29	20.00
19	20.21	19	21.44	July 6	20.19
26	20.14	26	21.48	13	20.27
Apr. 2	20.23	Dec. 2	20.95	21	21.43
9	20.19	10	21.35	27	21.85
16	20.08	16	20.84	Aug. 3	21.50
23	20.26	23	20.99	10	21.65
May 2	21.45	30	20.98	17	21.74
8	22.32	1936		24	21.83
14	23.01	Jan. 5	20.51	31	21.95
20	22.70	13	20.17	Sept. 8	20.67
26	22.41	21	21.66	14	20.72
June 10	22.14	28	20.40	21	20.62
17	22.01	Feb. 4	21.07	28	20.76
24	22.11	11	21.16	Oct. 5	20.65
July 1	20.40	17	20.71	13	20.63
8	20.75	25	20.59	20	20.62

Water level in feet below measuring point in well WH 109-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Oct. 26	21.12	Mar. 8	19.90	July 26	21.07
Nov. 2	21.06	15	19.28	Aug. 2	21.17
9	20.43	22	18.94	11	20.62
16	20.57	29	19.12	17	21.20
23	20.72	Apr. 6	19.49	24	20.86
30	20.48	12	19.58	31	21.01
Dec. 7	20.80	19	19.73	Sept. 7	21.03
14	20.16	26	19.60	14	21.07
21	19.74	May 4	19.80	20	20.96
28	20.01	11	19.90	28	21.15
1937		17	19.68	Oct. 4	21.15
Jan. 4	20.52	24	19.73	13	21.17
11	20.83	June 2	19.59	18	21.37
18	19.42	7	19.98	Nov. 1	21.05
26	19.12	14	19.66	15	21.02
Feb. 1	18.12	22	19.49	29	20.08
9	20.10	29	19.97	Dec. 13	20.66
16	20.21	July 6	20.39	27	21.15
23	19.33	12	20.17		
Mar. 1	19.64	19	20.66		

WH 110. E. S. Foote, abandoned dug well, corner of Farmington Ave., and Mountain Rd., West Hartford. Diameter 36 inches, depth 26.7 feet. Measuring point is an orange paint mark on north side inside of well house on top course of brick at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 19	22.16	Mar. 7	23.05	July 1	21.50
26	23.64	13	23.05	8	21.57
Dec. 3	23.47	19	23.01	15	21.97
11	23.93	26	22.92	22	21.89
17	23.65	Apr. 2	22.96	29	21.65
26	22.81	9	22.93	Aug. 5	21.65
31	23.56	16	22.87	12	21.91
1935		23	23.00	19	21.91
Jan. 7	23.77	May 2	23.15	26	21.95
14	23.31	8	24.21	Sept. 3	22.05
21	23.48	14	24.78	9	22.15
28	23.83	20	24.61	16	22.00
Feb. 5	24.31	26	24.40	23	22.18
15	24.01	June 10	23.77	Oct. 1	22.19
21	20.01	17	23.64	7	22.40
28	22.07	24	23.91	14	22.40

Water level in feet below measuring point in well WH 110-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Oct. 21	22.35	July 6	21.07	Mar. 22	19.78
28	22.25	13	21.22	29	19.96
Nov. 4	22.40	21	20.40	Apr. 6	20.12
11	22.45	27	20.66	12	19.83
19	22.22	Aug. 3	20.42	19	20.17
26	22.28	10	20.52	26	19.87
Dec. 2	22.15	17	20.60	May 4	19.31
10	22.50	24	20.62	11	19.36
16	23.85	31	20.63	17	19.79
23	24.07	Sept. 8	22.02	24	19.93
30	22.41	14	22.10	June 2	20.16
1936		21	22.80	7	20.21
Jan. 5	21.90	28	22.94	14	20.35
13	21.63	Oct. 5	22.76	22	20.22
21	20.33	13	22.16	29	20.19
28	20.09	20	21.23	July 6	20.01
Feb. 4	22.23	26	23.01	12	19.78
11	22.39	Nov. 2	23.12	19	20.27
17	22.31	9	21.98	26	20.56
25	21.92	16	21.96	Aug. 2	20.69
Mar. 3	21.67	23	21.70	11	20.21
9	20.39	30	21.93	17	20.28
16	20.04	Dec. 7	21.93	24	19.62
25	19.86	14	21.32	31	20.03
30	19.31	21	21.14	Sept. 7	20.01
Apr. 7	19.12	28	21.08	14	20.05
13	18.98	1937		20	19.92
20	18.98	Jan. 4	20.95	28	20.09
27	18.71	11	20.89	Oct. 4	20.18
May 4	18.90	18	20.45	13	20.22
11	19.17	26	20.18	18	20.34
18	19.33	Feb. 1	19.82	Nov. 1	19.94
25	19.53	9	21.65	15	19.80
June 1	20.07	16	22.85	29	19.39
8	21.17	23	20.06	Dec. 13	20.53
15	21.87	Mar. 1	20.18	27	21.27
22	21.86	8	20.32		
29	20.86	15	20.08		

WH 114. E. J. Kelley, abandoned dug well 118 Buena Vista, West Hartford. Diameter 24 inches, depth 28.3 feet. Measuring point is an orange paint mark on east side of curbing 2.5 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point in well WH 114-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 19	11.48	Nov. 4	17.41	Oct. 20	14.86
26	11.27	11	17.69	26	15.44
Dec. 3	11.00	19	17.98	Nov. 2	14.62
11	11.21	26	18.23	9	15.30
17	10.89	Dec. 2	18.74	16	15.22
26	9.91	10	18.40	23	15.16
31	10.18	16	18.40	30	15.27
1935		23	18.41	Dec. 7	15.08
Jan. 7	11.02	30	17.10	14	13.82
14	10.35	1936		21	12.56
21	10.21	Jan. 5	16.89	28	12.27
28	10.74	13	19.87	1937	
Feb. 5	11.53	21	18.07	Jan. 4	11.90
16	11.54	28	15.76	11	10.62
21	10.77	Feb. 4	14.07	18	9.97
28	10.70	13	14.00	26	9.74
Mar. 7	10.38	17	12.10	Feb. 1	8.34
13	9.60	25	11.72	9	9.27
19	9.35	Mar. 3	11.56	16	9.45
26	9.27	9	11.23	23	8.70
Apr. 2	8.73	16	11.47	Mar. 1	9.32
9	8.41	25	9.42	8	10.00
16	7.33	30	9.19	15	9.76
23	8.61	Apr. 7	8.96	22	8.92
May 2	9.75	13	6.85	29	9.32
8	9.96	20	7.36	Apr. 6	7.65
14	10.34	27	8.65	12	7.11
20	10.18	May 4	9.22	19	7.84
27	11.04	11	9.15	26	7.18
June 3	11.17	18	9.33	May 4	7.38
10	12.01	25	9.82	11	7.68
17	11.92	June 1	10.01	17	7.77
24	11.73	8	10.77	24	7.60
July 1	14.97	15	12.06	June 2	7.63
8	13.20	22	12.30	7	9.57
15	13.35	29	11.67	14	9.94
22	13.66	July 6	11.91	22	8.32
29	13.75	13	12.23	29	8.53
Aug. 5	14.90	21	12.54	July 6	9.16
12	14.12	27	12.93	12	9.08
19	14.41	Aug. 3	13.14	19	9.27
26	14.67	10	13.30	26	9.98
Sept. 3	14.00	17	13.43	Aug. 2	10.15
9	15.30	24	13.95	11	12.16
16	15.49	31	14.23	17	11.03
23	15.70	Sept. 8	14.50	24	10.58
Oct. 1	15.98	14	14.80	31	12.87
7	16.24	21	15.09	Sept. 7	12.58
14	16.54	28	15.14	14	12.39
21	16.86	Oct. 5	15.00	20	11.80
28	17.15	13	15.10	28	12.28

Water level in feet below measuring point in well WH 114-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Oct. 4	12.64	Nov. 1	12.42	Dec. 13	12.87
13	12.73	15	11.99	27	12.41
18	13.30	29	9.20		

WH 115. H. Blakeslee, abandoned dug well, 116 Buena Vista, West Hartford. Diameter 24 inches, depth 21.4 feet. Measuring point is an orange paint mark on tile 0.4 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 19	7.18	July 8	9.40	Mar. 16	3.43
26	6.33	15	10.68	25	3.27
Dec. 3	5.47	22	12.98	30	4.52
11	5.69	29	10.02	Apr. 7	4.13
17	5.47	Aug. 5	11.32	13	3.68
26	4.98	12	11.62	20	5.60
31	5.24	19	12.04	27	6.30
1935		26	12.20	May 4	5.47
Jan. 7	6.28	Sept. 3	12.50	11	5.94
14	5.51	9	11.63	18	6.50
21	6.18	16	11.91	25	7.97
28	6.87	23	12.71	June 1	8.23
Feb. 5	8.86	Oct. 1	13.08	8	9.41
16	8.87	7	13.30	15	10.12
21	8.90	14	13.56	22	10.43
28	8.21	21	13.89	29	10.25
Mar. 7	3.76	28	14.07	July 6	10.57
13	3.60	Nov. 4	14.32	13	9.95
19	4.91	11	14.68	21	10.44
26	5.06	19	14.55	27	10.48
Apr. 2	4.96	26	14.55	Aug. 3	10.61
9	4.73	Dec. 10	12.18	10	10.90
16	4.16	16	12.47	17	11.00
23	5.80	23	12.47	24	11.04
May 2	7.13	30	12.93	31	9.39
14	6.93	1936		Sept. 8	13.02
20	7.04	Jan. 5	12.61	14	12.33
27	7.14	13	6.47	21	8.80
June 3	7.01	21	6.93	28	12.00
10	8.29	Feb. 17	12.30	Oct. 5	11.72
17	8.01	25	12.27	13	11.68
24	7.87	Mar. 3	10.83	20	11.11
July 1	10.80	9	5.17	26	12.76

Water level in feet below measuring point in well WH 115-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Nov. 2	12.63	Mar. 8	5.92	July 19	6.60
9	12.31	15	5.63	26	7.27
16	12.20	22	5.12	Aug. 2	7.36
23	12.75	29	5.54	11	9.49
30	12.72	Apr. 6	1.95	17	9.73
Dec. 2	8.06	12	4.25	24	8.30
14	5.63	19	4.93	31	7.80
21	3.52	26	4.33	Sept. 7	6.07
28	7.59	May 4	5.26	14	4.07
1937		11	5.47	20	6.18
Jan. 4	8.05	17	4.00	28	9.48
11	5.07	24	4.27	Oct. 4	9.74
18	3.60	June 2	4.38	13	9.83
26	3.32	7	5.08	18	10.38
Feb. 1	4.77	14	6.14	Nov. 1	6.42
9	6.93	22	4.96	15	6.19
16	4.81	29	6.25	29	2.49
23	4.50	July 6	6.30	Dec. 13	6.79
Mar. 1	5.10	12	6.47	27	6.56

Wf 163. S. B. Doolittle, abandoned dug well, 275 Jordan Lane, Wethersfield. Diameter 36 inches, depth 21.2 feet. Measuring point is an orange paint mark on the stone curbing at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 20	6.24	Sept.30	11.77	Sept.14	13.57
27	5.64	Oct. 8	12.27	21	13.78
Dec. 4	4.17	14	12.31	28	13.94
10	4.02	21	12.51	Oct. 5	14.01
18	4.74	28	12.63	13	13.22
24	4.33	Nov. 4	12.91	20	12.16
29	4.29	11	13.31	26	12.34
1935		18	13.38	Nov. 2	12.12
Jan. 8	4.88	25	13.30	9	12.80
15	3.52	Dec. 2	13.00	16	12.65
22	3.87	9	12.96	23	12.48
29	4.48	16	13.26	30	12.54
Feb. 5	4.98	23	13.63	Dec. 7	11.67
14	5.15	30	13.71	14	10.48
20	3.48	1936		21	9.14
27	3.53	Jan. 5	10.60	29	9.22
Mar. 7	3.19	13	10.03	1937	
13	2.56	21	10.92	Jan. 4	6.12
19	2.72	Mar. 3	8.64	11	5.78
27	2.83	10	6.90	18	3.10
Apr. 1	3.30	16	2.30	25	2.00
8	3.84	25	2.27	Feb. 2	3.10
15	2.83	30	2.50	9	3.88
22	2.87	Apr. 7	2.39	15	3.74
30	4.22	13	2.43	24	3.14
May 8	4.69	20	3.10	Mar. 2	3.60
13	4.47	28	3.92	8	3.87
20	4.52	May 4	4.26	15	4.30
27	5.40	11	4.55	22	3.42
June 3	6.02	18	4.68	29	3.55
10	6.22	25	5.04	Apr. 5	4.12
17	6.60	June 1	5.60	12	3.57
24	6.82	8	6.20	19	3.82
July 1	7.41	15	7.16	26	3.60
8	8.10	23	7.41	May 5	3.85
15	8.48	29	8.00	10	4.15
22	8.67	July 6	8.41	17	4.32
29	9.10	13	9.00	24	3.93
Aug. 5	9.47	21	9.35	June 1	4.30
12	9.50	27	9.54	7	4.74
19	9.76	Aug. 3	9.60	15	5.27
26	10.87	10	9.65	21	5.40
Sept. 2	11.12	17	11.80	28	5.18
8	10.91	24	12.48	July 7	4.53
16	11.85	31	12.93	13	4.98
23	11.85	Sept. 8	13.22	20	5.23

Water level in feet below measuring point in well Wf 163-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
July 27	5.89	Aug. 23	9.24	Oct. 25	9.07
Aug. 3	6.07	30	8.66	Nov. 9	6.86
10	8.34	Sept.30	8.71	Dec. 6	3.17
16	8.97	Oct. 5	9.05	20	3.82

Wf 165. J. S. Buck, abandoned dug well, corner of Wells Rd. and Hartford Ave., Wethersfield. Diameter 30 inches, depth 22.0 feet. Measuring point is an orange paint mark on the stone curbing at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 20	13.81	July 8	11.78	Mar. 10	7.28
27	12.70	15	12.80	16	0.53
Dec. 4	8.89	22	12.26	25	Flow
10	9.12	29	12.32	30	1.91
18	7.91	Aug. 5	12.42	Apr. 7	0.54
24	6.22	12	12.75	13	1.00
29	5.87	19	12.84	20	1.84
1935		26	13.03	28	3.07
Jan. 8	5.09	Sept. 2	13.61	May 4	3.32
15	1.91	9	13.09	11	3.50
22	3.14	16	13.82	18	3.63
29	3.82	23	11.93	25	5.65
Feb. 5	4.25	30	12.01	June 1	6.10
14	5.24	Oct. 8	14.17	8	9.82
20	1.55	14	14.23	15	9.46
27	1.50	21	14.09	23	10.70
Mar. 7	Flow	28	13.92	29	11.65
13	Flow	Nov. 4	15.70	July 6	11.92
19	0.72	11	16.12	13	12.40
Apr. 1	1.89	18	16.27	21	12.55
8	3.13	25	15.76	27	12.95
15	1.89	Dec. 2	15.62	Aug. 3	13.17
22	1.96	9	15.51	10	13.35
30	4.39	16	15.58	17	14.75
May 8	5.20	23	15.66	24	15.27
13	3.65	30	15.64	31	15.38
20	5.56	1936		Sept. 8	15.61
27	7.37	Jan. 5	15.00	14	15.06
June 3	8.58	13	14.57	21	15.95
10	9.50	21	14.66	28	16.00
17	10.38	Feb. 19	10.40	Oct. 5	15.91
24	10.90	24	10.23	13	14.62
July 1	11.39	Mar. 3	9.41	20	14.62

Water level in feet below measuring point in well Wf 165-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Oct. 26	15.12	Mar. 2	2.07	July 13	7.86
Nov. 2	15.03	8	2.80	20	8.16
9	15.98	15	0.35	27	8.57
16	15.82	22	0.32	Aug. 3	8.93
23	15.79	29	1.76	10	11.28
30	15.63	Apr. 5	2.79	16	11.84
Dec. 7	15.83	12	1.52	23	12.31
14	8.90	19	2.73	30	12.61
21	4.33	26	2.22	Sept. 8	12.78
29	5.30	May 5	3.34	15	13.12
1937		10	4.07	21	13.31
Jan. 4	1.37	17	2.65	30	13.45
11	1.30	24	3.28	Oct. 5	13.63
18	0.34	June 1	5.50	14	13.47
25	Flow	7	5.86	25	13.90
Feb. 2	1.06	15	8.31	Nov. 9	13.26
9	1.30	21	9.90	22	11.61
15	0.98	28	9.37	Dec. 6	1.59
24	0.98	July 7	7.07	20	1.84

Wf 166. W. E. Hanmer, abandoned dug well, 433 Main St., Wethersfield. Diameter 24 inches, depth 16.4 feet. Measuring point is an orange paint mark south side of flagstone cover at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 20	13.96	Mar. 19	12.52	July 22	14.78
27	13.84	27	12.60	29	14.64
Dec. 4	13.37	Apr. 1	12.77	Aug. 5	14.62
10	12.84	8	13.08	12	14.65
18	13.67	15	12.94	19	14.71
24	13.52	22	13.11	26	14.87
29	12.83	30	13.25	Sept. 2	14.99
1935		May 8	13.81	9	14.65
Jan. 8	13.79	13	13.83	16	14.50
15	11.87	20	14.00	23	14.59
22	13.58	27	14.13	30	14.68
29	14.93	June 3	14.29	Oct. 8	14.83
Feb. 5	15.47	10	14.37	14	14.91
14	15.30	17	14.48	21	14.98
20	13.86	24	14.50	28	15.00
27	13.86	July 1	14.57	Nov. 4	15.15
Mar. 7	12.55	8	14.66	11	15.29
13	12.01	15	14.74	18	15.41

Water level in feet below measuring point in well Wf 166-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Nov. 25	14.00	June 29	14.21	Jan. 18	12.04
Dec. 2	14.90	July 6	14.51	25	10.78
9	15.09	13	15.09	Feb. 2	11.75
16	15.20	21	15.36	9	11.46
23	15.31	27	15.60	15	12.85
30	15.49	Aug. 3	15.75	24	12.57
1936		10	15.82	Mar. 2	12.74
Jan. 5	14.11	17	15.32	8	13.03
13	13.76	24	15.12	15	13.30
21	13.81	31	14.97	22	11.90
Feb. 19	13.70	Sept. 8	15.01	29	12.29
24	13.52	14	15.10	Apr. 5	12.53
Mar. 3	13.35	21	14.50	12	12.57
10	12.41	28	14.58	19	12.96
16	10.52	Oct. 5	14.30	26	13.10
25	9.87	13	14.31	May 5	13.45
30	7.00	20	14.00	10	13.53
Apr. 7	6.54	26	14.20	17	13.76
13	10.18	Nov. 2	14.22	24	13.38
20	11.15	9	14.37	June 1	13.53
28	12.12	16	14.29	7	13.72
May 4	12.92	23	14.26	15	13.87
11	13.07	30	14.18	21	13.82
18	13.17	Dec. 7	14.57	28	13.73
25	13.35	14	12.60	July 7	12.97
June 1	13.52	29	14.43	13	13.23
8	13.75	1937		20	13.36
15	13.90	Jan. 4	12.65	27	13.61
23	14.00	11	12.32		

Wf 167. Lilly E. Hurlburt, abandoned dug well, 484 Main St., Wethersfield. Diameter 30 inches, depth 16.3 feet. Measuring point is an orange paint mark top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 13	11.29	Jan. 8	9.73	Mar. 7	7.05
20	9.92	15	7.33	13	7.10
27	10.19	22	8.84	19	7.34
Dec. 4	8.53	29	10.13	27	7.36
10	8.34	Feb. 5	10.48	Apr. 1	7.34
18	9.56	14	10.47	8	8.30
24	9.49	20	8.00	15	7.75
29	8.88	27	7.96	22	7.74

Water level in feet below measuring point in well Wf 167-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1935		1935	
Apr. 30	9.02	Aug. 12	11.75	Nov. 25	11.87
May 8	9.38	19	11.89	Dec. 2	10.97
13	9.40	26	12.23	9	10.36
20	9.90	Sept. 2	12.51	16	10.89
27	10.22	9	12.07	23	11.13
June 3	10.32	16	11.91	30	11.93
10	10.55	23	11.62	1936	
17	10.99	30	11.87	Jan. 5	10.68
24	10.89	Oct. 8	12.10	13	10.21
July 1	11.13	14	12.33	21	10.40
8	11.40	21	12.82	Feb. 24	10.07
15	11.54	28	12.30	Mar. 3	9.70
22	11.43	Nov. 4	12.20	10	7.20
29	11.17	11	12.87	16	3.50
Aug. 5	11.52	18	12.96		

Wf 168. D. Silverio, abandoned dug well, 496 Main St., Wethersfield. Diameter 36 inches, depth 27.0 feet. Measuring point is an orange paint mark top of curb 2.0 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 13	19.77	Jan. 15	16.46	Mar. 27	16.66
20	20.92	22	19.27	Apr. 1	17.28
27	21.77	29	20.49	8	18.98
Dec. 4	17.86	Feb. 5	21.52	15	17.25
10	18.94	14	22.32	22	17.96
18	21.19	20	18.79	30	20.00
24	20.48	27	18.11	May 8	20.24
29	20.14	Mar. 7	16.40	13	20.50
1935		13	15.06	20	21.70
Jan. 8	20.95	19	16.06	27	22.72

Wf 170. E. C. Adams, abandoned dug well, 366 Middletown Ave., Wethersfield. Diameter 20 inches, depth 16.2 feet. Measuring point is an orange paint mark top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point in well Wf 170-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 20	4.27	Nov. 11	11.46	Oct. 26	8.16
27	4.75	18	11.55	Nov. 2	8.08
Dec. 4	2.38	27	10.50	9	6.92
10	3.49	Dec. 2	8.46	16	6.94
18	4.96	9	8.13	23	7.27
24	3.51	16	8.31	30	7.35
29	3.68	23	9.34	Dec. 7	6.62
1935		30	10.22	14	4.76
Jan. 8	4.72	1936		29	5.80
15	3.23	Jan. 5	6.74	1937	
22	4.57	13	6.12	Jan. 4	2.22
29	4.45	21	6.44	11	2.17
Feb. 5	4.51	28	4.80	18	1.72
20	4.33	Feb. 4	5.21	25	1.28
27	4.01	12	5.85	Feb. 9	3.60
Mar. 7	2.34	19	5.71	15	2.78
13	2.37	24	5.53	24	2.45
19	2.38	Mar. 3	4.93	Mar. 2	3.20
27	2.33	10	3.10	8	3.66
Apr. 1	2.76	16	2.22	15	2.46
8	5.50	25	2.07	22	2.15
15	2.45	30	2.40	29	2.96
22	3.16	Apr. 7	2.17	Apr. 5	3.55
30	4.89	13	5.54	12	2.46
May 8	4.73	20	3.38	19	3.65
13	4.56	28	4.35	26	3.20
20	5.93	May 4	4.41	May 5	4.42
27	6.86	11	4.64	10	5.18
June 3	7.50	18	4.66	17	3.63
10	7.47	25	5.70	24	2.93
17	7.83	June 1	5.82	June 1	5.03
24	7.45	8	6.01	7	5.86
July 1	8.40	15	6.36	15	6.03
8	8.50	23	6.74	21	6.10
15	8.68	29	6.97	28	5.97
22	8.36	July 6	7.16	July 7	5.56
29	8.01	13	7.83	13	6.35
Aug. 5	8.56	21	8.99	20	6.69
12	9.13	27	9.15	27	6.97
19	9.35	Aug. 3	9.29	Aug. 3	8.26
26	9.80	10	9.44	10	8.86
Sept. 2	9.94	17	10.42	16	9.20
9	9.43	24	10.74	23	9.26
16	9.05	31	10.40	30	7.54
23	9.27	Sept. 8	10.45	Sept. 8	6.97
30	9.36	14	10.74	15	5.55
Oct. 8	10.00	21	9.20	21	6.21
14	10.25	28	8.80	30	6.72
21	10.36	Oct. 5	8.36	Oct. 5	7.43
28	10.64	13	8.37	14	7.12
Nov. 4	10.91	20	8.10	25	5.06

Water level in feet below measuring point in well Wf 170-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937			
Nov. 9	4.91	Dec. 6	2.87		
22	3.00	20	3.34		

Wf 171. E. Harriss, abandoned dug well, Maple St., Wethersfield. Diameter 36 inches, depth 22.0 feet. Measuring point is an orange paint mark on stone 0.3 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 13	12.10	July 8	21.97	July 6	18.90
20	13.95	15	20.25	13	19.15
27	13.27	22	20.71	21	20.44
Dec. 4	9.94	29	20.30	27	20.65
10	10.77	Aug. 5	20.96	Aug. 3	20.74
18	13.64	12	21.65	10	20.91
22	13.98	19	21.65	17	21.29
29	11.87	26	21.65	24	20.89
1935		1936		31	21.93
Jan. 8	15.94	Jan. 5	15.22	Sept. 8	13.29
15	12.06	13	14.70	14	13.28
22	14.88	21	14.83	21	12.40
29	16.55	28	14.63	28	13.55
Feb. 5	17.23	Feb. 4	15.72	Oct. 5	13.04
14	18.38	12	17.90	13	13.10
20	11.49	19	17.54	20	13.13
27	11.36	24	17.11	26	13.12
Mar. 7	10.07	Mar. 3	15.99	Nov. 2	13.13
13	10.83	10	12.96	9	10.03
19	10.85	16	10.04	16	9.87
27	10.91	25	9.99	23	6.60
Apr. 1	10.65	30	9.82	30	6.74
8	13.20	Apr. 7	9.59	Dec. 7	12.99
15	10.05	13	9.32	14	11.40
22	12.16	20	11.44	21	10.17
30	14.12	28	13.80	29	10.81
May 8	16.60	May 4	12.70	1937	
13	16.27	11	14.40	Jan. 4	11.90
20	17.68	18	12.95	11	11.81
27	19.09	25	13.13	18	11.00
June 3	19.95	June 1	13.92	25	9.72
10	20.23	8	14.76	Feb. 2	10.92
17	20.53	15	15.60	9	13.90
24	20.20	23	16.20	15	14.15
July 1	20.98	29	18.74	24	11.97

Water level in feet below measuring point in well Wf 171-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
Mar. 2	13.30	June 1	16.50	Aug. 30	18.31
8	14.86	7	17.67	Sept. 8	18.44
15	13.10	15	18.32	15	16.93
22	10.45	21	18.74	21	17.01
29	12.26	28	18.53	30	18.15
Apr. 5	14.20	July 7	17.32	Oct. 5	19.50
12	11.32	13	18.34	14	19.02
19	13.46	20	19.17	25	14.73
26	12.63	27	19.92	Nov. 9	14.41
May 5	14.69	Aug. 3	20.27	22	11.57
10	16.23	10	20.88	Dec. 6	10.25
17	14.28	16	21.11	20	12.66
24	13.70	23	20.59		

Wf 172. R. W. Harriss, abandoned dug well, Maple St., Wethersfield. Diameter 30 inches, depth 31.9 feet. Measuring point is an orange paint mark on curb under corner of stone at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 13	12.31	Apr. 22	11.11	Oct. 8	25.58
20	14.45	30	16.50	14	26.12
27	13.82	May 8	17.93	21	26.40
Dec. 4	9.26	13	19.15	28	26.61
10	11.21	20	19.15	Nov. 4	26.18
18	14.28	27	20.44	11	25.89
24	15.14	June 3	21.40	18	25.80
29	12.99	10	21.23	25	25.99
1935		17	22.20	Dec. 2	18.84
Jan. 8	17.11	24	22.17	9	17.69
15	13.34	July 1	22.90	16	18.03
22	15.12	8	23.69	23	18.88
29	17.85	15	23.87	30	20.09
Feb. 5	18.67	22	23.39	1936	
14	19.83	29	22.90	Jan. 5	11.37
20	13.14	Aug. 5	23.76	13	10.10
27	11.02	12	24.67	21	10.58
Mar. 7	9.79	19	24.93	28	11.63
13	9.76	26	25.35	Feb. 4	15.31
19	10.00	Sept. 2	25.72	12	19.38
27	10.00	9	25.19	19	10.80
Apr. 1	11.08	16	25.06	24	10.22
8	12.00	23	24.80	Mar. 3	8.19
15	10.25	30	24.72	10	8.01

Water level in feet below measuring point in well Wf 172-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
Mar. 16	8.81	Oct. 13	21.63	May 5	15.54
25	8.72	20	20.16	10	17.34
30	9.42	26	20.01	17	14.02
Apr. 7	9.31	Nov. 2	20.00	24	14.40
13	9.04	9	19.70	June 1	17.52
20	12.00	16	19.86	7	18.78
28	14.90	23	19.87	15	19.59
May 4	13.85	30	19.90	21	20.07
11	16.10	Dec. 7	13.90	28	19.76
18	14.54	14	11.70	July 7	18.02
25	15.20	21	10.17	13	20.00
June 1	16.42	29	11.04	20	21.31
8	17.36	1937		27	22.13
15	18.91	Jan. 4	11.22	Aug. 3	22.43
23	19.35	11	10.79	10	22.98
29	21.92	18	9.93	16	23.27
July 6	22.19	25	7.37	23	21.33
13	22.89	Feb. 2	11.38	30	21.47
21	22.64	9	14.20	Sept. 8	21.45
27	22.74	15	12.70	15	17.49
Aug. 3	22.89	24	11.70	21	18.07
10	23.09	Mar. 2	13.25	30	19.01
17	24.60	8	14.47	Oct. 5	21.66
24	24.23	15	12.09	14	20.02
31	22.21	22	10.56	25	14.11
Sept. 8	23.42	29	11.88	Nov. 9	15.19
14	23.75	Apr. 5	14.30	22	11.24
21	20.56	12	12.36	Dec. 6	11.00
28	22.08	19	13.52	20	13.16
Oct. 5	21.32	26	12.46		

Wi 8. F. Formica, abandoned dug well, Torringford St., Winchester. Diameter 48 inches, depth 43.6 feet. Measuring point is an orange paint mark sharp edge of curb 2.2 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 5	24.20	Sept. 23	34.56	Aug. 3	33.04
13	22.51	30	34.60	10	35.58
20	21.27	Oct. 7	39.55	17	35.70
27	21.66	14	40.07	24	36.03
Dec. 4	20.93	21	42.00	31	34.91
11	18.80	28	41.40	Sept. 8	34.90
18	19.40	Nov. 4	42.30	14	34.91
24	19.74	9	42.30	21	35.06
1935		18	42.28	29	34.70
Jan. 2	21.80	25	42.72	Oct. 5	34.52
8	23.25	Dec. 2	40.00	12	37.80
15	23.10	9	41.56	19	34.78
22	22.75	16	42.11	26	34.21
29	23.67	23	43.00	Nov. 2	37.40
Feb. 5	24.92	30	42.51	9	36.75
12	25.81	1936		16	36.14
19	27.45	Jan. 6	42.52	23	36.34
26	26.98	13	39.82	30	36.19
Mar. 7	28.96	21	40.10	Dec. 7	33.38
12	29.04	27	40.10	14	32.43
19	28.90	Feb. 3	40.00	21	31.14
26	26.78	10	40.10	28	30.29
Apr. 4	24.99	17	40.25	1937	
10	24.99	24	41.45	Jan. 4	28.47
17	23.16	Mar. 2	41.30	11	27.43
24	24.01	9	40.00	18	23.31
May 1	23.16	16	35.16	25	23.19
6	20.77	23	30.26	Feb. 1	20.12
13	21.49	30	28.94	8	20.70
20	23.01	Apr. 6	26.32	15	20.90
27	23.99	13	26.26	22	20.68
June 3	25.00	20	24.10	Mar. 1	23.97
10	24.63	27	20.86	8	23.14
17	24.76	May 4	21.07	15	23.32
24	24.24	11	21.72	22	26.44
July 1	25.16	18	22.10	29	27.78
8	29.12	25	23.06	Apr. 6	26.52
15	30.30	June 1	27.37	12	25.17
22	31.03	8	28.45	19	24.99
29	30.97	15	29.01	26	24.02
Aug. 5	31.06	22	29.10	May 3	22.10
19	43.50	29	31.16	10	21.96
26	45.51	July 6	32.34	17	22.14
Sept. 2	45.60	13	33.09	24	19.82
9	45.58	21	32.82	June 1	20.06
16	34.67	27	33.36	7	21.31

Water level in feet below measuring point in well Wi 8-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 14	22.98	Aug. 9	30.15	Oct. 5	32.47
21	24.45	19	30.43	11	33.79
28	24.69	23	31.17	18	34.40
July 6	23.52	30	32.28	25	31.22
12	23.41	Sept. 6	33.50	Nov. 8	26.54
19	23.67	13	33.97	22	22.27
26	23.91	20	32.97	Dec. 6	18.68
Aug. 2	24.11	27	33.78	20	19.65

Wi 10. M. J. Cornell, abandoned dug well, Torringford St., Winchester. Diameter 30 inches, depth 10.7 feet. Measuring point is a paint mark on upper sharp edge of the door sill of small well house 1.5 feet above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 5	5.22	May 13	7.16	Nov. 25	11.66
13	5.54	20	7.37	Dec. 2	11.62
20	6.05	27	7.92	9	10.82
27	5.44	June 3	7.91	16	10.50
Dec. 4	4.50	10	7.99	23	9.68
11	6.19	17	7.98	30	9.69
18	6.80	24	8.16	1936	
24	6.04	July 1	8.16	Jan. 6	9.60
1935		8	8.96	13	7.32
Jan. 2	6.30	15	9.14	21	5.90
8	6.00	22	9.20	27	5.90
15	5.27	29	9.23	Feb. 3	5.90
22	5.30	Aug. 5	9.20	10	5.90
29	5.42	12	9.16	17	5.90
Feb. 5	5.69	19	9.80	24	7.00
12	6.21	26	10.00	Mar. 2	7.30
19	6.49	Sept. 2	10.00	9	7.00
26	6.10	9	9.96	16	3.82
Mar. 7	4.68	16	10.59	23	4.01
12	4.40	23	10.63	30	4.28
19	3.90	30	10.70	Apr. 6	4.96
26	5.00	Oct. 7	10.66	13	5.20
Apr. 4	5.30	14	10.68	20	6.11
10	5.72	21	10.72	27	7.96
17	5.71	28	11.01	May 4	5.86
24	5.78	Nov. 4	11.22	11	7.44
May 1	5.75	9	11.34	18	7.76
6	6.73	18	11.61	25	8.20

Water level in feet below measuring point in well Wi 10-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1936		1937	
June 1	9.02	Dec. 7	6.85	June 7	7.82
8	8.54	14	5.08	14	8.05
15	8.76	21	4.19	21	8.31
22	9.01	28	4.01	28	7.35
29	9.10	1937		July 6	7.45
July 6	10.00	Jan. 4	4.43	12	7.40
13	9.25	11	4.39	19	7.41
21	9.51	18	4.10	26	7.46
27	9.57	25	4.06	Aug. 2	7.57
Aug. 3	9.65	Feb. 1	4.74	9	10.06
10	9.97	8	6.27	19	10.32
17	10.10	15	5.32	23	9.81
24	10.28	22	5.07	30	8.61
31	10.45	Mar. 1	6.03	Sept. 6	9.37
Sept. 8	10.47	8	6.23	13	9.22
14	10.56	15	6.07	20	9.02
21	10.73	22	5.33	27	8.64
29	10.60	29	5.56	Oct. 5	8.80
Oct. 5	10.45	Apr. 6	5.43	11	8.84
12	10.08	12	5.13	18	8.60
19	9.74	19	5.03	25	5.72
26	9.53	26	4.87	Nov. 8	4.81
Nov. 2	8.28	May 3	5.37	22	4.87
9	7.80	10	6.13	Dec. 6	4.13
16	7.41	17	5.12	20	5.36
23	7.59	24	5.47		
30	7.62	June 2	6.85		

Wi 12. Arvin, abandoned dug well, Torringford St., Winchester. Diameter 36 inches, depth 9.3 feet. Measuring point is a keel mark top of curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 5	4.29	Jan. 15	4.69	May 1	4.60
13	4.81	22	5.01	6	4.55
20	4.75	Mar. 7	4.45	13	4.78
27	4.70	12	4.17	20	5.11
Dec. 4	3.97	19	4.09	27	5.83
18	5.38	26	4.48	June 3	6.03
24	4.45	Apr. 4	4.56	10	6.11
1935		10	4.60	17	6.16
Jan. 2	4.82	17	4.11	24	6.06
8	5.05	24	4.59	July 1	6.00

Water level in feet below measuring point in well Wi 12-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1936	
July 8	5.94	Apr. 13	4.70	Dec. 21	4.13
15	5.91	20	4.75	28	3.87
22	6.00	27	4.77	1937	
29	5.95	May 4	4.23	Jan. 4	4.34
Aug. 5	6.13	11	4.91	11	4.51
12	9.02	18	5.60	18	4.37
19	6.78	25	5.01	25	4.29
26	6.96	June 1	5.89	Feb. 1	4.72
Sept. 2	7.01	8	5.00	15	4.31
9	7.02	15	5.16	22	4.17
16	6.02	22	5.16	Mar. 1	5.04
23	7.01	29	4.99	8	4.86
30	7.07	July 6	6.32	15	4.47
Oct. 7	6.85	13	7.02	22	4.67
14	7.01	21	7.30	Apr. 6	4.19
21	7.10	27	5.03	12	4.66
28	7.47	Aug. 3	6.80	19	4.60
Nov. 4	6.73	10	7.00	26	4.54
9	6.00	17	7.20	May 3	3.82
18	5.38	24	5.30	10	4.00
25	5.00	31	4.45	17	4.03
Dec. 2	4.58	Sept. 8	4.55	24	3.85
9	5.50	14	5.16	June 2	4.24
16	4.47	21	4.87	7	2.99
23	4.32	29	5.18	14	3.01
30	6.23	Oct. 5	5.07	21	3.17
1936		12	4.83	28	3.45
Jan. 6	6.23	19	3.90	July 6	3.97
13	4.46	26	3.16	12	3.81
21	3.23	Nov. 2	2.90	19	3.93
27	3.23	9	2.72	26	4.02
Feb. 17	2.72	16	2.95	Aug. 2	4.17
24	2.72	23	3.04	9	4.81
Mar. 23	4.63	30	5.07	19	5.02
30	4.71	Dec. 7	3.62	23	4.33
Apr. 6	4.68	14	4.45	30	3.84

Wi 21. Z. Stozowski, abandoned dug well, Torringford St., Winchester. Diameter 36 inches, depth 17.1 feet. Measuring point is an orange paint mark top of curb at the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 5	5.42	Nov. 13	5.47	Nov. 27	9.27

Water level in feet below measuring point in well Wi 21-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Dec. 4	5.07	Jan. 8	9.04	Feb. 19	9.48
11	6.85	15	8.00	26	9.29
18	7.35	22	7.93		
24	7.73	29	8.11		
1935		Feb. 5	8.29		
Jan. 2	8.79	12	8.63		

W 33. Mrs. S. F. Brown, abandoned dug well, Poquonock Center, Windsor. Diameter 36 inches, depth 25.0 feet. Measuring point is a paint mark east side top of brick curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1935	
Nov. 19	5.17	Dec. 26	5.87	Jan. 21	5.88
26	5.32	31	5.75	28	6.92
Dec. 3	4.57	1935		Feb. 5	7.47
11	5.00	Jan. 7	6.11		
17	6.18	14	4.94		

W 34. T. S. Hickcox, abandoned dug well, 1476 Poquonock Ave., Windsor. Diameter 24 inches, depth 11.0 feet. Measuring point is a paint mark top of concrete tile 1.5 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 19	8.04	Apr. 16	7.00	Sept. 16	Dry
26	7.76	23	8.28	23	Dry
Dec. 3	6.64	May 2	9.49	30	Dry
11	8.04	8	10.07	Oct. 7	Dry
17	9.24	14	8.78	14	Dry
26	8.97	20	8.43	21	Dry
31	8.79	27	8.39	28	Dry
1935		June 3	8.10	Nov. 4	Dry
Jan. 7	9.32	10	11.38	11	Dry
14	6.48	17	10.21	19	Dry
21	7.94	24	10.83	26	Dry
28	8.85	July 1	10.98	Dec. 2	Dry
Feb. 5	9.26	8	10.85	10	Dry
15	9.29	15	10.82	16	Dry
21	9.00	22	11.18	23	11.30
28	8.87	29	10.36	30	11.50
Mar. 6	8.35	Aug. 5	11.40	1936	
13	7.45	12	11.20	Jan. 5	11.07
19	7.24	19	11.50	13	8.76
26	7.21	26	Dry	21	8.70
Apr. 2	6.54	Sept. 3	Dry	28	8.69
9	7.77	9	Dry	Feb. 4	9.45

W 44. J. O. Keily, abandoned dug well, 736 Palisado Ave., Windsor. Diameter 24 inches, depth 28.3 feet. Measuring point is an orange paint mark top of curb inside well box of the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 19	15.17	Sept. 23	20.22	July 27	17.81
26	15.23	30	20.28	Aug. 3	18.40
Dec. 3	15.20	Oct. 7	20.35	10	19.69
11	15.04	14	20.46	17	20.13
17	15.46	21	20.52	24	20.34
26	15.27	27	20.60	31	20.53
31	15.15	Nov. 4	20.65	Sept. 8	20.87
1935		11	20.70	14	20.88
Jan. 7	15.05	19	20.89	21	21.00
14	15.48	26	20.94	28	21.12
21	15.43	Dec. 2	20.90	Oct. 5	21.05
28	15.36	10	20.83	13	21.21
Feb. 5	15.96	16	21.74	20	21.15
15	15.59	23	22.03	26	22.13
21	15.40	30	20.54	Nov. 2	21.96
28	15.44	1936		9	19.87
Mar. 6	15.19	Jan. 5	20.32	16	19.60
12	15.06	13	20.08	23	19.34
19	14.99	21	20.17	30	19.02
26	14.96	28	16.96	Dec. 7	18.64
Apr. 2	14.93	Feb. 4	15.32	14	16.20
9	14.92	13	15.50	21	15.47
16	14.95	17	15.90	28	14.89
23	14.98	25	15.78	1937	
May 2	15.14	Mar. 3	15.61	Jan. 4	14.91
8	15.23	9	14.20	11	14.75
14	15.47	16	14.40	18	14.63
20	15.26	25	11.17	26	14.22
26	15.13	30	10.94	Feb. 1	13.92
June 3	15.05	Apr. 7	11.39	8	14.20
10	14.97	13	13.27	16	14.48
17	15.01	20	13.51	23	14.63
24	15.09	27	14.04	Mar. 1	14.68
July 1	18.30	May 4	14.34	8	14.76
8	18.15	11	14.57	15	14.57
15	18.55	18	14.71	22	13.72
22	18.85	25	14.87	29	13.94
29	19.00	June 1	14.96	Apr. 6	14.57
Aug. 5	19.08	8	15.20	12	14.35
12	18.30	15	15.39	19	14.48
19	19.72	22	15.53	26	14.63
26	19.80	29	15.73	May 4	14.69
Sept. 3	20.03	July 6	15.98	11	14.85
9	20.15	13	17.34	17	14.84
16	20.21	21	17.64	24	14.73

Water level in feet below measuring point in well W 44-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 2	14.94	Aug. 11	15.49	Oct. 13	15.51
7	15.62	17	15.70	18	15.41
14	15.14	24	15.72	Nov. 1	14.99
22	15.04	31	15.25	15	14.98
29	14.79	Sept. 7	15.17	29	14.56
July 6	15.02	13	15.50	Dec. 13	14.42
12	15.00	20	15.11	27	15.13
19	15.17	27	15.62		
Aug. 2	15.46	Oct. 4	15.17		

W 45. J. E. Petersen, abandoned dug well, 548 Palisado Ave., Windsor. Diameter 24 inches, depth 12.9 feet. Measuring point is a paint mark top of pump frame 3.0 feet above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Nov. 19	12.29	May 2	9.35	Nov. 4	10.59
26	12.34	8	9.38	11	10.63
Dec. 3	12.36	14	9.61	19	10.63
11	12.08	20	9.75	26	10.68
17	12.20	June 10	10.22	Dec. 2	10.59
26	12.09	17	9.98	10	10.31
31	12.21	24	9.80	16	10.40
1935		July 1	9.71	23	10.71
Jan. 7	12.11	8	9.94	30	10.37
14	12.21	15	10.00	1936	
21	12.30	22	10.00	Jan. 5	10.01
28	12.34	29	10.02	13	9.47
Feb. 5	12.58	Aug. 5	10.04	21	9.56
15	12.65	12	10.12	28	9.96
21	12.48	19	10.15	Feb. 4	9.30
28	12.54	Sept. 3	10.30	17	9.65
Mar. 6	12.10	9	10.22	25	9.39
12	11.90	16	10.19	Mar. 3	9.26
19	12.06	23	10.28	9	9.68
26	12.05	30	10.29	16	9.10
Apr. 2	12.01	Oct. 7	10.33	25	8.79
9	12.04	14	10.37	30	8.54
16	12.13	21	10.57	Apr. 7	8.41
28	12.19	27	10.40		

W 48. Mrs. Fenton, abandoned dug well, 1043 Windsor Ave., Windsor. Diameter 24 inches, depth 16.5 feet. Measuring point is a white paint mark on cement curb inside well house 0.3 foot above the land surface. The water-bearing formation is till.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 19	12.11	Sept. 23	11.47	July 27	11.86
26	10.34	30	12.11	Aug. 3	11.35
Dec. 3	4.16	Oct. 7	12.99	10	10.04
11	4.55	14	13.92	17	10.12
17	5.28	21	13.70	24	10.06
26	4.41	28	16.05	31	8.82
31	4.93	Nov. 4	16.23	Sept. 8	10.10
1935		11	16.50	14	8.00
Jan. 7	4.73	19	16.54	21	5.72
14	4.15	26	15.74	28	6.03
21	5.19	Dec. 2	15.65	Oct. 5	4.63
28	5.52	10	15.63	13	4.72
Feb. 5	6.59	16	13.03	20	4.11
15	3.41	23	13.43	26	4.10
21	4.53	30	12.60	Nov. 2	3.87
28	4.29	1936		9	4.99
Mar. 6	4.25	Jan. 5	12.22	16	5.82
13	4.50	13	4.20	23	6.74
19	4.51	21	4.86	30	7.56
26	4.80	28	4.90	Dec. 7	3.83
Apr. 2	4.39	Feb. 4	6.30	14	3.60
9	4.81	12	7.20	21	3.39
16	4.72	17	5.70	28	4.42
23	5.06	25	5.12	1937	
May 2	5.70	Mar. 3	4.69	Jan. 4	3.73
8	5.46	9	2.17	11	4.08
14	6.33	16	2.11	18	3.55
20	6.80	25	2.02	26	3.12
27	6.47	30	3.67	Feb. 1	3.71
June 3	6.40	Apr. 7	3.50	8	4.72
10	7.58	13	3.64	16	4.35
17	6.99	20	4.35	23	3.98
24	6.93	27	4.80	Mar. 1	4.53
July 1	6.89	May 4	5.12	8	4.93
8	7.88	11	5.52	15	3.14
15	9.68	18	5.72	22	3.65
22	9.89	25	5.95	29	4.45
29	8.98	June 1	6.85	Apr. 6	4.20
Aug. 5	10.28	8	8.05	12	4.32
12	11.68	15	9.14	19	4.66
19	12.81	22	10.74	26	4.26
26	13.24	29	11.47	May 4	4.75
Sept. 3	14.14	July 6	11.98	11	5.18
9	10.43	13	12.44	17	3.83
16	9.91	21	11.47	24	4.40

Water level in feet below measuring point in well W 48-Continued

Date	Water level	Date	Water level	Date	Water level
1937		1937		1937	
June 2	5.26	July 6	4.70	Aug. 11	8.72
7	6.14	12	4.81	17	6.76
14	6.52	19	5.55	24	6.92
22	4.02	26	6.15	31	4.68
29	4.50	Aug. 2	8.20	Oct. 4	7.40

W 52. A. O. Rose, abandoned dug well, 996 Windsor Ave., Windsor. Diameter 20 inches, depth 12.1 feet. Measuring point is an orange paint mark northeast side top of curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1936	
Nov. 19	7.28	June 24	7.91	Jan. 27	8.35
26	7.87	July 1	8.75	Feb. 17	8.60
Dec. 3	8.12	8	6.12	25	8.43
11	7.94	15	9.00	Mar. 3	8.31
19	7.98	22	9.10	9	7.87
26	7.55	29	8.66	16	7.20
31	7.88	Aug. 5	8.85	25	7.12
1935		12	9.30	30	7.03
Jan. 7	8.07	19	9.24	Apr. 7	7.00
14	8.31	26	9.42	13	5.73
21	8.09	Sept. 3	9.59	20	5.03
28	8.14	9	9.25	27	6.38
Feb. 5	8.45	16	8.96	May 4	6.72
15	8.34	23	8.98	11	6.64
21	8.14	30	9.35	18	6.81
28	8.03	Oct. 7	9.52	25	7.00
Mar. 6	7.66	14	9.66	June 1	6.89
12	7.44	21	9.77	8	7.07
19	7.30	28	9.81	15	7.49
26	7.22	Nov. 4	9.87	22	7.97
Apr. 2	7.23	11	9.95	29	8.10
9	7.35	19	9.98	July 6	8.35
16	7.28	26	9.00	13	8.50
23	7.44	Dec. 2	9.60	21	8.80
May 2	7.70	10	9.42	27	9.00
8	7.83	16	9.32	Aug. 3	9.10
14	7.87	23	9.87	10	9.20
20	8.00	30	9.38	17	9.37
26	7.75	1936		24	9.64
June 3	7.94	Jan. 5	9.09	31	9.44
10	8.23	13	8.88	Sept. 8	9.50
17	7.97	21	8.92	14	9.70

Water level in feet below measuring point in well W 52-Continued

Date	Water level	Date	Water level	Date	Water level
1936		1937		1937	
Sept. 21	9.30	Feb. 8	6.80	July 6	7.61
28	9.08	16	6.91	12	7.46
Oct. 5	8.91	23	7.04	19	7.85
13	9.10	Mar. 1	6.97	26	7.98
20	8.88	8	7.15	Aug. 2	8.05
26	8.96	15	7.20	11	8.47
Nov. 2	9.01	22	6.50	17	8.45
9	8.86	29	6.72	24	8.43
16	8.87	Apr. 6	7.04	31	8.01
23	8.95	12	6.72	Sept. 7	8.00
30	9.02	19	6.90	13	7.96
Dec. 7	9.00	26	6.95	20	7.76
14	8.10	May 4	7.82	Oct. 4	8.38
21	7.82	11	7.30	13	8.56
28	7.68	17	7.14	18	7.64
1937		24	7.29	Nov. 1	7.97
Jan. 4	7.72	June 2	7.58	15	8.02
11	7.45	7	7.60	29	7.55
18	7.36	14	7.73	Dec. 13	7.06
26	6.79	22	7.43	27	7.70
Feb. 1	6.55	29	7.34		

W 53. A. O. Rose, abandoned dug well, 996 Windsor Ave., Windsor. Diameter 36 inches, depth 10.3 feet. Measuring point is an orange paint mark west side top course of brick curb 0.3 foot above the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1935		1935	
Dec. 3	6.84	Mar. 19	5.35	July 8	7.55
11	6.68	26	5.40	15	7.75
17	6.98	Apr. 2	5.30	22	8.76
26	6.74	9	5.54	29	6.88
31	6.76	16	5.58	Aug. 5	7.60
1935		23	5.72	12	9.00
Jan. 7	7.12	May 2	6.01	19	6.85
14	7.62	8	6.15	26	8.28
21	7.21	14	6.26	Sept. 3	8.56
28	7.45	20	6.10	9	7.60
Feb. 5	7.68	26	6.05	16	7.41
15	7.05	June 3	6.17	23	7.60
21	6.93	10	7.71	30	8.85
28	6.09	17	7.53	Oct. 7	8.17
Mar. 6	5.10	24	7.40	14	8.25
12	5.00	July 1	7.20	21	8.32

Water level in feet below measuring point in well W 53-Continued

Date	Water level	Date	Water level	Date	Water level
1935		1936		1937	
Oct. 28	8.40	July 6	7.20	Mar. 15	5.70
Nov. 4	8.40	13	7.39	22	5.26
11	8.40	21	7.72	29	5.37
19	8.42	27	7.90	Apr. 6	5.74
26	8.40	Aug. 3	8.02	12	5.40
Dec. 2	7.53	10	8.14	19	5.61
10	7.50	17	8.27	26	5.62
16	8.00	24	8.63	May 4	5.90
23	8.64	31	8.19	11	6.19
30	7.98	Sept. 8	8.40	17	5.96
1936		14	8.66	24	6.04
Jan. 5	7.31	21	8.20	June 2	6.42
13	6.58	28	8.10	7	6.55
21	6.74	Oct. 5	7.70	14	6.60
28	6.75	13	7.76	22	5.76
Feb. 4	7.10	20	7.10	29	6.10
12	7.45	26	7.16	July 6	6.53
17	6.90	Nov. 2	7.00	12	6.62
25	6.58	9	7.76	19	7.01
Mar. 3	6.50	16	7.85	26	7.27
9	5.91	23	7.94	Aug. 2	7.26
16	4.73	30	8.07	11	7.67
25	4.51	Dec. 7	7.74	17	7.61
30	3.99	14	5.93	24	7.56
Apr. 7	3.84	21	5.45	31	7.07
13	3.79	28	6.25	Sept. 7	6.90
20	3.86	1937		13	6.99
27	4.32	Jan. 4	6.07	20	6.62
May 4	4.47	11	6.08	27	7.10
11	5.00	18	5.87	Oct. 4	7.65
18	5.33	26	4.87	13	7.36
25	5.57	Feb. 1	4.96	18	7.85
June 1	5.92	8	5.40	Nov. 1	6.10
8	6.25	16	6.02	15	5.85
15	6.38	23	5.60	29	4.78
22	6.65	Mar. 1	5.58	Dec. 13	5.65
29	6.85	8	5.76	27	5.87

W 57. Mrs. D. E. Phelps, abandoned dug well, 526 Windsor Ave., Windsor. Diameter 20 inches, depth 31.8 feet. Measuring point is an orange paint mark on stone curb at the land surface. The water-bearing formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1934		1934		1934	
Nov. 19	16.83	Nov. 26	16.61	Dec. 3	12.84

Water level in feet below measuring point in well W 57-Continued

Date	Water level	Date	Water level	Date	Water level
1934		1936		1937	
Dec. 11	10.91	Feb. 4	18.44	Jan. 4	4.64
17	14.89	12	16.90	11	6.53
26	13.87	17	19.23	18	3.61
31	14.64	25	17.92	26	2.81
1935		Mar. 3	17.09	Feb. 1	5.06
Jan. 7	17.12	9	10.96	8	9.50
14	12.48	16	7.43	16	8.29
21	15.12	25	6.97	23	4.46
28	16.73	30	6.22	Mar. 1	7.08
Feb. 5	17.69	Apr. 7	5.89	8	7.76
15	19.01	13	3.16	15	7.98
21	18.56	20	6.48	22	3.56
28	19.76	27	10.38	29	6.78
Mar. 6	19.05	May 4	11.93	Apr. 6	8.91
12	17.92	11	11.55	12	4.13
19	13.59	18	11.73	19	5.79
26	11.71	25	13.50	26	5.07
Apr. 2	8.06	June 1	14.05	May 4	8.88
9	11.96	8	14.75	11	11.90
16	8.02	15	16.07	17	6.79
23	12.09	22	17.30	24	8.19
May 2	14.92	29	18.51	June 2	11.32
8	14.76	July 6	19.38	7	9.66
14	15.79	13	19.98	14	8.74
20	15.85	21	20.66	23	8.50
26	14.91	27	20.92	29	7.95
June 2	14.80	Aug. 3	21.40	July 6	4.44
July 29	14.62	10	22.35	12	4.38
Aug. 5	20.44	17	22.83	19	8.74
12	21.61	24	23.47	26	13.00
19	23.24	31	23.76	Aug. 2	14.68
26	22.84	Sept. 8	25.39	11	16.38
Sept. 3	23.41	14	24.78	17	14.94
9	22.50	21	24.73	24	14.67
16	20.65	28	24.00	31	10.74
23	21.79	Oct. 5	24.35	Sept. 7	9.14
30	23.38	13	25.01	13	11.88
Oct. 7	23.95	20	24.36	20	9.10
14	24.40	26	24.37	27	12.75
21	23.85	Nov. 2	24.32	Oct. 4	15.14
28	25.27	9	22.65	13	17.01
Nov. 4	25.50	16	22.09	18	17.54
Dec. 30	23.27	23	22.30	Nov. 1	16.76
1936		30	22.40	15	4.01
Jan. 5	22.86	Dec. 7	21.30	29	2.28
13	15.74	14	10.76	Dec. 13	7.55
21	16.51	21	4.06	27	7.75
28	17.77	28	12.04		

MIMEOGRAPHED BULLETINS OF THE CONNECTICUT GROUND WATER SURVEY

S-1 The Salinity of the Connecticut River, October 1, 1934 to September 30, 1937.

Part I - Text, 6 maps, 2 illustrations, 74 pages, 1938.

Parts II and III - Tabulations of chlorides of samples collected from the Connecticut river at Saybrook Highway bridge, 323 pages, 1938.

GW-1 Record of wells, springs and ground-water levels in the towns of Bridgeport, Easton, Fairfield, Stratford and Trumbull, Connecticut. (242 pages, 5 maps, 1938.)

GW-2 Record of wells, springs and ground-water levels in the towns of Branford, Chester, Clinton, Essex, Guilford, Haddam, Killingworth, Madison, North Branford, Old Saybrook, Saybrook and Westbrook, Connecticut. (340 pages, 12 maps, 1938.)

GW-3 Record of wells, springs and ground-water levels in the towns of Bethany, East Haven, Hamden, Milford, North Haven, Orange, West Haven and Woodbridge, Connecticut. (247 pages, 8 maps, 1938.)

GW-4 Record of wells, springs and ground-water levels in the towns of Berlin, Cromwell, Durham, Meriden, Middlefield, Middletown, Portland and Wallingford, Connecticut. (170 pages, 8 maps, 1938.)

GW-5 Record of wells, springs and ground-water levels in the towns of Colchester, East Haddam, East Hampton, East Lyme, Lyme, New London, Old Lyme and Waterford, Connecticut. (314 pages, 8 maps, 1938.)

GW-6 Ground-water levels in north-central Connecticut, October 1, 1934 to December 31, 1937. (212 pages, 1938.)